



BIBLIOGRAFI HASIL PENELITIAN PERTANIAN KOMODITAS UMBI-UMBIAN



PUSAT PERPUSTAKAAN DAN PENYEBARAN TEKNOLOGI PERTANIAN
Badan Penelitian dan Pengembangan Pertanian
Kementerian Pertanian
2010

Bibliografi
HASIL PENELITIAN PERTANIAN
KOMODITAS UMBI-UMBIAN
2005-2010

Pusat Perpustakaan dan Penyebaran Teknologi Pertanian
Badan Penelitian dan Pengembangan Pertanian
Kementerian Pertanian
2010

**BIBLIOGRAFI
HASIL PENELITIAN PERTANIAN
KOMODITAS UMBI-UMBIAN**

2010

Diterbitkan oleh
PUSAT PERPUSTAKAAN DAN PENYEBARAN
TEKNOLOGI PERTANIAN

Jalan Ir. H. Juanda No 20 Bogor.

Telp. 0251 8321746, Faximili 0251 8326561

E-mail pustaka@litbang.deptan.go.id

Homepage: [//www.pustaka.litbang.deptan.go.id](http://www.pustaka.litbang.deptan.go.id)

ISBN. 978-979-8943-43-0

BIBLIOGRAFI
HASIL PENELITIAN PERTANIAN
KOMODITAS UMBI-UMBIAN

Pengarah : Dr. Gatot Irianto, M.Sc

Penanggung jawab : Ir. Ning Pribadi, M.Sc.

Penyusun : Hendrawaty, S.Sos
Setiawati
Sri Hardianti, A.Md.

Penyunting : Drs. Maksum, M.Si.

KATA PENGANTAR

Bibliografi Hasil Penelitian Pertanian Komoditas Umbi-umbian 2005-2010 disusun dan disebarakan kepada para pengguna di lingkup Badan Litbang Pertanian dalam rangka memberikan informasi tentang perkembangan penelitian pertanian di berbagai negara, sehingga pengguna dapat mengetahui dan memanfaatkan informasi tersebut sebagai rujukan untuk penelitian dan pengembangan pertanian di tanah air.

Bibliografi Hasil Penelitian Pertanian Komoditas Umbi-umbian 2005-2010 memuat bibliografi hasil penelitian yang bersumber dari Database ProQuest, ScienceDirect, dan TEEAL yang dilanggan oleh Pusat Perpustakaan dan Penyebaran Teknologi Pertanian (PUSTAKA).

Penyusunan bibliografi ini dimaksudkan untuk memudahkan para pengguna, khususnya para peneliti Badan Litbang Pertanian dalam mencari informasi yang dibutuhkan, baik dalam rangka penyusunan proposal penelitian, penulisan ilmiah, laporan penelitian, maupun kegiatan penelitian dan kegiatan ilmiah lainnya.

Bibliografi Hasil Penelitian Pertanian Komoditas Umbi-umbian 2005 – 2010 selain diterbitkan dalam bentuk tercetak, dapat diakses secara *off-line* dan *on-line* melalui web PUSTAKA www.pustaka.deptan.go.id. Untuk mendapatkan artikel lengkapnya, dapat ditelusur melalui perpustakaan UK/UPT lingkup Badan Litbang Pertanian atau kontak langsung ke PUSTAKA melalui alamat e-mail: pustaka@litbang.deptan.go.id, telepon ke nomor 0251-8321746, atau faksimili 0251-8326561. Bagi para peneliti yang datang ke PUSTAKA, penelusuran dapat dilakukan di *Operation Room Digital Library* (ORDL) yang berada di Lantai 1 Gedung B.

Bibliografi Hasil Penelitian Pertanian Komoditas Umbi-umbian 2005-2010 ini diharapkan dapat dimanfaatkan oleh pengguna, sehingga mampu mempercepat dan mempermudah pengguna dalam mencari informasi yang dibutuhkan.

Kepala Pusat,

Ir.Ning Pribadi, M.Sc.

DAFTAR ISI

KATA PENGANTAR.....	i
DAFTAR ISI.....	iii

2005

PROQUEST

Ubi jalar.....	1
Ubi kayu.....	2
Uwi.....	5

SCIENCEDIRECT

Ganyong.....	6
Talas.....	6
Ubi jalar.....	7
Ubi kayu.....	9

TEEAL

Talas.....	11
Ubi jalar.....	12
Ubi kayu.....	13
Uwi.....	17

2006

PROQUEST

Ganyong.....	17
Talas.....	18
Ubi kayu.....	18
Uwi.....	19

SCIENCEDIRECT

Talas.....	20
Ubi jalar.....	21
Ubi kayu.....	23
Uwi.....	24

TEEAL	
Ubi jalar.....	26
Ubi kayu.....	28
Uwi.....	34

2007

PROQUEST	
Talas.....	35
Ubi jalar.....	35
Ubi kayu.....	36
Uwi.....	38

SCIENCEDIRECT	
Ganyong.....	39
Talas.....	40
Ubi jalar.....	41
Ubi kayu.....	46
Uwi.....	48

TEEAL	
Talas.....	49
Ubi jalar.....	50
Ubi kayu.....	53

2008

PROQUEST	
Talas.....	59
Ubi jalar.....	59
Ubi kayu.....	61
Uwi.....	63

SCIENCEDIRECT	
Talas.....	64
Ubi jalar.....	65
Ubi kayu.....	71
Uwi.....	73

2009

PROQUEST

Ubi jalar..... 74
Ubi kayu..... 74

SCIENCEDIRECT

Ganyong..... 75
Talas..... 76
Ubi jalar..... 76
Ubi kayu..... 84
Uwi..... 85

2010

PROQUEST

Ubi kayu..... 86

SCIENCEDIRECT

Ganyong..... 86
Talas..... 87
Ubi jalar..... 87
Ubi kayu..... 90

Indeks Subjek..... 93

BIBLIOGRAFI 2005

PROQUEST

UBI JALAR

1. Analysis of genes developmentally regulated during storage root formation of sweet potato/ Masaru Tanaka, Yasuhiro Takahata, Makoto Nakatani
Journal of Plant Physiology. Stuttgart: Jan 2005. Vol. 162, Iss. 1, p. 91-102
Keywords: Sweet potatoes; Gene expression; Storage root formation
2. Effect of processing variables on texture of sweet potato starch noodles prepared in a nonfreezing process/ Seung-Young Lee ...[et al.]
Cereal Chemistry. St. Paul:Jul/Aug 2005.Vol. 82, Iss. 4, p. 475-478
Keywords: Sweet potatoes; Starch; Noodles; Freezing process
3. Effects of water availability and vine harvesting frequency on the productivity of sweet potato in Southern Mozambique. IV. Radiation interception, dry matter/ F Gomes, M K V Carr, G R Squire
Experimental Agriculture. Cambridge: Jan 2005. Vol. 41, Iss. 1, p. 93-108
Keywords: Sweet potatoes; Water availability; Vine harvesting; Productivity; Southern Mozambique

4. Regulation of rubisco activity in response to variation in temperature and atmospheric CO₂ partial pressure in sweet potato1[w]/ Yan-Ping Cen, Rowan F Sage
Plant Physiology. Rockville: Oct 2005. Vol. 139, Iss. 2, p. 979-990
Keywords: Sweet potatoes; Regulations; Rubisco activity; Temperature; Atmosphere; Carbon dioxide

5. Utilization of ensiled sweet potato (*Ipomoea batatas* (L.) Lam.) leaves as a protein supplement in diets for growing pigs/ L. Van An, T.T.T. Hong, B. Ogle, J.E. Lindberg
Tropical Animal Health and Production. Dordrecht:Jan 2005. Vol. 37, Iss. 1, p. 77-88
Keywords: Sweet potatoes; Ipomoea batatas; Swine; Diet; Protein supplement

UBI KAYU

6. Assessment of laboratory methods for evaluating cassava genotypes for resistance to root rot disease/ T. J. Onyeka, A. G. O. Dixon, E. J. A. Ekpo
Mycopathologia. Dordrecht:Apr 2005. Vol. 159, Iss. 3, p. 461-467
Keywords: Cassava; Genotypes; Laboratory methods; Root rot diseases

7. Biolistic infection of cassava using cloned components of Indian cassava mosaic virus/ D. Rothenstein ...[et al.]
Archives of Virology. New York:Aug 2005. Vol. 150, Iss. 8, p. 1669-1675
Keywords: Cassava; Clones; Indian cassava mosaic virus; Biolistic infection

8. Both Indian cassava mosaic virus and Sri Lanka cassava mosaic virus are found in India and exhibit high variability as assessed by PCR-RFLP/ B. L. Patil ...[et al.]
Archives of Virology. New York:Feb 2005. Vol. 150, Iss. 2, p. 389-397
Keywords: Cassava; Indian cassava mosaic virus; Sri Lanka cassava mosaic virus; PCR

9. Cannibalism and interspecific predation in a phytoseiid predator guild from cassava fields in Africa: evidence from the laboratory/ Ignace D. Zannou ... [et al.]
Experimental & Applied Acarology. Amsterdam:Oct 2005. Vol. 37, Iss. 1-2, p. 27-42
Keywords: Cassava; Phytoseiidae; Predators; Africa

10. Cassava plants with a depleted cyanogenic glucoside content in leaves and tubers distribution of cyanogenic glucosides, their site of synthesis and transport, and blockage of the biosynthesis by rna interference technology/ Kirsten Jørgensen ...[et al.]
Plant Physiology. Rockville:Sep 2005. Vol. 139, Iss. 1, p. 363-374
Keywords: Cassava; Leaves; Tubers; Cyanogenic glycosides; RNA interference technology

11. Diallel analysis in cassava adapted to the midaltitude valleys environment/ G Jaramillo ... [et al.]
Crop Science. Madison:May/Jun 2005.Vol. 45, Iss. 3, p. 1058-1063
Keywords: Cassava; Diallel analysis; Midaltitude valley environment

12. Effect of replacement of maize with cassava peel in cockerel diets on performance and carcass characteristics/ S. O. Nwokoro
Tropical Animal Health and Production. Dordrecht:Sep 2005.Vol. 37, Iss. 6, p. 495-501
Keywords: Cassava peels; Cockerel; Diet; Carcass characteristics

13. Epistasis in cassava adapted to midaltitude valley environments/ J C Pérez ... [et al.]
Crop Science. Madison:Jul/Aug 2005.Vol. 45, Iss. 4, p. 1491-1496
Keywords: Cassava; Epistasis; Midaltitude valley environment; Genetic variation; Yield components
14. Field evaluation of root rot disease and relationship between disease severity and yield in cassava/ T J Onyeka, A G O Dixon, E J A Ekpo
Experimental Agriculture. Cambridge:Jul 2005. Vol. 41, Iss. 3, p. 357-363
Keywords: Cassava; Root rot disease; Yields
15. Groundnut, maize and cassava yields in mixed-food crop fields after calliandra tree fallow in Southern Cameroon/ C Nolte ...[et al.]
Experimental Agriculture. Cambridge:Jan 2005. Vol. 41, Iss. 1, p. 21-37
Keywords: Cassava; Groundnuts; Maize; Calliandra; Fallow; Southern Cameroon
16. Identification of a second begomovirus, Sri Lanka cassava mosaic virus, causing cassava mosaic disease in India/ N. Dutt, R. W. Briddon, I. Dasgupta
Archives of Virology. New York:Oct 2005. Vol. 150, Iss. 10, p. 2101-2108
Keywords: Cassava; Sri Lanka cassava mosaic virus; Cassava mosaic disease; India
17. Mating interactions between okra and cassava biotypes of *Bemisia tabaci* (Homoptera: Aleyrodidae) on eggplant/ Bonaventure Aman Omondi ...[et al.]
International Journal of Tropical Insect Science. Cambridge:Sep 2005. Vol. 25, Iss. 3, p. 159-167
Keywords: Cassava; Okras; Biotypes; Bemisia tabaci; Eggplant; Mating interaction

18. Prevalence and severity of *Nattrassia mangiferae* root and stem rot pathogen of cassava in Bénin / W Msikita ...[et al.]
Plant Disease. St Paul:Jan 2005. Vol. 89, Iss. 1, p. 12-16
Keywords: Cassava; Nattrassia mangiferae root; Stem root; Pathogens

UWI

19. Biological control of postharvest fungal rot of yam (*Dioscorea* spp.) with *Bacillus subtilis*/ R. N. Okigbo
Mycopathologia. Dordrecht:Feb 2005. Vol. 159, Iss. 2, p. 307-314
Keywords: Yams; Dioscorea spp.; Fungal rot; Bacillus subtilis; Biological control
20. Geographical distribution of allelic diversity, a practical means of preserving and using minor root crop genetic resources/ Vincent Lebot ... [et al.]
Experimental Agriculture. Cambridge:Oct 2005. Vol. 41, Iss. 4, p. 475-489
Keywords: Yams; Root crop; Genetic resources; Geographical distribution
21. New species of edible yam (*Dioscorea* L.) from Western Madagascar/ Odile Weber ... [et al.]
Kew Bulletin.Norwich:2005. Vol. 60, Iss. 2, p. 283-291
Keywords: Yams; Dioscorea; New species; Western Madagascar
22. Postharvest treatment of seed tubers with gibberellic acid and field performance of yam (*Dioscorea cayenensis-rotundata*) in Ivory coast/ A B Tschannen, F Escher, P Stamp
Experimental Agriculture. Cambridge:Apr 2005. Vol. 41, Iss. 2, p. 175-186
Keywords: Yams; Dioscorea cayenensis; Gibberellic acid; Postharvest treatment

23. Preliminary studies on the microbiological and physicochemical characteristics of fermented pounded yam/ E T Otunola
Nutrition and Food Science. Bradford:2005. Vol. 35, Iss. 3/4, p. 135-142

**Keywords: Yams; Microbiological characteristics;
Physicochemical characteristics**

24. Use of cpSSRs for the characterisation of yam phylogeny in Benin/
H Chaïr ... [et al.]
Genome. Ottawa:Aug 2005. Vol. 48, Iss. 4, p. 674-684

Keywords: Yams; Phylogeny; Benin

SCIENCE DIRECT

GANYONG

25. Physicochemical properties and enzymatic digestibility of starch from edible canna (*Canna edulis*) grown in Vietnam/ Pham Van Hung, Naofumi Morita
Carbohydrate Polymers, Vol. 61, Issue 3, 29 August 2005, p. 314-321, ISSN 0144-8617

Keywords: Edible canna; Canna edulis; Physicochemical properties; Enzymatic digestibility; Resistant starch

TALAS

26. Characterization of some properties of starches isolated from *Xanthosoma sagittifolium* (tannia) and *Colocassia esculenta* (taro)/ Elevation Perez ... [et al.]
Carbohydrate Polymers, Vol. 60, Issue 2, 6 May 2005, p. 139-145, ISSN 0144-8617

Keywords: Colocassia esculenta; Aroid's starches; Starch properties; Starches; Xanthosoma sagittifolium; Taro ; Manihot esculenta

UBI JALAR

27. Differential defense responses in sweet potato suspension culture/
Matthias Debarry ... [et al.]
Plant Science, Vol. 168, Issue 5, May 2005, p. 1171-1179, ISSN
0168-9452
**Keywords: Ipomoea batatas; Sweet potatoes; Oxidative burst;
Ralstonia solanacearum**
28. Effects of far-infrared radiation on the freeze-drying of sweet
potato/ Yeu-Pyng Lin, Jen-Horng Tsen, V. An-Erl King
Journal of Food Engineering, Vol. 68, Issue 2, May 2005, p. 249-
255, ISSN 0260-8774
**Keywords: Sweet potatoes; Far infrared radiation; Freeze
drying; Models**
29. Expression and function of a cysteine proteinase cDNA from sweet
potato (*Ipomoea batatas* [L.] Lam 'Tainong 57') storage roots/
Dong-Jiann Huang ... [et al.]
Plant Science, Vol.169, Issue 2, August 2005, p. 423-431, ISSN
0168-9452
**Keywords: Sweet potatoes; Ipomoea batatas; Cysteine
proteinase; cDNA; Gene expression; Trypsin
inhibitors**
30. Granule size affects the acetyl substitution on amylopectin
populations in potato and sweet potato starches/ Zhenghong Chen
... [et al.]
Carbohydrate Polymers, Vol. 62, Issue 4, 14 December 2005, p.
333-337, ISSN 0144-8617
**Keywords: Sweet potatoes ; Acetyl group; Amylopectin;
Granule size; Starch; Spectrometry techniques;
Enzymatic degradation**

31. Identification of the molting hormone of the sweet potato (*Bemisia tabaci*) and greenhouse (*Trialeurodes vaporariorum*) White fly/ Dale B. Gelman, Michael B. Blackburn, Jing S. Hu
Journal of Insect Physiology, Vol. 51, Issue 1, January 2005, p. 47-53, ISSN 0022-1910
Keywords: Sweet potatoes; White flies; Bemisia tabaci; Trialeurodes vaporariorum; Molting hormone; Ecdysteroids
32. Isolation and expression of protein disulfide isomerase cDNA from sweet potato (*Ipomoea batatas* [L.] Lam 'Tainong 57') storage roots/ Dong-Jiann Huang, Hsien-Jung Chen, Yaw-Huei Lin
Plant Science, Vol. 169, Issue 4, October 2005, p. 776-784, ISSN 0168-9452
Keywords: Sweet potatoes; cDNA; Dehydroascorbate; Monodehydroascorbat
33. Pest damage in sweet potato, groundnut and maize in North-Eastern Uganda with special reference to damage by millipedes (Diplopoda)/ E. Ebregt ... [et al.]
NJAS - Wageningen Journal of Life Sciences, Vol. 53, Issue 1, 2005, p. 49-69, ISSN 1573-5214
Keywords: Sweet potatoes; Arachis hypogaea; Cropping system; Ipomoea batatas; Omopyge sudanica; Spirostreptus ibanda; Tibiomus spp.; Zea mays
34. Production of mouse adiponectin, an anti-diabetic protein, in transgenic sweet potato plants/ Thomas Berberich ... [et al.]
Journal of Plant Physiology, Vol. 162, Issue 10, 14 October 2005, p. 1169-1176, ISSN 0176-1617
Keywords: Sweet potatoes; Adiponectin; Agrobacterium; Mediated transformation; Diabetes; Ipomoea batatas; Transgenic plants

35. Rearing the predatory bug *Macrolophus caliginosus* on a meat-based diet/ Cristina Castane, Rafael Zapata
Biological Control, Vol. 34, Issue 1, July 2005, p. 66-72, ISSN 1049-9644
Keywords: Sweet potatoes; Macrolophus caliginosus; Generalist predator; Insect rearing; Mirid bugs; Greenhouses; White flies
36. Stability studies on the enzyme extracted sweet potato carotenoproteins/ Inci Cinar
Food Chemistry, Vol. 89, Issue 3, February 2005, p. 397-401, ISSN 0308-8146
Keywords: Sweet potatoes; Carotenoids; Enzyme extraction; Cellulase; Pectinase; Caroteno proteins
37. Storage proteins of two cultivars of sweet potato (*Ipomoea batatas* L.) and their protease hydrolysates exhibited antioxidant activity *in vitro*/ Wen-Chi Hou ... [et al.]
Plant Science, Vol. 168, Issue 2, February 2005, p. 449-456, ISSN 0168-9452
Keywords: Sweet potatoes; Ipomoea batatas; Varieties; Antioxidant activity; Low density; Lipoproteins; Peroxynitrite; Storage protein

UBI KAYU

38. Adaptation of *Bemisia tabaci* biotype B (Gennadius) to cassava, *Manihot esculenta* (Crantz)/ A. Carabali ...[et al.]
Crop Protection, Vol. 24, Issue 7, July 2005, p. 643-649, ISSN 0261-2194
Keywords: Bemisia tabaci; Biotype B; Manihot esculenta; Adaptation; Hosts

39. Effects of intensifying organic manuring and tillage practices on penetration resistance and infiltration rate/ Christian Thierfelder ... [et al.]
Soil and Tillage Research, Vol. 82, Issue 2, June 2005, p. 211-226, ISSN 0167-1987,
Keywords : Cassava; Manihot esculenta; Soil crusting; Sealing; Structural degradation; Minimum tillage
40. Effect of replacing a commercial concentrate with cassava hay (*Manihot esculenta* Crantz) on the performance of growing goats/ Ngo Tien Dung ... [et al.]
Animal Feed Science and Technology, Vol. 119, Issues 3-4, 4 April 2005, p. 271-281, ISSN 0377-8401
Keywords: Manihot esculenta; Goats; Growth; Replanting; Cassava hay; Parasites
41. Isolation and characterization of an [alpha]-amylase gene in cassava (*Manihot esculenta*)/ Sithichoke Tangphatsornruang ...[et al.]
Plant Physiology and Biochemistry, Vol. 43, Issue 9, September 2005, p. 821-827, ISSN 0981-9428
Keywords: Manihot esculenta; Cassava; Alpha amylase; Starch degradation; Phytohormones
42. Molecular characterization of a cDNA encoding copper/zinc superoxide dismutase from cultured cells of *Manihot esculenta*/ Seung-Yong Shin ... [et al.]
Plant Physiology and Biochemistry, Vol. 43, Issue 1, January 2005, p. 55-60, ISSN 0981-9428
Keywords: Manihot esculenta; Cultured cells; Environmental stress; Oxidative stress; Superoxide dismutase

43. Plant productivity in cassava-based mixed cropping systems in Colombian hillside farms/ G.C. Daellenbach ... [et al.]
Agriculture, Ecosystems & Environment, Vol.105, Issue 4, 5 March 2005, p. 595-614, ISSN 0167-8809
Keywords: Cassava; Manihot esculenta; Upland rice; Varieties; Mixed cropping; Cropping systems; Intercropping; Soil structure; Stability; Bulk density

TEEAL

TALAS

44. Pathogenicity internal transcribed spacer-rDNA variation, and human dispersal of *Ceratocystis fimbriata* on the family Araceae/ Thorpe-D-J, Harrington-T-C, Uchida-J-Y
Phytopathology, 2005, 95 (3), p. 316-323
Keywords: Giant taro; Araceae; Adaptation; Disease.resistance; Dispersal; rDNA; Evolution; Fungal diseases; Genetic variation; Hosts; Mangoes; Nucleotide sequences; Pathogenicity; Plant diseases
45. Thermogenic flowering of the giant taro (*Alocasia macrorrhizos*, Araceae)/ Ivancic-Anton ...[et al.]
Canadian Journal of Botany, 2005, 83 (6), p. 647-655
Keywords: Giant taro; Terrestrial ecology; Ecology; Environmental sciences; Thermogenesis; Thermogenic flowering

UBI JALAR

46. Agricultural soils irrigated with acidic mine water: acidity, heavy metals, and crop contamination/ Lin-C, Lu-W, Wu-Y
Australian Journal of Soil Research, 2005, 43 (7), p. 819-826
Keywords: Sweet potatoes; Acid mine drainage; Agricultural soils; Aubergines; Contamination; Copper; Heavy metals; Irrigation; Soil types; Sugarcane

47. Genotype x environment interactions for a diverse set of sweet potato clones evaluated across varying ecogeographic conditions in Peru/ Gruneberg-W-J. ...[et al.]
Crop Science, 2005, 45 (6), p. 2160-2171
Keywords: Sweet potatoes; Carotenoids; Biomass; Clones; Chlorophyll; Genetic variation; Genotypes; Environment interaction

48. Indigenous strategies of sustainable farming systems in the highlands of Northern Philippines/ Magcale-Macandog-D, Ocampo-L-J-M
Journal of Sustainable Agriculture, 2005, 26 (2), p. 117-138
Keywords: Crop yield; Farming systems; Groundnuts; Indigenous knowledge; Irrigation; Mixed cropping; Participatory rural appraisal; Sustainability; Sweet potatoes; Terracing

49. Mycorrhizal alleviation of acid soil stress in the sweet potato (*Ipomoea batatas*)/ Yano-K, Takaki-M
Soil Biology & Biochemistry, 2005, 37 (8), p. 1569-1572
Keywords: Sweet potatoes; Acid soils; Aluminium; Calcium; Phosphorus; Potassium; Salt tolerance; Soil acidity; Soil amendments; Vesicular arbuscular mycorrhizae

UBI KAYU

50. Analysing and governing environmental flows: the case of Tra Co tapioca village, Vietnam/ Mol-A-P-J, Tran-Thi-My-Dieu
Netherlands Journal of Agricultural Science, 2005, 53 (3-4), p. 301-317
Keywords: Cassava starch; Agro industries; Tapioca; Vietnam
51. Breeding cassava for underprivileged: institutional, socio-economic and biological factors for success/ Kawano-K, Cock-J-H
Journal of Crop Improvement, 2005, 14 (1-2), p. 197-219
Keywords: Cassava; Crop yield; Varieties; Genetic variation; Germplasm; Plant breeding; Plant genetic resources
52. Cassava cultivation management for sustainable vegetable production in intercropping with okra/ Olsantan F.O.
Journal of Sustainable Agriculture, 2005, 27 (2), p. 53-68
Keywords: Cassava; Crop management; Crop yield; Okras; Cultivation; Intercropping; Returns; Sustainability; Abelmoschus; Malvaceae; Malvales
53. Concept for the development of fire-free fallow management in the Eastern Amazon, Brazil/ Denich M. ...[et al.]
Agriculture, Ecosystems & Environment, 2005, 110 (1-2), p. 43-58
Keywords: Biomass production; Calcium; Cassava; Crop yield; Dry matter accumulation; Fallow; Improvement planting; Land clearance; Land use; Magnesium; Mulching; Natural regeneration
54. Diallel analysis in cassava adapted to the midaltitude valleys environment/ Jaramillo G. ...[et al.]
Crop Science, 2005, 45 (3), p.1058-1063
Keywords: Cassava; Diallel analysis; Dry matter accumulation; Combining ability; Genetic variation; Genotypes; Hybridization; Hybrids; Insect pests

55. Effects of legumes-cassava intercropping on cassava forage and biomass production/ Borin-K, Frankow-Lindberg-B-E
Journal of Sustainable Agriculture, 2005, 27 (2), p. 139-151
Keywords: Cassava; Biomass production; Crude protein; Dry matter; Foliar diagnosis; Intercropping; Nitrogen; Asia; Least developed countries
56. Effect of level of crude protein and use of cottonseed meal in diets containing cassava chips and rice straw for lactating dairy cows/ Promkot-C, Wanapat-M
Asian-Australasian Journal of Animal Sciences, 2005, 18 (4), p. 502-511
Keywords: Cassava; Cattle feeding; Cotton seed; Oil meal; Cost benefit analysis; Cows; Crude protein; Dairy cattle; Digestibility; Holstein friesian; Lactation; Milk
57. Effect of nitrogen in the agronomic characteristics of cassava/ Cardoso-Junior-N-D-S ...[et al.]
Bragantia, 2005, 64 (4), p. 651-659
Keywords: Cassava; Nitrogen fertilizer; Yields; Starch
58. Effect of replacing a commercial concentrate with cassava hay (*Manihot esculenta* Crantz) on the performance of growing goats/ Ngo-Tien-Dung, Nguyen-Thi-Mui, Ledin-I
Animal Feed Science and Technology, 2005 (3-4), p. 271-281
Keywords: Cassava; Concentrates; Feed conversion efficiency; Growth rate; Weight gain; Performance; Tannins
59. Fabrication and performance evaluation of pre-rasping unit for cassava industries/ Kailappan-R. ...[et al.]
AMA, Agricultural Mechanization in Asia, Africa and Latin America, 2005, 36 (1), p. 33-40
Keywords: Cassava; Costs; Drums; Equipment performance; Performance tests; Tubers; Work capacity; Rotational speed; Separation

60. Hired labor use decisions in cassava-producing households of Sub-Saharan Africa/ Enete-A-A, Nweke-F-I, Tollens-E
Agricultural Economics, 2005, 33 (3), p. 269-275
Keywords: Agricultural households; Cassava; Crop production; Hired labour; Labour economics; Socioeconomics
61. Host preference and suitability of some selected crops for two biotypes of *Bemisia tabaci* in Ghana/ Omondi-A-B. ...[et al.]
Entomologia Experimentalis et Applicata, 2005, 115 (3), p. 393-400
Keywords: Aubergines; Biotypes; Cabbages; Cassava; Cowpeas; Host preferences; Insect pests; Okras; Oviposition; Plant pests; Tomatoes
62. Influence of host genotype x environment interactions on the response of cassava anthracnose disease in diverse agro-ecologies in Nigeria/ Ngeve-J-M, Dixon-A-G-O, Nukenine-E-N
African Crop Science Journal, 2005, 13 (1), p. 1-11
Keywords: Cassava; Colletotrichum gloeosporioides; Manihot esculenta; Nigeria
63. Preparation and properties of pregelatinized cassava (*Manihot esculenta* Crantz) and jicama (*Pachyrhizus erosus*) starches using ohmic heating/ Martinez-Bustos-F. ...[et al.]
Agrociencia, 2005, 39 (3), p. 275-283
Keywords: Cassava; Cassava starch; Electrical treatment; Gelation; Heat treatment; Solubility; Starch; Jicama; Pachyrhizus erosus
64. Proximate composition, mineral contents, hydrogen cyanide and phytic acid of 5 cassava genotypes/ Charles-A-L, Sriroth-K, Huang-TzouChi
Food Chemistry, 2005, 92 (4), p. 615-620
Keywords: Calcium; Carbohydrates; Cassava; Chemical composition; Copper; Crude fibre; Crude protein; Hydrogen cyanide; Iron; Lipids; Magnesium; Manganese; Mineral content

65. Quality of boiled cassava roots: instrumental characterization and relationship with physicochemical properties and sensorial properties/ Padonou-W, Mestres-C, Nago-M-C
Food Chemistry, 2005, 89 (2), p. 261-270
Keywords: Amylose; Cassava; Colour; Fibre; Food quality; Physicochemical properties; Protein content; Roots; Sensory evaluation
66. Relationships of intercropped maize, stem borer damage to maize yield and land-use efficiency in the humid forest of Cameroon/ Chabi-Olaye-A, Nolte-C, Schulthess-F, Borgemeister-C
Bulletin of Entomological Research, 2005, 95 (5), p. 417-427
Keywords: Cassava; Cowpeas; Crop damage; Crop mixtures; Crop yield; Infestation; Insect pests; Intensive cropping; Intercropping; Land use; Maize
67. Seedling emergence model for tropic ageratum (*Ageratum conyzoides*)/ Ekeleme-F. ...[et al.]
Weed Science, 2005, 53 (1), p. 55-61
Keywords: Cassava; Maize; Mathematical models; Seedlings; Soil temperature; Soil water; Weeds
68. Strategies for controlling cassava mosaic virus disease in Africa/ Thresh-J-M, Cooter-R-J
Plant Pathology, 2005, 54 (5), p. 587-614
Keywords: Cassava; Cultural control; Disease resistance; Genotype mixtures; Intercropping; Plant disease control
69. Studies on the transglucosylation reactions of cassava and Thai rosewood beta -glucosidases using 2-deoxy-2-fluoro-glycosyl-enzyme intermediates/ Hommalai-G, Chaiyen-P, Svasti-J
Archives of Biochemistry and Biophysics, 2005, 442 (1), p. 11-20
Keywords: Alcohols; Cassava; Enzyme activity; Enzymes; Gluconolactone; Glucosides; Kinetics

70. Yield and chemical composition of cassava foliage and tuber yield as influenced by harvesting height and cutting interval/ Duong-Nguyen-Khang ... [et al.]
Asian-Australasian Journal of Animal Sciences, 2005, 18 (7), p. 1029-1035
Keywords: Cassava; Cassava leaves; Chemical composition; Crop yield; Crude protein; Cutting; Cutting height; Dry matter; Harvesting; Petioles; Stems; Tubers

UWI

71. Genotype x environment interaction in water yam (*Dioscorea alata*) yield trials in five yam-growing sites in Nigeria/ Egesi-C-N;Ogunyemi-S; Asiedu-R
Journal of Genetics & Breeding, 2005, 59 (1), p. 81-88
Keywords: *Dioscorea alata*; Water yam; Environment interaction; Genotypes; Growing sites

BIBLIOGRAFI 2006

PROQUEST

GANYONG

72. Estimated intakes of isoflavones and coumestrol in Korean population/ Jeonghee Surh
International Journal of Food Sciences and Nutrition. Basingstoke:Aug/Sep 2006. Vol. 57, Iss. 5/6, p. 325
Keywords: *Canna edulis*; Isoflavones; Coumestrol; Korea

TALAS

73. Heritability of the main agronomic traits of taro/ José Quero-García ...[et al.]
Crop Science. Madison:Nov/Dec 2006. Vol. 46, Iss. 6, p. 2368-2375
Keywords: Taro; Heritability; Agronomic characters
74. Rationalization of taro germplasm collections in the Pacific Island region using simple sequence repeat (SSR) markers/ E S Mace ... [et al.]
Plant Genetic Resources. Cambridge:Dec 2006. Vol. 4, Iss. 3, p. 210-220
Keywords: Taro; Germplasm; SSR markers; Pacific island

UBI KAYU

75. Biodiversity and recombination of cassava-infecting begomoviruses from Southern India/ D. Rothenstein ...[et al.]
Archives of Virology. New York: Jan 2006. Vol. 151, Iss. 1, p. 55-69
Keywords: Cassava; Biodiversity; Begomoviruses; Southern India
76. Biofortification of essential nutritional compounds and trace elements in rice and cassava / C Sautter... [et al.]
Proceedings of the Nutrition Society. Cambridge:May 2006. Vol. 65, Iss. 2, p. 153-159
Keywords: Cassava; Rice; Biofortification; Nutritional compounds
77. Cassava processing/Anonymous
Appropriate Technology. Hemel Hempstead:Jun 2006. Vol. 33, Iss. 2, p. 60-65
Keywords: Cassava; Processing

78. Tissue culture for farmers: participatory adaptation of low-input cassava propagation in Colombia/ R H Escobar ...[et al.]
Experimental Agriculture. Cambridge:Jan 2006. Vol. 42, Iss. 1, p. 103-120
Keywords: Cassava; Propagation; Tissue culture; Colombia

UWI

79. Adaptive value of participatory biodiversity monitoring in community forestry/ Anna Lawrence ... [et al.]
Environmental Conservation. Cambridge:Dec 2006. Vol. 33, Iss. 4, p. 325-334
Keywords:Yams; Biodiversity; Monitoring; Forestry
80. AFLP marker diversity in water yam (*Dioscorea alata* L.)/ C N Egesi ... [et al.]
Plant Genetic Resources. Cambridge:Dec 2006. Vol. 4, Iss. 3, p. 181-187
Keywords:Water yam; Dioscorea alata; Biodiversity
81. Food processing methods influence the glycaemic indices of some commonly eaten West Indian carbohydrate-rich foods/ P S Bahado-Singh ... [et al.]
British Journal of Nutrition. Cambridge:Sep 2006. Vol. 96, Iss. 3, p. 476-481
Keywords: Yams; Food processing; Glycaemic indices; Carbohydrate; West Indian
82. Konjak mosaic virus: the complete nucleotide sequence of the genomic RNA and its comparison with other potyviruses/ M. Nishiguchi ... [et al.]
Archives of Virology. New York:Aug 2006. Vol. 151, Iss. 8, p. 1643-1650
Keywords: Yams; Konjak mosaic virus; Genomic RNA;Nucleotides; Potyviruses

83. Phases of dormancy in yam tubers (*Dioscorea rotundata*)/E. I. ILE ... [et al.]
Annals of Botany. Oxford:Apr 2006. Vol. 97, Iss. 4, p. 497
Keywords: Yams; Dioscorea rotundata; Tubers; Dormancy
84. Putting nutritious yams back on the menu/ Janet Lawrence
Appropriate Technology. Hemel Hempstead:Dec 2006. Vol. 33, Iss. 4, p. 15-17
Keywords: Yams; Nutritive value; Menu

SCIENCE DIRECT

TALAS

85. Effect of precooking time and drying temperature on the physico-chemical characteristics and *in vitro* carbohydrate digestibility of taro flour/ Y.N. Njintang, C.M.F. Mbofung
LWT – Food Science and Technology, Vol.39, Issue 6, August 2006, p. 684-691, ISSN 0023-6438
Keywords: Taro; Flours; Food processing; Digestibility; In vitro; Physicochemical properties; Carbohydrates;
86. Vermicomposting of taro (*Colocasia esculenta*) with two epigeic earthworm species/ J. Kurien, E.V. Ramasamy
Bioresource Technology, Vol. 97, Issue 11, July 2006, p. 1324-1328, ISSN 0960-8524
Keywords: Taro; Vermicomposting; Eisenia foetida, Eudrilus eugeniae; Colocasia esculenta; Earthworms; Waste management

UBI JALAR

87. Changes in characteristics of sweet potato flour prepared by different drying techniques/ A. Ramesh Yadav ...[et al.]
LWT - Food Science and Technology, Vol. 39, Issue 1, January 2006, p. 20-26, ISSN 0023-6438
Keywords: Sweet potatoes; Flours; Pasting behaviour;Drying; Mycroscopy; X-rays
88. Effects of genotype and treatment on the antioxidant activity of sweet potato in Taiwan/ Yu-Ching Huang, Yung-Ho Chang, Yi-Yuan Shao
Food Chemistry, Vol.98, Issue 3,2006, p.529-538,ISSN 0308-8146
Keywords: Sweet potatoes; Genotype; Steaming; Kneading; Antioxidant properties; Taiwan
89. Endogenous hormon concentration in developing tuberous roots of different sweet potato genotypes/ Qing-mei Wang ... [et al.]
Agricultural Sciences in China, Vol. 5, Issue 12, December 2006, p. 919-927, ISSN 1671-2927
Keywords: Sweet potatoes; Tubers; Endogenous hormone concentration; Thickening
90. Molecular cloning and characterization of a granulin-containing cysteine protease SPCP3 from sweet potato (*Ipomoea batatas*) senescent leaves / Hsien-Jung Chen ...[et al.]
Journal of Plant Physiology, Vol.163, Issue 8, 3 July 2006, p. 863-876, ISSN 0176-1617
Keywords: Cysteine protease; Ethephon; Granulin; Leaf senescence; Sweet potatoes; Amino acids ; Ipomoea batatas

91. New gene construction strategy in T-DNA vector to enhance expression level of sweet potato sporamin and insect resistance in transgenic *Brassica oleracea*/ Huai-Ju Chen ... [et al.]
Plant Science, Vol. 171, Issue 3, September 2006, p. 367-374, ISSN 0168-9452
Keywords: Sweet potatoes; Brassica oleracea ; Genetic variability; Trypsin inhibitors; Insect resistance; Transgenic plants
92. Origin and evolution of sweet potato (*Ipomoea batatas* Lam.) and its wild relatives through the cytogenetic approaches/ Saranya Srisuwan ... [et al.]
Plant Science, Vol. 171, Issue 3, September 2006, p. 424-433, ISSN 0168-9452
Keywords: Sweet potatoes; Ipomoea batatas; Origin; Silver staining; Cytogenetic
93. Paclobutrazol pre-treatment enhanced flooding tolerance of sweet potato/ Kuan-Hung R. Lin ...[et al.]
Journal of Plant Physiology, Vol.163, Issue 7, 3 May 2006, p. 750-760, ISSN 0176-1617
Keywords: Sweet potatoes; Antioxidants; Paclobutrazol; Antioxidative enzyme; Flooding
94. Retention of [beta]-carotene in boiled, mashed orange fleshed sweet potato/ P.J. van Jaarsveld ... [et al.]
Journal of Food Composition and Analysis, Vol. 19, Issue 4, After Processing: The Fate of Food Components, June 2006, p. 321-329, ISSN 0889-1575
Keywords: Sweet potatoes; Orange fleshed; Beta carotene; Retention; Vitamin A

95. Sweet potato (*Ipomoea batatas* [L.] Lam 'Tainong 57') storage root mucilage with antioxidant activities *in vitro*/ Dong-Jiann Huang ...[et al.]
Food Chemistry, Vol.98, Issue 4, 2006, p.774-781, ISSN 0308-8146
Keywords: Sweet potatoes; Antioxidants; Mucilages; In vitro; Hydroxyl radical; Peroxyl radical
96. Thickening of sweet and sour sauces with various polysaccharide combinations/ Marek Gibinski ... [et al.]
Journal of Food Engineering, Vol. 75, Issue 3, August 2006, p. 407-414, ISSN 0260-8774,
Keywords: Sweet potatoes; Oat hydrolysate; Oat starch; Potato starch; Sensory analysis; Textural analysis; Thixotropy; Xanthan gum
97. Viscoelastic properties of sweet potato puree infant food/ Jasim Ahmed, Hosahalli S. Ramaswamy
Journal of Food Engineering, Vol. 74, Issue 3, June 2006, p. 376-382, ISSN 0260-8774
Keywords: Sweet potatoes; Puree; Elastic modulus; Viscoelastic properties; Viscosity; Cox merz rule

UBI KAYU

98. Leaf retention and cassava productivity/ J.I. Lenis ...[et al.]
Field Crops Research, Vol. 95, Issues 2-3, 15 February 2006, p. 126-134, ISSN 0378-4290
Keywords: Cassava; Manihot esculenta; Stay green; Leaf retention; Breeding; Yields; Physiology; Heritability

99. Modeling of starch gelatinization during cooking of cassava (*Manihot esculenta* Crantz)/ Adelaide Beleia...[et al.]
LWT - Food Science and Technology, Vol. 39, Issue 4, May 2006, p. 400-405, ISSN 0023-6438
Keywords: Manihot esculenta; Cassava; Activation energy; Modeling; Thermal treatment
100. Variation in crude protein content in cassava (*Manihot esculenta* Crantz) roots/ H. Ceballos ...[et al.]
Journal of Food Composition and Analysis, Vol. 19, Issues 6-7, Biodiversity and nutrition: a common path, September-November 2006, p. 589-593, ISSN 0889-1575
Keywords: Cassava; Genetic variability; Nutritional quality; Varieties; Crude protein content

UWI

101. Changes in morphological, thermal and pasting properties of yam (*Dioscorea alata*) starch during growth/ Chien-Chun Huang, Mei-Chen Lin, Chiun-C.R. Wang
Carbohydrate Polymers, Volume 64, Issue 4, 16 June 2006, p. 524-531, ISSN 0144-8617
Keywords: Yams; Growth period; Starch; Morphology; Pasting properties
102. Distribution and prevalence of nematodes (*Scutellonema bradys* and *Meloidogyne spp.*) on marketed yam (*Dioscorea spp.*) in West Africa/ D.L. Coyne ...[et al.]
Field Crops Research, Vol. 96, Issue 1, 15 March 2006, p. 142-150, ISSN 0378-4290
Keywords: Dioscorea alata; Yams; Dioscorea rotundata; Benin; Plant parasitic; Nematodes; Scutellonema bradys; Meloidogyne; West Africa

103. Effects of storage temperatures on the antioxidative activity and composition of yam/ Su-Tze Chou ...[et al.]
Food Chemistry, Vol. 98, Issue 4, 2006, p. 618-623, ISSN 0308-8146
Keywords: Dioscorea alata; Yams; Storage temperature; Antioxidative activity; Chemical composition
104. Life history studies of the yam moth, *Dasyses rugosella* Stainton (Lepidoptera: Tineidae)/ M.O. Ashamo
Journal of Stored Products Research, Vol. 42, Issue 3, 2006, p. 302-312, ISSN 0022-474X
Keywords: Dioscorea alata; Dasyses rugosella; Fecundity; Hatchability; Oviposition; Longevity; Wingspan; Body length
105. Pasting characteristics of fresh yams (*Dioscorea* spp.) as indicators of textural quality in a major food product 'pounded yam'/ Bolanle Otegbayo ...[et al.]
Food Chemistry, Vol. 99, Issue 4, 2006, p. 663-669, ISSN 0308-8146
Keywords: Dioscorea alata; Dioscorea rotundata; Pasting properties; Textural quality; Yams
106. Structure-texture relationships of fresh pastes prepared from different yam (*Dioscorea* spp.) varieties/ Judith Brunnschweiler ...[et al.]
LWT - Food Science and Technology, Vol. 39, Issue 7, September 2006, p. 762-769, ISSN 0023-6438
Keywords: Dioscorea alata; Fresh paste; Yams; Varieties; Structure; Texture

TEEAL

UBI JALAR

107. Crop biotechnology and the African farmer/ Eicher-C-K, Maredia-K, Sithole-Niang-I
Food Policy, 2006, 31 (6), p. 504-527
Keywords: Agricultural policy; Bananas; Biosafety; Biotechnology; Case studies; Cassava; Constraints; Plant breeding; Potatoes; Regulations; Sweet potatoes; Transgenic plants
108. Effects of common viruses on yield and quality of Beauregard sweet potato in Louisiana/ Clark-C-A, Hoy-M-W
Plant Disease, 2006, 90 (1), p. 83-88
Keywords: Sweet potatoes; Crop quality; Crop yield; Plant diseases; Plant pathogens; Plant viruses
109. Effects of genotype and treatment on the antioxidant activity of sweet potato in Taiwan/ Huang-YuChing, Chang-YungHo, Shao-YiYuan
Food Chemistry, 2006, 98 (3), p. 529-538
Keywords: Sweet potatoes; Anthocyanins; Antioxidants; Flavonoids; Genotypes; Kneading; Radicals; Steaming; Taiwan
110. Farmers return to their roots/ Gibson-R
African Farming and Food Processing, 2006, (March-April), p. 24-25
Keywords: Sweet potatoes; Cassava; Farmers; Breeding
111. Interactions among sweet potato chlorotic stunt virus and different potyviruses and potyvirus strains infecting sweet potato in the United States/ Kokkinos-C-D, Clark-C-A
Plant Disease, 2006, 90 (10), p. 1347-1352
Keywords: Sweet potatoes; Plant pathogens; Plant viruses; Reverse transcriptase; PCR; Potyvirus

112. Interactions between a crinivirus, an ipomovirus and a potyvirus in coinfecting sweet potato plants/ Mukasa-S-B, Rubaihayo-P-R, Valkonen-J-P-T
Plant Pathology, 2006, 55 (3), p. 458-467
Keywords: Sweet potatoes; Antagonism; Varieties; Disease resistance; Plant diseases; Plant pathogens; Plant viruses; Polymerase chain reaction; Symptoms; Crinivirus; Ipomovirus; Potyvirus
113. Phytoplasma from little leaf disease affected sweet potato in Western Australia: detection and phylogeny/ Tairo-F, Jones-R-A-C, Valkonen-J-P-T
Annals of Applied Biology, 2006, 149 (1), p. 9-14
Keywords: Detection; Genetic markers; Nucleotide sequences; Phylogeny; Plant diseases; Polymerase chain reaction; Shoots; Sweet potatoes
114. Prediction of sweet potato starch physicochemical quality and pasting properties using near-infrared reflectance spectroscopy/ Lu-GuoQuan, Huang-HuaHong, Zhang-DaPeng
Food Chemistry, 2006, 94 (4), p. 632-639
Keywords: Amylose; Analytical methods; Near infrared spectroscopy; Phosphorus; Physicochemical properties; Protein content; Solubility; Sweet potatoes; Techniques; Viscosity
115. Real-time PCR assays for detection and quantification of sweet potato viruses/ Kokkinos-C-D, Clark-C-A
Plant Disease, 2006, 90 (6), p. 783-788
Keywords: Sweet potatoes; Detection; Diagnostic techniques; Plant pathogens; Plant viruses; Polymerase chain reaction;

116. Sequence characterization of four putative membrane-associated proteins from sweet potato little leaf strain V4 phytoplasma/ Mounsey-K-E, Streten-C, Gibb-K-S
Plant Pathology, 2006, 55 (1), p. 29-35
Keywords: Sweet potatoes; Amino acid sequences; Genes; Open reading frames; Plant pathogenic bacteria; Plant pathogens; Surface proteins
117. Sweet potato (*Ipomoea batatas* [L.]; Lam 'Tainong 57') storage root mucilage with antioxidant activities *in vitro*/ Huang- Dong Jiann ...[et al.]
Food Chemistry, 2006, 98 (4), p. 774-781
Keywords: Sweet potatoes; Antioxidants; In vitro; Mucilages; Hydroxyl radical; Peroxyl radical
118. Temporal and spatial expression of genes involved in anthocyanin biosynthesis during sweet potato (*Ipomoea batatas* [L.] Lam) root development/ Lalusin-A-G, Ohta-M, Fujimura-T
International Journal of Plant Sciences, 2006, 167 (2), p. 249-256
Keywords: Anthocyanins; Biosynthesis; Chalcone isomerase; Enzymes; Gene expression; Genes; Oxidoreductases; Oxygenases; Roots; Sweet potatoes; Transferases

UBI KAYU

119. Augmented release of *Teretrius nigrescens* Lewis (Coleoptera: Histeridae) for the control of *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae) in stored cassava chips/ Hell-K, Lamboni Y, Houndekon T, Alidou G M
Journal of Stored Products Research, 2006, 42 (3), p. 367-376
Keywords: Teretrius nigrescens; Protephanus truncates; Biological control; Cassava chips; Storage losses; Stored products pests

120. Bioreduction of aldehydes and ketones using *Manihot* species/
Machado-L-L ...[et al.]
Phytochemistry, 2006, 67 (15), p. 1637-1643
**Keywords: Aldehydes; Aliphatic compounds; Amides;
Aromatic compounds; Cassava; Enantiomers;
Esters; Ketones; Nitrites; Reduction; Roots;
Vanillin**
121. Colonization of non-cassava plant species by cassava whiteflies
(*Bemisia tabaci*) in Uganda/ Seruwagi-P. ...[et al.]
Entomologia Experimentalis et Applicata, 2006, 119 (2), p. 145-
153
**Keywords: Alternative hosts; Cassava; Gene expression;
Genes; Insect pests; Okras; Phylogenetics; Plant
pests; Sunflowers**
122. Current characteristics of cassava mosaic disease in postepidemic
areas increase the range of possible management options/
Mallowa-S-O ...[et al.]
Annals of Applied Biology, 2006, 149 (2), p. 137-144
**Keywords: Cassava; Varieties; Disease resistance; Disease
vectors; Plant diseases; Plant pathogens; Plant
viruses; Varietal resistance; Varietal susceptibility**
123. Diffusion and spillover of new technology: a heterogeneous-agent
model for cassava in West Africa/ Johnson-M-E, Masters-W-A,
Preckel-P-V
Agricultural Economics, 2006, 35 (2), p. 119-129
**Keywords: Agricultural households; Cassava; New cultivars;
Crop production; Diffusion of research; Economic
impact; Extension; Farm income; Innovation
adoption; Simulation models; Technology transfer**

124. Genetic distance analysis of elite cassava (*Manihot esculenta* Crantz) genotypes in Malawi using morphological and AFLP marker techniques/ Benesi-I-R-M. ...[et al.]
South African Journal of Plant and Soil, 2006, 23 (1), p. 58-61
Keywords: Manihot esculenta; Cassava; Varieties; Amplified fragment length polymorphism; Genetic disorders; Genetic diversity; Genetic variation; Genotypes; Plant morphology
125. Effect of cassava hay in high-quality feed block as anthelmintics in steers grazing on Ruzi grass/ Wanapat-M, Khampa-S
Asian-Australasian Journal of Animal Sciences, 2006, 19 (5), p. 695-698
Keywords: Anthelmintics; Cassava; Digestibility; Digestion; Feeds; Grazing; Hay; Weight gain; Organic matter; Protein sources; Steers
126. Effect of levels of sodium DL-malate supplementation on ruminal fermentation efficiency of concentrates containing high levels of cassava chip in dairy steers/ Khampa-S. ...[et al.]
Asian-Australasian Journal of Animal Sciences, 2006, 19 (3), p. 368-375
Keywords: Cassava; Concentrates; Dairy cattle; Digestibility; Feed intake; Feed supplements; Malic acid; Nitrogen balance; Nutrients; Nutrition physiology; Ph; Single cell protein; Steers
127. Effect of nitrate and ammonium on growth and efficiency of nitrogen use by cassava plants/ Cruz,J.L., Pelacani,C.R., Araujo.W.L
Bragantia, 2006, 65 (3), p. 467-475
Keywords: Cassava; Dry matter; Leaf area; Storage root; Ammonium; Growth; Nitrates

128. Effect of the variability of cassava (*Manihot esculenta* Crantz) genotypes on factors related to sprouting and growth of stem cuttings/ Velasquez-E-J
Bioagro, 2006, 18 (1), p. 41-48
Keywords: Manihot esculenta; Cassava; Cultivars; Cuttings; Genetic diversity; Genetic variation; Genotypes; Plant development; Sprouting; Stems; Vegetative propagation
129. Effects of urea level and sodium DL-malate in concentrate containing high cassava chip on ruminal fermentation efficiency, microbial protein synthesis in lactating dairy cows raised under tropical condition/ Khampa-S. ...[et al.]
Asian-Australasian Journal of Animal Sciences, 2006, 19 (6), p. 837-844
Keywords: Cassava; Cellulolytic microorganisms; Cows; Dairy cattle; Feed supplements; Concentrates; Malic acid; Microbial proteins; Milk yield
130. Evaluation of advanced cassava genotypes in Uganda/ Ntawuruhunga-P.
African Crop Science Journal, 2006, 14 (1), p. 17-25
Keywords: Cassava mosaic virus disease; Resistant genotypes; Tuber quality; Uganda
131. Fusarium species from the cassava root rot complex in West Africa/ Ranajit-Bandyopadhyay, Maina-Mwangi, Aigbe-S-O, Leslie-J-F
Phytopathology, 2006, 96 (6), p. 673-676
Keywords: Polymorphism; Cassava; Fungal diseases; Geographical distribution; Host plants; Plant pathogenic fungi; Tubers; Weeds

132. High surface area activated carbon prepared from cassava peel by chemical activation/ Sudaryanto-Y. ...[et al.]
Bioresource Technology, 2006, 97 (5), p. 734-739
Keywords: Activated carbon; Agricultural wastes; Cassava peel; Potassium hydroxide; Precursors; Surface area; Temperature
133. Identification of a defective molecule derived from DNA-A of the bipartite begomovirus of East African cassava mosaic virus/ Ndunguru-J ...[et al.]
Plant Pathology, 2006, 55 (515), p. 2-10
Keywords: Biolistics; DNA; Cloning; Nucleotide sequences; Phylogenetics; Plant pathogens; Plant viruses; Regulatory sequences; Viral replication; Begomovirus
134. Impact of condensed tannins from tropical forages on *Haemonchus contortus* burdens in Mongolian gerbils (*Meriones unguiculatus*) and Pelibuey lambs/ Rojas-D-K. ...[et al.]
Animal Feed Science and Technology, 2006, 128 (3-4), p. 218-228
Keywords: Animal parasitic nematodes; Anthelmintic properties; Cassava; Chemical composition; Experimental infection; Feed intake; Forage; Lambs; Liveweight; Medicinal properties; Nematode infections; Tannins
135. Kinetic studies on the adsorption of Cd²⁺, Cu²⁺ and Zn²⁺ ions from aqueous solutions by cassava (*Manihot esculenta* Cranz) tuber bark waste/ Horsfall-M-Jr, Abia-A-A, Spiff-A-I
Bioresource Technology, 2006, 97 (2), p. 283-291
Keywords: Adsorption; Bark; Bioremediation; Cadmium; Cassava; Copper; Heavy metals; Kinetics; Wastewater treatment; Zinc

136. Performance of growing heifers fed urea treated fresh rice straw supplemented with fresh, ensiled or pelleted cassava foliage/ Duong-Nguyen-Khang, Wiktorsson-H
Livestock Science, 2006, 102 (1-2), p. 130-139
Keywords: Alanine aminotransferase; Antinutritional factors; Aspartate aminotransferase; Cassava leaves; Dry matter; Feed conversion
137. Processing factors affecting the yield and physicochemical properties of starches from cassava chips and flour/ Olomo-O-V, Ajibola-O-O
AMA Agricultural Mechanization in Asia, Africa and Latin America, 2006, 37 (1), p. 65-69
Keywords: Cassava; Cassava starch; Drying methods; Flours; Food processing; Physicochemical properties; Raw materials; Temperature; Viscosity; Yields
138. Production and properties of a surfactant obtained from *Bacillus subtilis* grown on cassava wastewater/ Nitschke-M, Pastore-G-M
Bioresource Technology, 2006, 97 (2), p. 336-341
Keywords: Biosynthesis; Cassava; Emulsions; Hydrocarbons; Ph; Salinity; Temperature; Wastewater; Bacillus subtilis
139. Production of xylanase and protease by *Penicillium janthinellum* CRC 87M-115 from different agricultural wastes/ Oliveira-L-A, Porto-A-L-F, Tambourgi-E-B
Bioresource Technology, 2006, 97 (6), p. 862-867
Keywords: Agricultural wastes; Agroindustrial byproducts; Cassava peel; Enzyme activity; Fermentation; Husks; Hydrolysate; Maize; Proteinases; Sugarcane bagasse; Waste utilization

140. Single hydrocyclone for cassava starch milk/ Manickavasagan-A, Thangavel-K
AMA, Agricultural Mechanization in Asia, Africa and Latin America, 2006, 37 (1), p. 80-84
Keywords: Cassava starch; Cyclones; Equipment performance; Factory effluents; Milk substitutes; Performance test; Prototypes

UWI

141. Life history studies of the yam moth, *Dasyses rugosella* Stainton (Lepidoptera: Tineidae)/ Ashamo-M-O
Journal of Stored Products Research, 2006, 42 (42), p. 302-312
Keywords: Developmental stages; Fecundity; Larvae; Life history; Pupae; Stored products pests; Tubers
142. Pasting characteristics of fresh yams (*Dioscorea* spp) as indicators of textural quality in a major food product - 'pounded yam'/ Otegbayo-B. ...[et al.]
Food Chemistry, 2006, 99 (4), p. 663-669
Keywords: Food processing; Food quality; Physicochemical properties; Rheological properties; Texture; Viscosity; Yams
143. Resistance in water yam (*Dioscorea alata*) cultivars in the French West Indies to anthracnose disease based on tissue culture-derived whole-plant assay/ Onyeka-T-J ...[et al.]
Plant Pathology, 2006, 55 (5), p. 671-678
Keywords: Water yam; Varieties; Disease resistance; Fungal diseases; Pathogens; Anthracnose diseases

144. Yam farmers' access to production resources in Kabba/Bunu local government area of Kogi State, Nigeria/ Oladeji-J-O, Oyesola-O-B
Journal of New Seeds, 2006, 8 (2), p. 85-94
Keywords: Agricultural chemicals; Credit; Crop production; Extension; Production factors; Infrastructure; Tubers; Yams; Farmers

BIBLIOGRAFI 2007

PROQUEST

TALAS

145. Antioxidative enzymes and isozymes analysis of taro genotypes and their implications in Phytophthora blight disease resistance/ Manas Ranjan Sahoo ...[et al.]
Archana Mukherjee. Mycopathologia. Dordrecht:Apr 2007. Vol. 163, Iss. 4, p. 241-248
Keywords: Taro; Genotypes; Antioxidative enzymes; Isozymes; Phytophthora blight diseases

UBI JALAR

146. Biological and molecular variability among geographically diverse isolates of sweet potato virus 2/ E. M. Ateka ... [et al.]
Archives of Virology. New York:Mar 2007. Vol. 152, Iss. 3, p. 479-488
Keywords: Sweet potatoes; Biological properties; Molecular variability; Geographical diverse

147. Food-based approach introducing orange-fleshed sweet potatoes increased vitamin A intake and serum retinol concentrations in young children in rural Mozambique¹⁻³/ Jan W Low ... [et al.]
Journal of Nutrition. Bethesda:May 2007. Vol. 137, Iss. 5, p. 1320-1327
Keywords: Sweet potatoes; Vitamin A; Retinol; Young children; Mozambique
148. Isolation of a regulatory gene of anthocyanin biosynthesis in tuberous roots of purple-fleshed sweet potato[OA]/ Hironori Mano ...[et al.]
Plant Physiology. Rockville:Mar2007. Vol. 143, Iss.3, p.1252-1268
Keywords: Sweet potatoes; Regulatory gene; Anthocyanins; Tubers
149. Sequence analysis of the entire RNA genome of a sweet potato chlorotic fleck virus isolate reveals that it belongs to a distinct carlavirus species/ V. Aritua ...[et al.]
Archives of Virology. New York:Apr 2007. Vol. 152, Iss. 4, p. 813-818
Keywords: Sweet potatoes; RNA; Genomes; Carlaviruses

UBI KAYU

150. β -Carotene micellarization during *in vitro* digestion and uptake by caco-2 cells is directly proportional to β -carotene content in different genotypes of cassava^{1,2}/ Sagar K Thakkar ...[et al.]
Journal of Nutrition. Bethesda:Oct 2007. Vol. 137, Iss. 10, p. 29-33
Keywords: Beta carotene; Cassava; Genotypes; In vitro

151. Genetic variation and genotype × environment interaction for yield and other agronomic traits in cassava in Nigeria/ C N Egesi ... [et al.]
Agronomy Journal Madison:Jul/Aug 2007. Vol. 99, Iss. 4, p. 1137-1142
Keywords: Cassava; Genetic variation; Genotypes; Nigeria
152. Influence of cassava (*Manihot esculenta*) intercrop on growth and fruit yields of pepper (*Capsicum* spp.) in South-Western Nigeria/ F O Olaniran, A W Salau, E E Onuh
Experimental Agriculture.Cambridge.Jan 2007 Vol. 43, Iss.1, p. 79-95
Keywords: Cassava; Manihot esculenta; Pepper; Intercropping; Nigeria
153. *In vitro* cultured primary roots derived from stem segments of cassava (*Manihot esculenta*) can behave like storage organs/ Ricardo D Medina ... [et al.]
Annals of Botany. Oxford:Mar 2007. Vol. 99, Iss. 3, p. 409-423
Keywords: Cassava; Manihot esculenta; In vitro culture; storage organs
154. *In vitro-ex vitro* salt (NaCl) tolerance of cassava (*Manihot esculenta* Crantz) plants/ C L Carretero ...[et al.]
In Vitro Cellular & Developmental Biology. Columbia: Jul/Aug 2007.Vol. 43, Iss. 4, p. 364-369
Keywords: Cassava; Manihot esculenta; Salt tolerance; In vitro; Ex vitro
155. Marker-assisted introgression of resistance to cassava mosaic disease into Latin American germplasm for the genetic improvement of cassava in Africa/ E Okogbenin ...[et al.]
Crop Science. Madison:Sep/Oct 2007. Vol. 47, Iss. 5, p. 1895-1904
Keywords: Cassava; Marker; Genetic improvement; Cassava mosaic disease; Africa

156. Scaling up tests on virulence of the cassava green mite fungal pathogen *Neozygites tanajoae* (Entomophthorales: Neozygitaceae) under controlled conditions: first observations at the population level/ Fabien Charles Cossi Hountondji ... [et al.]
Experimental & Applied Acarology. Amsterdam:Mar 2007. Vol. 41, Iss. 3, p. 153-168
Keywords: Cassava green mite; Fungal pathogen; Neozygites tanajoae; Population level

UWI

157. Anti-nutritional factors, zinc, iron and calcium in some Caribbean tuber crops and the effect of boiling or roasting/ F.O. Omoruyi, L. Dilworth, H.N. Asemota
Nutrition and Food Science. Bradford:2007. Vol. 37, Iss. 1, p.8-15
Keywords: Yams; Caribbean tuber crops; Zinc; Iron; Calcium; Boiling; Roasting
158. Chemical and sensory properties of yam (*Dioscorea alata*) flour substituted with grain amaranth (*Amaranthus cruentus*) flour/ S.O. Babalola ... [et al.]
Nutrition and Food Science. Bradford:2007. Vol. 37, Iss. 6, p. 462-466
Keywords: Yams; Chemicophysical properties; Amaranthus cruentus; Flours
159. Effect of population density and sowing date of pumpkin on soil hydrothermal regime, weed control and crop growth in a yam pumpkin intercrop/ F O Olasantan
Experimental Agriculture. Cambridge:Jul 2007. Vol. 43, Iss. 3, p. 365-380
Keywords: Yams; Pumpkin; Population density; Intercropping; Weed control

160. Genetic diversity in yam germplasm from Ethiopia and their relatedness to the main cultivated dioscorea species assessed by AFLP markers/ Muluneh Tamiru, Heiko C Becker, Brigitte L Maass
Crop Science. Madison:Jul/Aug 2007. Vol.47, Iss. 4, p.1744-1753
Keywords: Yams; Germplasm; Genetic diversity; Ethiopia
161. Innovation maintains yam production in Jamaica/ David Barker, Clinton Beckford
Appropriate Technology. Hemel Hempstead:Sep 2007. Vol. 34, Iss. 3, p. 63-65
Keywords: Yams; Production; Jamaica
162. Molecular analysis of a full-length sequence of a new yam badnavirus from *Dioscorea sansibarensis*/ S. Seal, E. Muller
Archives of Virology. New York:Apr 2007. Vol. 152, Iss. 4, p. 819-825
Keywords: Yams; Molecular analysis; Dioscorea sansibarensis

SCIENCE DIRECT

GANYONG

163. Characterization of low-substituted hydroxypropylated canna starch/ Bongkot Chuenkamol ... [et al.]
Food Hydrocolloids, Vol. 21, Issue 7, October 2007, p. 1123-1132, ISSN 0268-005X
Keywords: Canna starch; Canna edulis; Hydroxypropylation; Hydroxypropylated starch; Paste; Gel

TALAS

164. Comparison of Taiwan paddy and upland cultivated taro (*Colocasia esculenta* L.) cultivars for nutritive values/ Chien-Chun Huang, Woan-Ching Chen, Chiun-C.R. Wang
Food Chemistry, Vol. 102, Issue 1, 2007, p. 250-256, ISSN 0308-8146
Keywords: Colocasia esculenta; Taro; Paddy; Cultivation; Upland crops; Nutrient content; Quality
165. Determination of oxalates in Japanese taro corms using an *in vitro* digestion assay/ G.P. Savage, D.J. Catherwood
Food Chemistry, Vol. 105, Issue 1, 2007, p. 383-388, ISSN 0308-8146
Keywords: Colocasia esculenta; Taro; Varieties; In Vitro; Oxalates; Boiling; Baking
166. Inhibitory effect of onion extract on polyphenol oxidase and enzymatic browning of taro (*Colocasia antiquorum* var. *esculenta*)/ Min Young Lee, Min Kyung Lee, Inshik Park
Food Chemistry, Vol.105, Issue 2, 2007, p.528-532, ISSN 0308-8146
Keywords : Colocasia antiquorum; Enzymatic browning; Glucose; Enzyme activity; Ascorbic acid; Catechol oxidase; Taro; Onions; Extracts
167. Multivariate analysis of the effect of drying method and particle size of flour on the instrumental texture characteristics of paste made from two varieties of taro (*Colocasia esculenta* L. Schott) flour/ N.Y. Njintang, C.M.F. Mbofung, R. Kesteloot
Journal of Food Engineering, Vol. 81, Issue 1, July 2007, p. 250-256, ISSN 0260-8774
Keywords: Taro flour; Taro paste; Milling; Sun drying; Varieties; Texture characteristics; Electric drying; Penetration relaxation

168. Oxalate content of cormels of Japanese taro (*Colocasia esculenta* (L.) Schott) and the effect of cooking/ D.J. Catherwood ...[et al.]
Journal of Food Composition and Analysis, Vol. 20, Issues 3-4,
The essential balance: Risks and benefits in food safety and
quality, May 2007, p. 147-151, ISSN 0889-1575
**Keywords: Total oxalate; Soluble oxalate; Insoluble oxalate;
Taro; Colocasia esculenta; Boiling; Baking;
Nutrients; Cooking; Cornels**
169. Tillage and plastic mulch effects on soil properties and growth and
yield of cocoyam (*Colocasia esculenta*) on an Ultisol in
Southeastern Nigeria/ M.A.N. Anikwe ... [et al.]
Soil and Tillage Research, Vol. 93, Issue 2, April 2007, p. 264-
272, ISSN 0167-1987
**Keywords: Plastic; Mulch; Tillage; Cocoyam; Acrisols;
Growth; Tropical environment; Soil properties;
Yields**

UBI JALAR

170. Antioxidant activities, phenolic and [beta]-carotene contents of
sweet potato genotypes with varying flesh colours/ Choong C.
Teow ...[et al.]
Food Chemistry, Vol. 103, Issue 3, 2007, p. 829-838, ISSN 0308-
8146
**Keywords: Sweet potatoes; Phenols; Beta carotene;
Antioxidants; Anthocyanins**

171. Carotenoids with a 5,6-dihydro-5,6-dihydroxy-[beta]-end group, from yellow sweet potato 'Benimasari', *Ipomoea batatas* Lam/ Takashi Maoka ...[et al.]
Phytochemistry, Vol. 68, Issue 13, Reports on Structure Elucidation, July 2007, p. 1740-1745, ISSN 0031-9422
Keywords: Sweet potatoes; Ipomoea batatas; Convolvulaceae; Carotenoid; Ipomoeaxanthins; Structural determination
172. Characteristics of acetylated and enzyme-modified potato and sweet potato flours/ A. Ramesh Yadav ... [et al.]
Food Chemistry, Vol. 103, Issue 4, 2007, p. 1119-1126, ISSN 0308-8146
Keywords: Potatoes; Sweet potatoes; Flours; Acetylation; Starch; Enzyme modification; Gel permeation chromatography; Infrared spectroscopy; Scanning electron microscopy
173. Deodorisation of off-odour during sweet potato juice production by employing physical and chemical deodorants/ Kazuhiko Tamaki, Takeshi Tamaki, Yoshitake Suzuki
Food Chemistry, Vol. 105, Issue 2, 2007, p. 454-461, ISSN 0308-8146
Keywords: Sweet potatoes; Juice; Deodorisation; Sensory analysis; Activated carbon; Maltosyl cyclodextrin
174. Drying characteristics of six varieties of sweet potatoes in different dryers/ M.S. Hatamipour ...[et al.]
Food and Bioproducts Processing, Vol.85, Issue 3, September 2007, p. 171-177, ISSN 0960-3085
Keywords: Drying; Sweet potatoes; Varieties; Blanching; Colour; Shrinkage

175. Ecdysteroids and juvenile hormones of whiteflies, important insect vectors for plant viruses/ Dale B. Gelman ...[et al.]
Journal of Insect Physiology, Vol. 53, Issue 3, Physiology of Vector Arthropods, March 2007, p. 274-284, ISSN 0022-1910
Keywords: Sweet potatoes; Bemisia tabaci; Trialeurodes porariorum; Molting; Metamorphosis; Staging histology
176. Effect of home preparation practices on the content of provitamin A carotenoids in coloured sweet potato varieties (*Ipomoea batatas* Lam.) from Kenya/ Ulla Kidmose ...[et al.]
Innovative Food Science & Emerging Technologies, Volume 8, Issue 3, 4th International Congress on pigments in food: pigments in food - a challenge to life sciences, September 2007, p. 399-406, ISSN 1466-8564
Keywords: Ipomoea batatas; Sweet potatoes; Varieties; Beta carotene; Vitamin A; Retention; Boiling; Roasting; Drying
177. Effects of pre-treatments on the shrinkage and textural properties of fried sweet potatoes/ K.A. Taiwo, O.D. Baik
LWT - Food Science and Technology, Vol. 40, Issue 4, May 2007, p. 661-668, ISSN 0023-6438
Keywords: Sweet potatoes; Shrinkage; Solid bulk density; Porosity; Textural properties
178. Efficacy of yellow tape formulation of Pyriproxyfen against the sweet potato white flies, *Bemisia tabaci* (Gennadius) (Homoptera: Aleyrodidae)/ Satoshi Nakamura ...[et al.]
Journal of Asia-Pacific Entomology, Vol. 10, Issue 1, March 2007, p. 75-79, ISSN 1226-8615
Keywords: Sweet potatoes; Bemisia tabaci; Pyriproxyfen; White flies; Tape formulation; Integrated pest management

179. Fodder and tuber yields, and fodder quality of sweet potato cultivars at different maturity stages in the West African humid forest and savanna zones/ A. Larbi ...[et al.]
Animal Feed Science and Technology, Vol. 135, Issues 1-2, 15 May 2007, p. 126-138, ISSN 0377-8401
Keywords: Sweet potatoes; Fodder; Tubers; Crude protein; Rumen; Degradation; Dual
180. Molecular monitoring of field-inoculated AMF to evaluate persistence in sweet potato crops in China/ M.J. Farmer ...[et al.]
Applied Soil Ecology, Vol. 35, Issue 3, March 2007, p. 599-609, ISSN 0929-1393
Keywords: Sweet potatoes; Arbuscular mycorrhiza; Inoculum monitoring; Field experimentation
181. Non-enzymatic browning and estimated acrylamide in roots, tubers and plantain products/ E.T. Quayson, G.S. Ayernor
Food Chemistry, Vol.105, Issue 4, 2007, p. 1525-1529, ISSN 0308-8146
Keywords: Sweet potatoes; Acrylamide; Non enzymatic; Browning; Dry cooking; Temperature
182. Phytochemical flavonols, carotenoids and the antioxidant properties of a wide selection of Fijian fruit, vegetables and other readily available foods/ Jimaima Lako ...[et al.]
Food Chemistry, Vol.101, Iss.4, 2007, p.1727-1741, ISSN0308-8146
Keywords: Ipomoea batatas; Sweet potatoes; Biochemistry; Flavonoids; Carotenoids; Antioxidant capacity
183. Piecemeal versus one-time harvesting of sweet potato in North-Eastern Uganda with special reference to pest damage/ E. Ebreget ...[et al.]
NJAS - Wageningen Journal of Life Sciences, Vol. 55, Issue 1, 2007, p. 75-92, ISSN 1573-5214
Keywords: Sweet potatoes; Ipomoea batatas; Millipedes; Nematodes; Storage; Harvesting; Root damage; Pest damage

184. RVA analysis of mixtures of wheat flour and potato, sweet potato, yam, and cassava starches/ I.S.M. Zaidul ...[et al.]
Carbohydrate Polymers, Vol. 69, Issue 4, 2 July 2007, p. 784-791, ISSN 0144-8617
Keywords: Wheat flour; Potatoes; Sweet potatoes; Starch; Yams; Cassava ; Mixture; RVA analysis; Chemical analysis
185. Semi-quantitative analysis for selecting Fe and Zn dense genotypes of staple food crops/ Eun Young Choi ...[et al.]
Journal of Food Composition and Analysis, Vol.20, Issue 6, September 2007, p. 496-505, ISSN 0889-1575
Keywords: Sweet potatoes; Perl's Prussian blue; Dithizone; Zinc; Genotypes ; Germplasm; Screening methods; Generation progeny
186. Simultaneous overexpression of both CuZn superoxide dismutase and ascorbate peroxidase in transgenic tall fescue plants confers increased tolerance to a wide range of abiotic stresses/ Sang-Hoon Lee ...[et al.]
Journal of Plant Physiology, Vol. 164, Issue 12, 3 December 2007, p. 1626-1638, ISSN 0176-1617
Keywords: Abiotic stress; Antioxidative enzyme; Forage crops; Reactive oxygen species; Transgenic plants; Sweet potatoes; CuZn
187. Soil loss due to harvesting of various crop types in contrasting agro-ecological environments/ G. Ruysschaert ...[et al.]
Agriculture, Ecosystems & Environment, Vol. 120, Issues 2-4, May 2007, p. 153-165, ISSN 0167-8809
Keywords: Soil erosion; Soil loss; Crops; Harvesting; SLCH; Sugar beet ; Cassava; Sweet potatoes; Ipomoea batatas; Solanum tuberosum; Ecological environment

188. Soil losses due to cassava and sweet potato harvesting: a case study from low input traditional agriculture/ M. Isabirye ...[et al.] *Soil and Tillage Research*, Vol. 92, Issues 1-2, January 2007, p. 96-103, ISSN 0167-1987
Keywords: Soil erosion; Soil degradation; Soil loss; Cassava; Sweet potatoes; Roots; Tubers; Uganda; SLCH
189. Tocopherol and carotenoid contents of selected Korean fruits and vegetables/ Young-Nam Kim, David W. Giraud, Judy A. Driskell *Journal of Food Composition and Analysis*, Volume 20, Issue 6, September 2007, p. 458-465, ISSN 0889-1575
Keywords: Antioxidants; Tocopherols; Carotenoids; Fruits; Vegetables; Korean foods; Sweet potatoes

UBI KAYU

190. Changes in carbohydrate metabolism by triazole growth regulators in effects on tuber production and quality/ Muthiah Gomathinayagam ... [et al.] *Comptes Rendus Biologies*, Vol. 330, Issue 9, September 2007, p. 644-655, ISSN 1631-0691
Keywords: Cassava; Manihot esculenta; Starch; Sugar; Growth; Yields; Triadimefon; Hexaconazole
191. Characterization of cassava (*Manihot esculenta* Crantz) varieties in Nigeria and Tanzania, and farmers' perception of toxicity of cassava/ O.S.A. Oluwole ...[et al.] *Journal of Food Composition and Analysis*, Vol. 20, Issue 7, November 2007, p. 559-567, ISSN 0889-1575
Keywords: Cassava; Manihot esculenta; Cyanides; Flavours; Nutrition; Ataxia; Varieties; Food

192. Effect of feeding different levels of wilted foliage (*Manihot esculenta* Crantz) on the performance of growing goats/ Vanthong Phengvichith ...[et al.]
Small Ruminant Research, Vol.71, Issues 1-3, August 2007, p. 109-116, ISSN 0921-4488
Keywords: Cassava; Manihot esculenta; Digestibility; Gamba grass; Feed intake; Local goats; Live weight gain; Wilted cassava foliage
193. Effects of high energy milling on some functional properties of jicama starch (*Pachyrrhizus erosus* L. Urban) and cassava starch (*Manihot esculenta* Crantz)/ F. Martinez-Bustos ... [et al.]
Journal of Food Engineering, Vol. 78, Issue 4, February 2007, p. 1212-1220, ISSN 0260-8774
Keywords: Ball mill; Cassava; Manihot esculenta; Jicama; Pachyrrhizus erosus; Starch
194. Purification and detection of linamarin from cassava root cortex by high performance liquid chromatography/ Somphit Sornyotha ... [et al.]
Food Chemistry, Vol.104, Issue 4, 2007, p. 1750-1754, ISSN 0308-8146
Keywords: Acid extraction; Cassava root cortex; Manihot esculenta; HPLC; Linamarin purification
195. Unappreciated ecology of landrace populations: conservation consequences of soil seed banks in cassava/ Benoit Pujol ... [et al.]
Biological Conservation, Vol. 136, Issue 4, May 2007, p. 541-551, ISSN 0006-3207
Keywords: Manihot esculenta; In situ conservation; Long term gene flow; Amerindian traditional cultivation

UWI

196. Chemical compositions and enzyme activity changes occurring in yam (*Dioscorea alata* L.) tubers during growth/ Chien-Chun Huang ...[et al.]
LWT - Food Science and Technology, Vol. 40, Issue 9, November 2007, p. 1498-1506, ISSN 0023-6438
Keywords: Dioscorea alata; Yams; Tubers; Enzyme activity; Chemical compositions; Dioscorin content; Essential amino acids
197. Determination of relevant sensory properties of pounded yams (*Dioscorea* spp.) using a locally based descriptive analysis methodology/ C. Nindjin ...[et al.]
Food Quality and Preference, Vol.18, Issue 2, March 2007, p. 450-459, ISSN 0950-3293
Keywords: Dioscorea alata ; Dioscorea cayenensis rotundata; Varieties; Species; Descriptive analysis; Preference; Yams
198. Effect of pretreatment and temperature on air-drying of *Dioscorea alata* and *Dioscorea rotundata* slices/ Kolawole O. Falade ...[et al.]
Journal of Food Engineering, Vol. 80, Issue 4, June 2007, p. 1002-1010, ISSN 0260-8774
Keywords: Dioscorea alata; Dioscorea rotundata; Moisture diffusivity; Blanching; Sulphiting; Drying
199. Effect of replacing pork backfat with yams (*Dioscorea alata*) on quality characteristics of Chinese sausage/ Fa-Jui Tan ...[et al.]
Journal of Food Engineering, Vol. 79, Issue 3, April 2007, p. 858-863, ISSN 0260-8774
Keywords: Dioscorea alata; Yams; Chinese sausage; Quality

200. Immunomodulatory activity of dioscorin, the storage protein of yam (*Dioscorea alata* cv. Tainong No. 1) tuber/ Yen-Wenn Liu ...[et al.]
Food and Chemical Toxicology, Vol.45, Issue 11, November 2007, p. 2312-2318, ISSN 0278-6915
Keywords: Dioscorea alata; Cytokine; Dioscorin; Yams; Immunomodulatory; Phagocytosis; Proliferation
201. Severity of anthracnose and virus diseases of water yam (*Dioscorea alata* L.) in Nigeria 1: Effects of yam genotype and date of planting/ C.N. Egesi, T.J. Onyeka, R. Asiedu
Crop Protection, Vol.26, Issue 8, August 2007, p. 1259-1265, ISSN 0261-2194
Keywords: Dioscorea alata; Anthracnose; Virus; Water yam; Date planting; Genotype; Disease resistance
202. Studies on tuber starches. II. Molecular structure, composition and physicochemical properties of yam (*Dioscorea* sp.) starches grown in Sri Lanka/ L. Jayakody...[et al.]
Carbohydrate Polymers, Vol. 69, Issue 1, 1 May 2007, p. 148-163, ISSN 0144-8617
Keywords: Dioscorea esculenta; Dioscorea alata; Varieties; Tubers; Molecular structure; Chemical composition; Physicochemical properties

TEEAL

TALAS

203. Composition and availability of soluble and insoluble oxalates in raw and cooked taro (*Colocasia esculenta* var. Schott) leaves/ Oscarsson-K-V, Savage-G-P
Food Chemistry, 2007, 101 (2), p. 559-562
Keywords: Baking; Chemical composition; Heat treatment; Leaves; Nutritive value; Oxalates; Taro; Colocasia esculenta

204. Effect of indigenous storage method on performance of taro [*Colocasia esculenta* (L.) Schott] under field conditions in a warm subtropical area/ Modi-A-T
South African Journal of Plant and Soil, 2007, 24 (4), p. 214-219
Keywords: Corms; Crop yield; Storage; Yield components; Taro; Colocasia esculenta
205. Mercury uptake and accumulation by four species of aquatic plants/Skinner-Kathleen ...[et al.]
Environmental Pollution, 2007, 145 (1), p. 234-237
Keywords: Toxicology; Pollution; Assessment control; Management; Mercury; Aquatic plants

UBI JALAR

206. Biotype dependent secondary symbiont communities in sympatric populations of *Bemisia tabaci*/ Chiel-E. ...[et al.]
Bulletin of Entomological Research, 2007, 97 (4), p. 407-413
Keywords: Biotypes; Insect pests; Plant pests; Symbionts; Bemisia tabaci
207. Fodder and tuber yields, and fodder quality of sweet potato cultivars at different maturity stages in the West African humid forest and savanna zones/ Larbi-A. ...[et al.]
Animal Feed Science and Technology, 2007, 135 (1-2), p. 126-138
Keywords: Crude protein; Varieties; Dry matter; Fodder; Forests; Maturation; Sweet potatoes
208. Genotype x environment interaction for root yield of elite sweet potato (*Ipomoea batatas* (L) lam) genotypes/ Tekalign-T
South African Journal of Plant and Soil, 2007, 24 (3), p. 144-146
Keywords: Sweet potatoes; Crop yield; Elites; Genetic analysis; Genetic stability; Phenotypes; Genotypes; Roots; Yields

209. Incidence of five viruses infecting sweet potatoes in Uganda; the first evidence of sweet potato caulimo-like virus in Africa/ Aritua-V. ...[et al.]
Plant Pathology, 2007, 56 (2), p. 324-331
Keywords: Geographical; Distribution; Mixed infections; New geographic records; Plant diseases; Plant pathogens; Plant viruses; Sweet potatoes; Symptoms
210. Increase in antioxidant capacity after wounding depends on the type of fruit or vegetable tissue/ Reyes-L-F, Villarreal-J-E, Cisneros-Zevallos-L
Food Chemistry, 2007, 101 (3), p. 1254-1262
Keywords: Sweet potatoes; Anthocyanins; Antioxidants; Ascorbic acid; Cabbages; Carotenoids; Carrots; Vegetables; Phenolic compounds; Potatoes; Radishes
211. Kinetics of heat and mass transfer and color development of pre-treated sweet potatoes during frying/ Taiwo-K-A, Baik-O-D, Farinu-A-O
Transactions of the ASABE, 2007, 50 (1), p. 129-135
Keywords: Air drying; Blanching; Colour; Freezing; Frying; Heat transfer; Kinetics; Moisture content; Pretreatment; Sweet potatoes
212. Phenolic compound profile of selected vegetables frequently consumed by African Americans in the southeast United States / Huang-Z-L. ...[et al.]
Food Chemistry, 2007, 103 (4), p. 1395-1402
Keywords: Aubergines; Blacks; Caffeic acid; Cowpeas; Ferulic acid; Flavonoids; Food composition; Indian Mustard; Isorhamnetin; Nutritive value; Okras; Peas; Phenolic compounds; Sweet potatoes; Vegetables

213. Screening and HPLC methods for carotenoids in sweet potato, cassava and maize for plant breeding trials/ Kimura-M. ...[et al.] *Food Chemistry*, 2007, 100 (4), p; 1734-1746
Keywords: Sweet potatoes; Analytical methods; Beta carotene; Carotenoids; Cassava; Chemical composition; Food quality; HPLC; Maize; Methodology; Nutritive value; Plant breeding
214. Short term changes in soil properties under tillage systems and their effect on sweet potato (*Ipomoea batatas* L.) growth and yield in an Ultisol in South-Eastern Nigeria/ Anikwe-M-A-N, Ubochi-J-N
Australian Journal of Soil Research, 2007, 45 (5), p. 351-358
Keywords: Crop yield; Growth; Infiltration; Nitrogen content; Organic carbon; Saturated hydraulic conductivity; Soil compaction; Soil temperature; Soil types; Soil water content; Sweet potatoes; Tillage; Acrisols
215. Synergistic interaction of sweet potato chlorotic stunt virus (Crinivirus) with carla-, cucumo-, ipomo-, and potyvirus infecting sweet potato/ Untiveros-M, Fuentes-S, Salazar-L-F
Plant Disease, 2007, 91 (6), p. 669-676
Keywords: Crop yield; Plant diseases; Plant pathogens; Plant viruses; Roots; Sweet potatoes; Synergism; Yield losses

UBI KAYU

216. Anaerobic treatment of cassava starch extraction wastewater using a horizontal flow filter with bamboo as support/ Colin-X. ...[et al.]
Bioresource Technology, 2007, 98 (8), p. 1602-1607
Keywords: Anaerobic treatment; Bamboos; Biofuels; Biogas; Biological treatment; Cassava starch; Columbia; Cyanides; Energy sources; Filters; Lactic acid; Methane; Wastewater treatment
217. Comparative study on the effect of cassava hay supplementation in swamp buffaloes (*Bubalus bubalis*) and cattle (*Bos indicus*)/ Granum-G. ...[et al.]
Asian-Australasian Journal of Animal Sciences, 2007, 20 (9), p. 1389-1396
Keywords: Ammonium nitrogen; Cassava; Digestibility; Energy digestibility; Energy intake; Feed intake; Heifers; Protein content; Protein digestibility; Hay; Feed supplements; Protein intake; Rumen digestion
218. Effect of levels of supplementation of concentrate containing high levels of cassava chip on rumen ecology, microbial N supply and digestibility of nutrients in beef cattle/ Wanapat-M, Khampa-S
Asian-Australasian Journal of Animal Sciences, 2007,20(1) p.75-81
Keywords: Beef cattle; Cassava; Concentrates; Digestibility; Feed supplements; Microbial ecology; Nitrogen; Organic matter; Ph; Rumen; Rumen flora; Rumen microorganisms; Steers; Volatile fatty acids

219. Effects of replacing ground corn with cassava chip in concentrate on feed intake, nutrient utilization, rumen fermentation characteristics and microbial populations in goats/ Chanjula-P, Ngampongsai-W, Wanapat-M
Asian-Australasian Journal of Animal Sciences, 2007, 20 (10), p. 1557-1566
Keywords: Ammonium nitrogen; Blood sugar; Cassava; Digestibility; Digestion; Feed intake; Haematocrit; Maize; Nitrogen retention; Nutrition physiology; Protein digestibility; Protein digestion; Urea; Volatile fatty acids
220. Effect of roughage sources on cellulolytic bacteria and rumen ecology of beef cattle/ Wora-anu-S. ...[et al.]
Asian-Australasian Journal of Animal Sciences, 2007, 20 (11), p. 1705-1712
Keywords: Ammonium nitrogen; Beef cattle; Cassava; Cellulose; Digestibility; Digestion; Feed intake; Fibre content; Nutrient intake; Propionates; Protein intake; Rice; Rice straw; Roughage; Bacteria; Rumen microorganisms; Straw; Urea
221. Effects of supplementing gamba grass (*Andropogon gayanus*) with cassava (*Manihot esculenta* Crantz) hay and cassava root chips on feed intake, digestibility and growth in goats/ Phengvichith-V, Ledin-I
Asian-Australasian Journal of Animal Sciences, 2007, 20 (5), p. 725-732
Keywords: Cassava; Digestibility; Dry matter; Feed intake; Supplements; Goats; Feeding; Growth rate; Hay; Nitrogen; Nutritive value; Organic matter; Roots

222. Effect of the addition of nitrogen sources to cassava fiber and carbon to nitrogen ratios on *Agaricus brasiliensis* growth / Mantovani-T-R-D, Linde-G-A, Colauto-N-B
Canadian Journal of Microbiology, 2007, 53 (1), p. 139-143
Keywords: Ammonium sulfate; Carbon nitrogen ratio; Cassava; Edible fungi; Growth; Mushrooms; Nitrogen; Urea
223. Farmers perceptions and knowledge of cassava pests and diseases and their approach to germplasm selection for resistance in Ghana/ Manu-Aduening-J-A. ...[et al.]
Annals of Applied Biology, 2007, 151 (2), p. 189-198
Keywords: Blights; Cassava; Disease vectors; Insect pests; Farmers attitudes; Germplasm; Plant diseases; Plant pathogens; Plant pests; Plant viruses
224. Influence of sulfur on fresh cassava foliage and cassava hay incubated in rumen fluid of beef cattle/ Promkot-C. ...[et al.]
Asian-Australasian Journal of Animal Sciences, 2007, 20 (9), p. 1424-1432
Keywords: Ammonium nitrogen; Beef cattle; Cassava; Digestibility; Gas production; ; Rumen digestion Mineral supplements; Rumen fermentation; Rumen fluid; Rumen microorganisms; Sulfur; Volatile fatty acids
225. Impact of land clearing methods and cropping systems on labile soil C and N pools in the humid zone forest of Nigeria/ Okore-I-K. ...[et al.]
Agriculture, Ecosystems & Environment, 2007, 120 (2-4), p. 250-258
Keywords: Cassava; Cropping systems; Maize; Land use; Land management; Nitrogen; Organic carbon; Humid tropics; Mechanical methods; Sandy loam soils

226. Intake and digestion by lambs fed a low-quality grass hay supplemented or not with urea, casein or cassava meal/ Kozloski-G-V. ...[et al.]
Animal Feed Science and Technology, 2007, 136 (3-4), p. 191-202
Keywords: Ammonia; Carbohydrates; Casein; Cassava meal; Digestible energy; Digestion; Energy intake; Feed intake; Hay; Feeding; Lambs; Nitrogen; Nitrogen retention; Organic matter
227. Life-table analysis of mortality factors affecting populations of *Bemisia tabaci* on cassava in Uganda/ Asiimwe-P. ...[et al.]
Entomologia Experimentalis et Applicata, 2007, 122 (1), p. 37-44
Keywords: Cassava; Developmental stages; Insect pests; Life tables; Mortality; Parasitism; Plant pests; Predation
228. Mapping EST-derived SSRs and ESTs involved in resistance to bacterial blight in *Manihot esculenta*/ Lopez-C-E. ...[et al.]
Genome, 2007, 50 (12), p. 1078-1088
Keywords: Cassava; Disease resistance; Genetic mapping; Plant diseases; Bacteria; Plant pathogens; SSRs; EST; ESTs; Euphorbiaceae; Euphorbiales; Dicotyledons; Xanthomonas axonopodis
229. Poor but allocatively efficient evidence from the Eastern Amazon/ Sauer-J, Mendoza-Escalante-A
Agricultural Economics, 2007, 37 (1), p. 113-126
Keywords: Cassava; Crop production; Economics scale; Incentives; Maize; Prices; Production economics; Resource allocation; Small farms

230. Production of R-(+)- alpha -terpineol by the biotransformation of limonene from orange essential oil, using cassava waste water as medium/ Marostica-Junior-M-R, Pastore-G-M
Food Chemistry, 2007, 101 (1), p. 345-350
Keywords: Biotechnology; Carbohydrates; Cassava; Chemical composition; Crop residues; Culture media; Essential oils; Limonene; Oranges; Phytochemicals; Plant pathogenic fungi
231. Purification and detection of linamarin from cassava root cortex by high performance liquid chromatography/ Sornyotha-S, Kyu-K-L, Ratanakhanokchai-K
Food Chemistry, 2007, 104 (4), p. 1750-1754
Keywords: Cassava; Cyanogenics glycosides; Detection; Extraction; HPLC; Linamarin; Plant extracts; Purification; Roots; Sulphuric acid
232. Reduction of cyanide content of cassava flour in Mozambique by the wetting method/ Cumbana-A. ...[et al.]
Food Chemistry, 2007, 101 (3), p. 894-897
Keywords: Cassava; Chemical composition; Cyanides; Flours; Linamarin; Methodology; Ph
233. Re-emergence of cassava brown streak disease in Uganda/ Alicai-T. ...[et al.]
Plant Disease, 2007, 91 (1), p. 24-29
Keywords: Amino acid sequences; Cassava; Varieties; Landraces; Nucleotide sequences; Plant diseases; Plant pathogens; Plant viruses; PCR

234. Screening and HPLC methods for carotenoids in sweet potato, cassava and maize for plant breeding trials/ Kimura-M. ...[et al.]
Food Chemistry, 2007, 100 (1), p. 1734-1746
Keywords: Sweet potatoes; Cassava; Analytical methods; Beta carotene; Carotenoids; Chemical composition; Food quality; HPLC; Maize; Methodology; Nutritive value; Plant breeding; Plant composition; Roots; Techniques; Tubers; Xanthophyls; Zeaxanthin
235. Severity of curvularia stem blight disease of cassava in West Africa/ Msikita-W, Baimey-H, James-B-D
Plant Disease, 2007, 91 (11), p. 1430-1435
Keywords: Abscission; Buds; Cassava; Varieties; Fungal diseases; Growth; Plant diseases; Plant pathogenic fungi; Plant pathogens; Shoots; Sprout inhibition; Sprouting; Stems
236. Sucrose and inverted sugar as plasticizer; effect on cassava starch-gelatin film mechanical properties, hydrophilicity and water activity/ Veiga-Santos-P. ...[et al.]
Food Chemistry, 2007, 103 (2), p. 255-262
Keywords: Cassava starch; Food packaging; Gelatin; Inverted sugar; Mechanical properties; Alcohols; Sucrose; Packaging materials; Plasticizers; Sodium phosphate; Soyabean oil; Water activity
237. Use of multivariate techniques in studying the flour making properties of some CMD resistant cassava clones/ Shittu-T-A. ...[et al.]
Food Chemistry, 2007, 101 (4), p. 1606-1615
Keywords: Absorption; Amylose; Ash; Cassava; Chemical composition; Chemicophysical properties; Disease resistance; Flours; Food processing; Gelation; Moisture content; Multivariate analysis; Ph

BIBLIOGRAFI 2008

PROQUEST

TALAS

238. Taro: a target optimisation system for structural biology/ Ian M. Overton...[et al.]
Nucleic Acids Research.Oxford:Jul 2008. Vol. 36, Iss. suppl_2, p. W190-196
Keywords: Taro; Structural biology

UBI JALAR

239. Economic analysis of production and marketing of sweet potato crop in Bastar District of Chhattisgarh/ K N S Banafar, Suklu Ram Salam
Indian Journal of Agricultural Economics. Bombay:Jul-Sep 2008. Vol. 63, Iss. 3, p. 380-381
Keywords: Sweet potatoes; Ipomoea batatas; Economic analysis; Production; Marketing
240. IbMADS1 (*Ipomoea batatas* MADS-box 1 gene) is involved in tuberous root initiation in sweet potato (*Ipomoea batatas*)/ Amy Tsu Ku ...[et al.]
Annals of Botany. Oxford:Jul 2008. Vol. 102, Iss. 1, p. 57-67
Keywords: Sweet potatoes; Ipomoea batatas; Tuberous root initiation
241. Identification of molecular markers associated with sweet potato resistance to sweet potato virus disease in Kenya/ Douglas W Miano, Don R LaBonte, Christopher A Clark.
Euphytica. Dordrecht:Mar 2008. Vol. 160, Iss. 1, p. 15-24
Keywords: Sweet potatoes; Virus diseases; Identification; Molecular markers; Kenya

242. Intake of purple sweet potato beverage affects on serum hepatic biomarker levels of healthy adult men with borderline hepatitis/ I Suda ...[et al.]
European Journal of Clinical Nutrition. London:Jan 2008. Vol. 62, Iss. 1, p. 60-67
Keywords: Purple; Sweet potatoes; Serum hepatic; Biomarker level; Borderline hepatitis
243. Molecular variability of sweet potato feathery mottle virus and other potyviruses infecting sweet potato in Peru/ Milton Untiveros, Segundo Fuentes, Jan Kreuze
Archives of Virology. New York:Mar 2008. Vol. 153, Iss. 3, p. 473-483
Keywords: Sweet potatoes; Feathery mottle virus; Potyviruses; Molecular variability
244. Sweet potato and green panic as sole fodder for stall-fed lactating White Fulani cows and growing calves/ I Etela ...[et al.]
Tropical Animal Health and Production. Dordrecht:Feb 2008. Vol. 40, Iss. 2, p. 117-124
Keywords: Sweet potatoes; Sole fodder; Lactating; Cows ; Calves
245. Working with farmer groups in Uganda to develop new sweet potato cultivars:decentralisation and building on traditional approaches/ Richard W Gibson ...[et al.]
Euphytica. Dordrecht:Jan 2008. Vol. 159, Iss. 1-2, p. 217-228
Keywords: Sweet potatoes; Farmers; Uganda

UBI KAYU

246. Agroinfection of cloned Sri Lankan cassava mosaic virus DNA to *Arabidopsis thaliana*, *Nicotiana tabacum* and cassava/ Dheeraj Mittal, Basanta Kumar Borah, Indranil Dasgupta
Archives of Virology. New York:Nov 2008. Vol. 153, Iss. 11, p. 2149-2155
Keywords: Cassava; Cassava mosaic virus; DNA; Arabidopsis thaliana; Nicotiana tabacum
247. Alternate hosts of African cassava mosaic virus and East African cassava mosaic Cameroon virus in Nigeria/ Olufemi J Alabi ...[et.al.]
Archives of Virology. New York:Sep 2008. Vol. 153, Iss.9, p. 1743-1747
Keywords: African cassava mosaic virus; East African cassava mosaic virus; Nigeria
248. Cassava clonal evaluation trial based on a new cassava breeding scheme/ H Ojulong ...[et al.]
Euphytica. Dordrecht:Mar 2008. Vol. 160, Iss. 1, p. 119-129
Keywords: Cassava; Clonal evaluation; Breeding scheme
249. Comparison of simple sequence repeat (SSR) and diversity array technology (DArT) markers for assessing genetic diversity in cassava (*Manihot esculenta* Crantz)/ P Hurtado... [et al.]
Plant Genetic Resources. Cambridge:Dec 2008. Vol. 6, Iss. 3, p. 208-214
Keywords: Cassava; Manihot esculenta; Simple sequence repeat; Diversity array technology; Genetic diversity
250. Effect of genotype, location and season on cassava starch extraction/ I R M Benesi ...[et al.]
Euphytica. Dordrecht:Mar 2008. Vol. 160, Iss. 1, p. 59-74
Keywords: Cassava; Genotypes; Starch; Extraction

251. Failure of the mite pathogenic fungus *Neozygites tanajoae* and the predatory mite *Neoseiulus idaeus* to control a population of the cassava green mite, *Mononychellus tanajoa*/ Simon L Elliot, Gilberto J de Moraes, John D Mumford
Experimental & Applied Acarology. Amsterdam:Dec 2008. Vol. 46, Iss. 1-4, p. 211-222
Keywords: Cassava green mite; Predatory mite; Pest control; Mononychellus tanajoa; Neozygites tanajoa; Neoseiulus idaeus
252. Fast track participatory approach to release of elite cassava genotypes for various uses in Nigeria's cassava economy/Alfred G O Dixon ... [et al.]
Euphytica. Dordrecht:Mar 2008. Vol. 160, Iss. 1, p. 1-13
Keywords: Nigeria; Cassava economy; Genotypes; Various; Uses
253. Lessons from interactions within the cassava green mite fungal pathogen *Neozygites tanajoae* system and prospects for microbial control using Entomophthorales/ Fabien C C Hountondji
Experimental & Applied Acarology. Amsterdam:Dec 2008. Vol. 46, Iss. 1-4, p. 195-210
Keywords: Cassava green mite; Neozygites tanajoae; Microbial control; Entomophthorales
254. Parasitism of *Bemisia tabaci* (Homoptera: Aleyrodidae) by *Eretmocerus mundus* (Hymenoptera: Aphelinidae) on cassava/ M Otim ...[et al.]
International Journal of Tropical Insect Science. Cambridge:Sep 2008. Vol. 28, Iss. 3, p. 158-167
Keywords: Cassava; Parasitism; Bemisia tabaci; Eretmocerus mundus

255. Quality evaluation of ginger-flavoured soy-cassava biscuit/ B.A. Akinwande ... [et al.]
Nutrition and Food Science. Bradford:2008. Vol. 38, Iss. 5, p. 473-481
Keywords: Soy cassava biscuit; Ginger flavoured; Quality; Evaluation
256. Reproductive biology of cassava (*Manihot esculenta* Crantz) and isolation of experimental field trials/ Mark E Halsey ... [et al.]
Crop Science. Madison:Jan/Feb 2008. Vol. 48, Iss. 1, p. 49-58
Keywords: Cassava; Manihot esculenta; Reproductive biology; Isolation

UWI

257. Crop development and root distribution in lesser yam (*Dioscorea esculenta*): implications for fertilization/ Marie-Vianney Melteras ... [et al.]
Experimental Agriculture. Cambridge:Apr 2008. Vol. 44, Iss. 2, p. 209-221
Keywords: Lesser yam; Dioscorea esculenta; Crop development; Root distribution
258. Endangered new species of edible yam (*Dioscorea*, *Dioscoreaceae*) from Western Madagascar and its conservation/ Paul Wilkin ... [et al.]
Kew Bulletin. Norwich:2008. Vol. 63, Iss. 1, p. 113-120
Keywords: Edible yam; Dioscorea; Conservation; Western Madagascar

259. Root distribution of yam (*Dioscorea alata*) determined by strontium tracer/ Jane n O'Sullivan
Experimental Agriculture. Cambridge:Apr 2008. Vol. 44, Iss. 2, p. 223-233
Keywords: Yams; Dioscorea alata; Root distribution; Strontium tracer
260. Sequence diversity among badnavirus isolates infecting yam (*Dioscorea* spp.) in Ghana, Togo, Benin and Nigeria/ A O Eni ... [et al.]
Archives of Virology. New York:Dec 2008. Vol. 153, Iss. 12, p. 2263-2272
Keywords: Yams; Dioscorea.; Sequence diversity; Badnavirus; Isolates; Ghana
261. Yams (*Dioscorea* spp.) from the South Pacific Islands contain many novel badnaviruses: implications for international movement of yam germplasm/ Lawrence Kenyon, B S M Lebas, S E Seal
Archives of Virology. New York:May 2008. Vol. 153, Iss. 5, p. 877-889
Keywords: Yams; Dioscorea.; Germplasm; Badnaviruses; South Pacific Islands

SCIENCE DIRECT

TALAS

262. Physicochemical, thermal properties and microstructure of six varieties of taro (*Colocasia esculenta* L. Schott) flours and starches/ Aboubakar...[et al.]
Journal of Food Engineering, Vol. 86, Issue 2, May 2008, p. 294-305, ISSN 0260-8774
Keywords: Colocasia esculenta; Taro; Varieties; Starch; Noncereal flours; Microscopy; Physicochemical properties; Functional properties

263. Pollutant removal from domestic wastewater with Taro (*Colocasia esculenta*) planted in a subsurface flow system/ T. Bindu ...[et al.] *Ecological Engineering*, Vol. 33, Issue 1, 1 May 2008, p. 68-82, ISSN 0925-8574
Keywords: Phytoremediation; Aquatic macrophytes; Taro; Colocasia esculenta; Nutrients; Sewage; Cocoyam

UBI JALAR

264. Analysis of chlorogenic acids in beverages prepared from Chinese health foods and investigation, *in vitro* of effects on glucose absorption in cultured Caco-2 cells/ Zheng Wang, Michael N. Clifford, Paul Sharp
Food Chemistry, Vol. 108, Issue 1, 1 May 2008, p. 369-373, ISSN 0308-8146
Keywords: Caco 2 cells; Camellia sinensis; Chlorogenic acids; Chrysanthemum; Dendranthema morifolium; Flavanols; Glucose; Absorption; Glucose transport; Ipomoea batatas; Sweet potatoes; In vitro
265. Asian noodles: history, classification, raw materials, and processing/ Bin Xiao Fu
Food Research International, Vol. 41, Issue 9, Cereal Foods, November 2008, p. 888-902, ISSN 0963-9969
Keywords: Noodles; Processing; Wheat flour; Sweet potatoes
266. [beta]-carotene content in sweet potato varieties from China and the effect of preparation on [beta]-carotene retention in the Yanshu No. 5/ Xin Wu ...[et al.]
Innovative Food Science & Emerging Technologies, Vol. 9, Issue 4, October 2008, p. 581-586, ISSN 1466-8564
Keywords: Sweet potatoes; Varieties; Beta carotene; True retention; Processing; Methods; Vitamin A

267. Composition and colour stability of anthocyanins extracted from fermented purple sweet potato culture/ Gongjian Fan ...[et al.]
LWT - Food Science and Technology, Volume 41, Issue 8, November 2008, p. 1412-1416, ISSN 0023-6438
Keywords: Purple; Sweet potatoes; Fermented; Anthocyanins; Fermentation; Proximate composition; Colour
268. Control of viscosity in starch and polysaccharide solutions with ultrasound after gelatinization/ Yasuo Iida ...[et al.]
Innovative Food Science & Emerging Technologies, Volume 9, Issue 2, Food Innovation: Emerging Science, Technologies and Applications (FIESTA) Conference, April 2008, p. 140-146, ISSN 1466-8564
Keywords: Starch; Polysaccharide; Ultrasound; Cavitation; Viscosity; Gelatinization; Corn; Potatoes; Tapioca; Sweet potatoes
269. DSC study of mixtures of wheat flour and potato, sweet potato, cassava, and yam starches/ I.S.M. Zaidul ...[et al.]
Journal of Food Engineering, Vol. 86, Issue 1, May 2008, p. 68-73, ISSN 0260-8774
Keywords: Wheat flour; Tubers ;Starches; Substitution; Gelatinization Temperature; Potato ; Sweet potatoes ; Yams ; Cassava
270. Effect of genotype, gelling agent, and auxin on the induction of somatic embryogenesis in sweet potato (*Ipomoea batatas* Lam.)/ Zine El Abidine Triqui ...[et al.]
Comptes Rendus Biologies, Vol. 331, Issue 3, March 2008, p. 198-205, ISSN 1631-0691
Keywords: Auxin; Flow cytometry; Gelling agent; Ipomoea batatas; Somatic embryogenesis; Sweet potatoes; Agent gelifiant; Embryogenese somatique; Genotypes

271. Effects of various traditional processing methods on the all-trans-[beta]-carotene content of orange-fleshed sweet potato/ A. Bengtsson ...[et al.]
Journal of Food Composition and Analysis, Vol. 21, Issue 2, March 2008, p. 134-143, ISSN 0889-1575
Keywords: Orange; Sweet potatoes; Ipomoea batatas; Beta carotene; Food processing; Drying; Retention; Vitamin A
272. Evaluation of sweet potato (*Ipomoea batatas*) live mulch at different spacings for weed suppression and yield response of maize (*Zea mays* L.) in Southwestern Nigeria/ R.D. Aladesanwa, A.W. Adigun
Crop Protection, Vol. 27, Issue 6, June 2008, p. 968-975, ISSN 0261-2194
Keywords: Weed control; Arable crop; Live mulch; Tropics; Sweet potatoes; Ipomoea batatas; Maize ; Row spacing; Yields; Plant response
273. *Ex ante* assessment of dual purpose sweet potato in the crop-livestock system of Western Kenya: a minimum-data approach/ L. Claessens, J.J. Stoorvogel, J.M. Antle
Agricultural Systems, Vol. 99, Issue 1, December 2008, p. 13-22, ISSN 0308-521X
Keywords: Dual purpose; Sweet potatoes; Adoption; Mixed systems; Integrated assessment; Africa
274. Expression of class I knotted1-like homeobox genes in the storage roots of sweet potato (*Ipomoea batatas*)/ Masaru Tanaka ...[et al.]
Journal of Plant Physiology, Vol.165, Issue 16, 1 November 2008, p. 1726-1735, ISSN 0176-1617
Keywords: Ipomoea batatas; Varieties; KNOX; Storage root; Sweet potatoes; Phylogenetic analysis

275. Factors affecting the digestibility of raw and gelatinized potato starches/ T. Noda ...[et al.]
Food Chemistry, Vol.110, Issue 2, 15 September 2008, p. 465-470, ISSN 0308-8146
Keywords: Potatoes; Sweet potato; Cassava; Yams; Starch; Digestibility; Phosphorus content; Granule size;Pasting properties; Enzymatic
276. Film and pharmaceutical hard capsule formation properties of mungbean, waterchestnut, and sweet potato starches/ Ho J. Bae ...[et al.]
Food Chemistry, Vol. 106, Issue 1, 1 January 2008, p. 96-105, ISSN 0308-8146
Keywords: Film; Starch; Gelatin; HPMC; Amylose; Hard capsule; SEC- MALLS; Mungbean; Sweet potatoes; Waterchestnut
277. Influence of landuse on soil erosion risk in the Cuyaguaje watershed (Cuba)/W. Schiettecatte ...[et al.]
CATENA, Vol.74, Issue 1, 15 June 2008, p. 1-12, ISSN 0341-8162
Keywords: Soil loss; Erosivity ; Maize; Sweet potatoes; Cassava
278. Influence of osmotic dehydration and high temperature short time processes on dried sweet potato (*Ipomoea batatas* Lam.)/ Graziella Colato Antonio ...[et al.]
Journal of Food Engineering, Vol.84, Issue 3, February 2008, p. 375-382, ISSN 0260-8774,
Keywords: Puffing; Microstructure; Experimental design; Drying rate; Sweet potatoes; Ipomoea batatas; Moisture content ;Temperature

279. Nutritional characterization of some tropical urban market crop wastes/ C.B. Katongole...[et al.]
Animal Feed Science and Technology, Vol.142, Issues 3-4, 1 May 2008, p. 275-291, ISSN 0377-8401
Keywords: Urban market; Crop wastes; Ipomoea batatas; Sweet potatoes; Musa acuminata; Solanum aethiopicum; Nutritive value
280. Optimizing conditions for anthocyanins extraction from purple sweet potato using response surface methodology (RSM)/ Gongjian Fan ...[et al.]
LWT - Food Science and Technology, Vol.41, Issue 1, January 2008, p. 155-160, ISSN 0023-6438
Keywords: Purple; Sweet potatoes; Anthocyanins; Extraction; Response surface methodology; Optimization
281. Optimizing edible fungal growth and biodegradation of inedible crop residues using various cropping methods/ Leopold M. Nyochembeng, Caula A. Beyl, R.P. Pacumbaba
Bioresource Technology, Vol.99, Issue 13, September 2008, p. 5645-5649, ISSN 0960-8524,
Keywords: Biodegradation; Cropping pattern; Edible white; Rot fungi; Lignocellulose; Sweet potatoes
282. Profiling the chlorogenic acids of sweet potato (*Ipomoea batatas*) from China/ Wang Zheng, Michael N. Clifford
Food Chemistry, Vol. 106, Issue 1, 1 January 2008, p. 147-152, ISSN 0308-8146
Keywords: Caffeoylquinic acids; Caffeoyl feruloylquinic acids; Chlorogenic acids; Dicafeoylquinic acids; Feruloylquinic acids; Ipomoea batatas; Sweet potatoes

283. Rumen degradation characteristics of sweet potato foliage and performance by local and crossbred calves fed milk and foliage from three cultivars/ I. Etela ...[et al.]
Livestock Science, Vol. 115, Issue 1, May 2008, p. 20-27, ISSN 1871-1413
Keywords: Sweet potatoes; Varieties; Milk rumen; Foliage; Degradation
284. Sterilization solutions for aseptic processing using a continuous flow microwave system/ P. Coronel ...[et al.]
Journal of Food Engineering, Vol. 85, Issue 4, April 2008, p. 528-536, ISSN 0260-8774
Keywords: Microwave heating; Aseptic processing; Dielectric properties; Sterilization; Solution milk ; Sweet potatoes
285. Susceptibility of banana intercrops for rhizobacteria, arbuscular mycorrhizal fungi and the burrowing nematode *Radopholus similis*/ Lieselot Van der Veken ...[et al.]
Applied Soil Ecology, Vol. 40, Issue 2, October 2008, p. 283-290, ISSN 0929-1393
Keywords: Arbuscular mycorrhizal fungi; Bradyrhizobium; Host response; Intercropping; Musa; Plant parasitic; Nematodes; Rhizobium; Sweet potatoes; Marigold; Cotton
286. Vacuum frying of high-quality fruit and vegetable-based snacks/ Paulo F. Da Silva, Rosana G. Moreira
LWT - Food Science and Technology, Vol. 41, Issue 10, December 2008, p. 1758-1767, ISSN 0023-6438
Keywords: Vacuum frying; Fruit ; Vegetables; Oils; Vitamins; Sensory; Sweet potatoes; Green beans; Temperature

UBI KAYU

287. Analysis of the sustainability within the composite swidden agroecosystem in Northern Vietnam: 1. Partial nutrient balances and recovery times of upland fields/ Nguyen Van Dung...[et al.] *Agriculture, Ecosystems & Environment*, Volume 128, Issues 1-2, October 2008, p. 37-51, ISSN 0167-8809
Keywords: Rice; Oryza sativa; Cassava; Manihot esculenta; Agro ecosystem; Shifting cultivation; Erosion; Run off; Deposition; Nutrient losses; Vietnam
288. Biosynthesis of scopoletin and scopolin in cassava roots during post-harvest physiological deterioration: the E-Z-isomerisation stage/ Soad A.L. Bayoumi...[et al.] *Phytochemistry*, Vol. 69, Issue 17, December 2008, p. 2928-2936, ISSN 0031-9422
Keywords: Manihot esculenta; Cassava; Biosynthesis; Deuterium; Hydroxycoumarin; Isotopic labelling; Scopoletin; Scopolin; Spectroscopy; Postharvest physiology
289. Campos, proteome analysis of secondary somatic embryogenesis in cassava (*Manihot esculenta*)/ Abdulrazak I. Baba ...[et al.] *Plant Science*, Vol. 175, Issue 5, November 2008, p. 717-723, ISSN 0168-9452
Keywords: Manihot esculenta; Cassava; Proteome analysis; Mass spectrometry; Somatic embryogenesis; Secondary somatic embryogenesis
290. Domestication and defence: foliar tannins and C/N ratios in cassava and a close wild relative/ Laurence Mondolot ...[et al.] *Acta Oecologica*, Vol.34, Issue 2, September-October 2008, p. 147-154, ISSN 1146-609X
Keywords: Cassava; Manihot esculenta; Domestication; Leaf ; Agricultural environments; Foliar; Tannins; Resource allocation

291. Phylogenetic patterns in the genus manihot (Euphorbiaceae) inferred from analyses of nuclear and chloroplast DNA regions/ Juliana Chacon ...[et al.]
Molecular Phylogenetics and Evolution, Vol. 49, Issue 1, October 2008, p. 260-267, ISSN 1055-7903
Keywords: Wild manihot; Species; Cassava; Cnidocolus; Euphorbiaceae; Genus; Nuclear; Chloroplast; DNA
292. Pre-treatment effect on the nutritional and functional properties of selected cassava-based composite flours/ S. Jisha ...[et al.]
Innovative Food Science & Emerging Technologies, Vol. 9, Issue 4, October 2008, p. 587-592, ISSN 1466-8564
Keywords: Cassava; Manihot esculenta Composite flour; Cereals; Legumes; Bran sources; Pre treatment; Functional properties
293. Legume-maize rotation and nitrogen effects on weed performance in the humid and subhumid tropics of West Africa/ David Chikoye ...[et al.]
Crop Protection, Vol. 27, Issues 3-5, March-May 2008, p. 638-647, ISSN 0261-2194
Keywords: Maize; Zea mays; Cassava; Manihot esculenta; Bush fallow; Continuous cropping; Species; Weed density; Nitrogen; Humid; Subhumid
294. Roles of cell wall polymers and intracellular components in the thermal softening of cassava roots/ Simone Palma Favaro ...[et al.]
Food Chemistry, Vol. 108, Issue 1, 1 May 2008, p. 220-227, ISSN 0308-8146
Keywords: Manihot esculenta; Monosaccharides; Minerals; Phytic acid; Cell adhesion

295. Structural analysis and characterization of a mucopolysaccharide isolated from roots of cassava (*Manihot esculenta* Crantz L.)/A.L. Charles ...[et al.]
Food Hydrocolloids, Vol. 22, Issue 1, 8th International Hydrocolloids Conference, January 2008, p. 184-191, ISSN 0268-005X
Keywords: Cassava; Manihot esculenta; Mucilages; Roots; Arabinogalactan; Fructose; Beta glucan

UWI

296. *In vitro* digestibility of edible films from various starch sources/ Oswaldo Hernandez, Unai Emaldi, Juscelino Tovar
Carbohydrate Polymers, Vol. 71, Issue 4, 7 March 2008, p. 648-655, ISSN 0144-8617
Keywords: Edible films; Musa paradisiaca; Canna edulis; Solanum tuberosum; Zea mays; Digestibility; Resistant starch; Starch; Amylose content
297. Survival of *Colletotrichum gloeosporioides* (causal agent of yam anthracnose) on yam residues decomposing in soil/ A. Ripoche
Applied Soil Ecology, Volume 38, Issue 3, March 2008, p. 270-278, ISSN 0929-1393
Keywords: Caribbean; Conidia; Residues; Soil deterioration; Yams; Dioscorea alata; Colletotrichum

BIBLIOGRAFI 2009

PROQUEST

UBI JALAR

298. Sweet potato [beta]-Carotene bioefficacy is enhanced by dietary fat and not reduced by soluble fiber intake in Mongolian Gerbils^{1,2} / Jordan P Mills ... [et al.]
Journal of Nutrition. Bethesda:Jan 2009. Vol. 139, Iss. 1, p. 44-50
Keywords: Sweet potatoes; Beta carotene; Dietary fat; Fiber intake; Mongolian
299. Sweetening lives with sweet potato/Anonymous
Appropriate Technology. Hemel Hempstead:Dec 2009. Vol. 36, Iss. 4, p. 10-11
Keywords: Sweet potatoes; Sweetening

UBI KAYU

300. Adding value to cassava/ Kimberly Thomas
Appropriate Technology. Hemel Hempstead:Dec 2009. Vol. 36, Iss. 4, p. 69-70
Keywords: Cassava; Value added
301. Biofuels in China: opportunities and challenges/ Feng Wang, Xue-Rong Xiong, Chun-Zhao Liu
In Vitro Cellular & Developmental Biology: Plant Columbia:May/Jun 2009. Vol. 45, Iss. 3, p. 342-349
Keywords: Cassava; Biofuels; China
302. Breakthrough in battle against aflatoxins/ Anonymous
Appropriate Technology. Hemel Hempstead:Jun 2009. Vol. 36, Iss. 2, p. 66-67
Keywords: Cassava; Battle against; Aflatoxins

303. Effect of integrated weed management on weed control and yield components of maize and cassava intercrop in a Southern Guinea savanna ecology of Nigeria/ Patience Mojibade Olorunmaiye, Kehinde Stephen Olorunmaiye
Australian Journal of Crop Science. Lismore:May 2009. Vol. 3, Iss. 3, p. 129-136

Keywords: Cassava; Integrated weed management; Weed control; Yield components; Nigeria; Savana

304. Tanzanian farmers benefit from new cassava variety/ Gilbert Muhanji
Appropriate Technology. Hemel Hempstead:Jun 2009. Vol. 36, Iss. 2, p. 22-24

Keywords: Cassava; Varieties; Farmers; Tanzanian

SCIENCE DIRECT

GANYONG

305. Optimization of reaction conditions for resistant *Canna edulis* Ker starch phosphorylation and its structural characterization/ Juan Zhang, Zheng-Wu Wang
Industrial Crops and Products, Vol. 30, Issue 1, July 2009, p. 105-113, ISSN 0926-6690

Keywords: Canna edulis; Phosphorylation; Resistant starch; Structural characterization

TALAS

306. Flow injection analysis of nitrate-N determination in root vegetables: study of the effects of cooking/ Adrian Avinesh Chetty, Surendra Prasad
Food Chemistry, Vol. 116. Issue 2, 15 September 2009, p. 561-566, ISSN 0308-8146
Keywords: Nitrate; Root vegetables; Flow injection analysis; Root vegetables; Fiji; Taro; Colocasia esculenta; Sweet potatoes; Ipomoea batatas
307. Texture, microstructure and physicochemical characteristics of taro (*Colocasia esculenta*) as influenced by cooking conditions/ Aboubakar ... [et al.]
Journal of Food Engineering, Vol. 91, Issue 3, April 2009, p. 373-379, ISSN 0260-8774
Keywords: Taro; Colocasia esculenta; Cooking; Hardness; Physicochemical properties; Calcium oxalate Crystals

UBI JALAR

308. Causes for soil sickness affecting early plant growth in aerobic rice/ C. Kreye ... [et al.]
Field Crops Research, Vol. 114, Issue 2, 10 November 2009, p. 182-187, ISSN 0378-4290
Keywords: Aerobic rice; Ammonium sulfate; Micronutrients; Soil pH; Urea; Sweet potatoes; Lowland rice

309. Comparative analysis of starch properties of different root and tuber crops of Sri Lanka/ Hetti Arachchige Mangalika Wickramasinghe ...[et al.]
Food Chemistry, Vol. 112, Issue 1, 1 January 2009, p. 98-103, ISSN 0308-8146
Keywords: Starch; Cassava; Sweet potatoes; Digestibility; Granule size; Sri Lanka
310. Comparative production of glucose and high fructose syrup from cassava and sweet potato roots by direct conversion techniques/ Regy Johnson, G. Padmaja, S.N. Moorthy Innovative
Food Science & Emerging Technologies, Vol. 10, Issue 4, October 2009, p. 616-620, ISSN 1466-8564
Keywords: Glucose; High fructose syrup; Cassava; Sweet potatoes; Direct conversion technique; Hydrolysis
311. Determination of cis and trans [alpha] and [beta] carotenoids in Taiwanese sweet potatoes (*Ipomoea batatas* (L.) Lam.) harvested at various times/ Shih-Chuan Liu, Jau-Tien Lin, Deng-Jye Yang
Food Chemistry, Vol. 116, Issue 3, 1 October 2009, p. 605-610, ISSN 0308-8146
Keywords: Alpha carotene ; Beta carotene; Harvest time; Ipomoea batatas ; HPLC; Sweet potatoes
312. Differentiation and proliferation inhibitory effects of sporamin from sweet potato in 3T3-L1 preadipocytes/ Zhi-dong Xiong, Peng-gao LI, Tai-hua MU
Agricultural Sciences in China, Vol.8, Issue 6, June 2009, p. 671-677, ISSN 1671-2927
Keywords: Sweet potatoes; Sporamin; Preadipocytes; Chromatography

313. Dissemination of the entomopathogenic fungi, *Lecanicillium longisporum* and *L. muscarium*, by the predatory bug, *Orius laevigatus*, to provide concurrent control of *Myzus persicae*, *Frankliniella occidentalis* and *Bemisia tabaci*/ Rachel E. Down ...[et al.]
Biological Control, Vol. 50, Issue 2, August 2009, p. 172-178, ISSN 1049-9644
Keywords: Entomopathogenic fungi; Predatory bug; Plant sucking insects; Greenhouse pests; Lecanicillium longisporum; Lecanicillium muscarium; Dissemination; Sweet potatoes
314. Effect of acetylation and dual modification on physico chemical, rheological and morphological characteristics of sweet potato (*Ipomoea batatas*) starch/ Amit Baran Das ...[et al.]
Carbohydrate Polymers, In Press, Corrected Proof, Available online 16 December 2009, ISSN 0144-8617
Keywords: Sweet potatoes; Ipomoea batatas; Acetylation; Acetyl content; Dual modification; Morphology; Physicochemical properties
315. Effects of drying and extrusion on colour, chemical composition, antioxidant activities and mitogenic response of spleen lymphocytes of sweet potatoes/ Ming-Chih Shih ...[et al.]
Food Chemistry, Vol. 117, Issue 1, 1 November 2009, p. 114-121, ISSN 0308-8146
Keywords: Sweet potatoes; Drying; Extrusion; Antioxidant activity; Physiological property; Chemical composition; Mitogenic response

316. Enzymatic hydrolysis of granular native and mildly heat-treated tapioca and sweet potato starches at sub-gelatinization temperature/ Y.N. Shariffa ...[et al.]
Food Hydrocolloids, Vol. 23, Issue 2, March 2009, p. 434-440, ISSN 0268-005X
Keywords: Starch; Granule; Enzyme hydrolysis; Alpha-Amylase; Glucoamylase; Reducing sugar; Tapioca ; Sweet potatoes
317. Evaluation of cassava, sweet potato and field corn as potential carbohydrate sources for bioethanol production in Alabama and Maryland/ Lewis H. Ziska ...[et al.]
Biomass and Bioenergy, Vol.33, Issue 11, November 2009, p. 1503-1508, ISSN 0961-9534
Keywords: Cassava; Manihot esculenta; Ethanol potential; Sweet potatoes; Ipomoea batatas; Biofuels; Carbohydrate; Yields
318. Flow injection analysis of nitrate-N determination in root vegetables: study of the effects of cooking/ Adrian Avinesh Chetty, Surendra Prasad
Food Chemistry, Vol. 116, Issue 2, 15 September 2009, p. 561-566, ISSN 0308-8146
Keywords: Sweet potatoes; Ipomoea batatas; Daucus carota; Nitrate; Root vegetables; Flow injection analysis; Fiji
319. Food composition is fundamental to the cross-cutting initiative on biodiversity for food and nutrition/ Barbara Burlingame, Ruth Charrondiere, Beatrice Mouille
Journal of Food Composition and Analysis, Vol. 22, Issue 5, 7th International Food Data Conference: Food Composition and Biodiversity, August 2009, p. 361-365, ISSN 0889-1575
Keywords: Food composition; Databases; Sweet potatoes; Varieties; Landraces; Biodiversity; Nutrition

320. Genetic variation and its relationship to root weight in the sweet potato as revealed by RAPD analysis/ K.H. Lin ...[et al.]
Scientia Horticulturae, Vol. 120, Issue 1, 3 March 2009, p. 2-7, ISSN 0304-4238
Keywords: Sweet potatoes; Cutting; Propagation; Clones; RAPD; Genetic variation
321. Inhibitory effects of sweet potato leaves on nitric oxide production and protein nitration/ Ming-Hsing Huang ...[et al.]
Food Chemistry, In Press, Corrected Proof, Available online 28 December 2009, ISSN 0308-8146
Keywords: Sweet potatoes; Leaves; Nitric oxide; HPLC; Macrophages; Protein nitration
322. Measurement of the heat of smoldering combustion in straws and stalks by means of simultaneous thermal analysis/ Fang He, Weiming Yi, Jianwen Zha
Biomass and Bioenergy, Vol. 33, Issue 1, January 2009, p. 130-136, ISSN 0961-9534
Keywords: Reaction heat; Smoldering combustion; Simultaneous thermal analysis; Agro stalks; Ipomoea batatas; Straws
323. Origin of defects in assembled supramolecular structures of sweet potato starches with different amylopectin chain-length distribution/ Takahiro Noda ...[et al.]
Carbohydrate Polymers, Vol. 76, Issue 3, 9 April 2009, p. 400-409, ISSN 0144-8617
Keywords: Sweet potatoes; Starch; Amylopectin; Chain length distribution; Supramolecular structure

324. Pathogenicity of *Isaria sp.* (Hypocreales: Clavicipitaceae) against the sweet potato whitefly B biotype, *Bemisia tabaci* (Hemiptera: Aleyrodidae)/ H. Enrique Cabanillas, Walker A. Jones
Crop Protection, Vol.28, Issue 4, April 2009, p. 333-337, ISSN 0261-2194
Keywords: Biological control; Entomopathogenic fungi; Sweet potatoes; White flies; Pathogenicity
325. Peeling, drying temperatures, and sulphite-treatment affect physicochemical properties and nutritional quality of sweet potato flour/ Maruf Ahmed, Mst. Sorifa Akter, Jong-Bang Eun
Food Chemistry, In Press, Corrected Proof, Available online 16 December 2009, ISSN 0308-8146
Keywords: Sweet potatoes; Flours; Drying; Temperature; Peeling; Physicochemical properties
326. Phenolic content and antioxidant capacity of Philippine sweet potato (*Ipomoea batatas*) varieties/ Rowena Grace O. Rumbaoa, Djanna F. Cornago, Inacrist M. Geronimo
Food Chemistry, Vol. 113, Issue 4, 15 April 2009, p. 1133-1138, ISSN 0308-8146
Keywords: Antioxidants; Sweet potatoes; Ipomoea batatas; Varieties; Phenolic content; Metal chelation; Reducing power
327. Postharvest quality and physiological behavior of sweet potato (*Ipomoea batatas* Lam.) leaf stalks under three temperatures/ Yan Peng ...[et al.]
Agricultural Sciences in China, Vol. 8, Issue 2, February 2009, p. 244-248, ISSN 1671-2927
Keywords: Sweet potatoes; Ipomoea batatas; Petioles; Postharvest physiology; Quality

328. Purification and trypsin inhibitor activity of a Sporamin B from sweet potato (*Ipomoea batatas* Lam. 55-2)/ Yan-li SUN, Jun-mao SUN, Qing-peng LI
Agricultural Sciences in China, Vol. 8, Issue 7, July 2009, p. 808-820, ISSN 1671-2927
Keywords: Sweet potatoes; Ipomoea batatas; Sporamin B; Trypsin; Inhibitor activity
329. Purple sweet potato colour attenuates oxidative stress and inflammatory response induced by d-galactose in mouse liver/ Zi-Feng Zhang ...[et al.]
Food and Chemical Toxicology, Vol. 47, Issue 2, February 2009, p. 496-501, ISSN 0278-6915
Keywords: Purple sweet potato colour; Sweet potatoes; Oxidative stress; Purple; Mouse liver; Inflammatory response;
330. Relationship between the kinetics of [beta] -carotene degradation and formation of norisoprenoids in the storage of dried sweet potato chips/ Aurelie Bechoff ...[et al.]
Food Chemistry, In Press, Accepted Manuscript, Available online 28 December 2009, ISSN 0308-8146
Keywords: Carotenoids; Dried ; Sweet potatoes; Ipomoea batatas; Kinetics; Storage; Temperature; Volatile compounds; Water activity; Beta carotene; Degradation
331. Saponins in *Ipomoea batatas* tubers: isolation, characterization, quantification and antioxidant properties/ Irene Dini, Gian Carlo Tenore, Antonio Dini
Food Chemistry, Vol. 113, Issue 2, 15 March 2009, p. 411-419, ISSN 0308-8146
Keywords: Analytical method; Antioxidants; Camote; NMR; Convolvulaceae; Ipomoea batatas; Sweet potatoes; Saponin content; Triterpene saponin

332. Starch noodles: history, classification, materials, processing, structure, nutrition, quality evaluating and improving/ Hong-Zhuo Tan, Zai-Gui Li, Bin Tan
Food Research International, Vol. 42, Issues 5-6, June-July 2009, p. 551-576, ISSN 0963-9969
Keywords: Starch noodles; History; Classification; Starch; Processing; Structure; Nutrition; Sweet potatoes; Potatoes; Corn ; Physicochemical properties
333. Steady and dynamic shear rheology of sweet potato starch-xanthan gum mixtures/ Hae M. Choi, Byoungseung Yoo
Food Chemistry, Vol. 116, Issue 3, 1 October 2009, p. 638-643, ISSN 0308-8146
Keywords: Rheology; Sweet potatoes; Starch; Xanthan gum; Dynamic property
334. Supplementing Guinea grass with fresh sweet potato foliage for milk production by Bunaji and N'Dama cows in early lactation/ I. Etela ...[et al.]
Livestock Science, Vol. 120, Issues 1-2, January 2009, p. 87-95, ISSN 1871-1413
Keywords: Bunaji; Cows; Lactation; Milk yield; N'Dama; Supplementation; Sweet potatoes; Foliage; Small farms; Farming systems
335. Sweet potato: a novel substrate for pullulan production by *Aureobasidium pullulans*/ Shengjun Wu ...[et al.]
Carbohydrate Polymers, Vol. 76, Issue 4, 16 May 2009, p. 645-649, ISSN 0144-8617
Keywords: Sweet potatoes; Fermentation; Aureobasidium pullulans; Pullulan; Microbial; Biomass

336. Sweet potato ADP-glucose pyrophosphorylase gene (ibAGP1) promoter confers high-level expression of the GUS reporter gene in the potato tuber/Tae-Won Kim ...[et al.]
Comptes Rendus Biologies, Vol. 332, Issue 10, October 2009, p. 876-885, ISSN 1631-0691
Keywords: Sweet potatoes; Glucose pyrophosphorylase; CaMV35S; Transit peptide; Sucrose induction; Developmental stage

UBI KAYU

337. Comparative study of some properties of cassava (*Manihot esculenta*, Crantz) and cocoyam (*Colocasia esculenta*, Linn) starches/ Louis M. Nwokocha ...[et al.]
Carbohydrate Polymers, Vol. 76, Issue 3, 9 April 2009, p. 362-367, ISSN 0144-8617
Keywords: Cassava; Manihot esculenta; Cocoyam; Colocasia esculenta; Starch; Pasting properties; Rheological properties; Paste clarity; Gelatinization
338. Efficient hydrogen gas production from cassava and food waste by a two-step process of dark fermentation and photo-fermentation/ Wenming Zong ...[et al.]
Biomass and Bioenergy, Vol. 33, Issue 10, October 2009, p. 1458-1463, ISSN 0961-9534
Keywords: Biohydrogen production; Biomass; Fatty acids; Manihot esculenta; Anaerobic consortia; Rhodobacter sphaeroides; Fermentation
339. Sweet cassava polysaccharide extracts protects against CCl₄ liver injury in Wistar rats/ Albert Linton Charles, Tzou-Chi Huang
Food Hydrocolloids, Vol. 23, Issue 6, 9th International Hydrocolloids Conference, August 2009, p. 1494-1500, ISSN 0268-005X
Keywords: Sweet cassava; Manihot esculenta; Antioxidative activities; Polysaccharide; Detoxifying enzymes

UWI

340. Pathogenicity of *Scutellonema bradys* populations from different geographical areas in Benin on yam (*Dioscorea* spp.)/ Hugues Baimey, Danny Coyne, Nico Labuschagne
Crop Protection, Vol. 28, Issue 9, September 2009, p. 715-721, ISSN 0261-2194
Keywords: Dioscorea rotundata; Dioscorea cayenensis; Dioscorea alata; Nematodes; Benin; Pathogenicity
341. Studies on tuber starches III. impact of annealing on the molecular structure, composition and physicochemical properties of yam (*Dioscorea* sp.) starches grown in Sri Lanka/ L. Jayakody...[et al.]
Carbohydrate Polymers, Vol. 76, Issue 1, 2 March 2009, p. 145-153, ISSN 0144-8617
Keywords: Dioscorea esculenta ; Dioscorea alata; Yams; Starch; Annealing; Physicochemical properties; Molecula structure
342. Water yam (*Dioscorea alata* L.) development as affected by photoperiod and temperature: experiment and modeling/ J. Marcos
Field Crops Research, Vol.111, Issue 3, 3 April 2009, p. 262-268, ISSN 0378-4290
Keywords: Dioscorea alata; Developmental phases; Model; Planting date; Tropical climate; Tuber crop

BIBLIOGRAFI 2010

PROQUEST

UBI KAYU

343. Effect of feeding cassava and/or Stylosanthes foliage on the performance of crossbred growing cattle/ C M Thang, I Ledin, J Bertilsson
Tropical Animal Health and Production. Dordrecht:Jan 2010.
Vol. 42, Iss. 1, p. 1-11
Keywords: Cassava; Stylosanthes foliage; Animal feeding; Cattle; Crossbreds

SCIENCE DIRECT

GANYONG

344. Study on structural changes of microwave heat-moisture treated resistant *Canna edulis* Ker starch during digestion *in vitro*/ Juan Zhang...[et al.]
Food Hydrocolloids, Vol. 24, Issue 1, January 2010, p. 27-34, ISSN 0268-005X
Keywords: Canna edulis; Microwave; Moisture treatment; Heat

TALAS

345. Flavonoid glycosides in the shoot system of Okinawa Taimu (*Colocasia esculenta* S.)/ Abraham Cheng-Ning Leong...[et al.]
Food Chemistry, Vol. 119, Issue 2, 15 March 2010, p. 630-635,
ISSN 0308-8146

**Keywords: Antioxidants; Colocasia esculenta Schott;
Flavonoid glycoside; Methanol extracts**

UBI JALAR

346. Antimicrobial and physical properties of sweet potato starch films incorporated with potassium sorbate or chitosan/ Xiao Li Shen...[et al.]
Food Hydrocolloids, Vol. 24, Issue 4, June 2010, p. 285-290,
ISSN 0268-005X

Keywords: Sweet potatoes; Starch; Film; Antimicrobial activity; Physical properties

347. Development of cleaved amplified polymorphic sequence (CAPS)-based markers for identification of sweet potato cultivars/ Masaru Tanaka...[et al.]
Scientia Horticulturae, Vol. 123, Issue 4, 2 February 2010, p. 436-442, ISSN 0304-4238

**Keywords: Cleaved amplified polymorphic sequence;
Ipomoea batatas; Sweet potatoes; Varieties;
Identification; DNA marker**

348. Dynamic viscoelastic properties of sweet potato studied by dynamic mechanical analyzer/ Qian Li...[et al.]
Carbohydrate Polymers, Vol. 79, Issue 3, 11 February 2010, p. 520-525, ISSN 0144-8617
Keywords: Sweet potatoes; Viscoelastic property; Dynamic; Mechanical analysis; Temperature; Scanning
349. Effects of mucilage on the thermal and pasting properties of yam, taro, and sweet potato starches/ Chien-Chun Huang...[et al.]
LWT - Food Science and Technology, In Press, Accepted Manuscript, Available online 15 January 2010, ISSN 0023-6438
Keywords: Yams; Taro; Sweet potatoes; Root tuber ; Starch; Mucilages; Thermal properties; Swelling power; Pasting properties
350. Effect of pre-soaking treatments on the nutritional profile and browning index of sweet potato and yam flours/ Jyothi. G. Krishnan...[et al.]
Innovative Food Science & Emerging Technologies, In Press, Accepted Manuscript, Available online 1 February 2010, ISSN 1466-8564
Keywords: Sweet potatoes; Yams; Pre treatment; Nutritional; Browning ; Soaking
351. Effect of photoperiod on flavonoid pathway activity in sweet potato (*Ipomoea batatas (L.) Lam.*) leaves,/Isabel S. Carvalho...[et al.]
Food Chemistry, Vol. 118, Issue 2, 15 January 2010, p. 384-390, ISSN 0308-8146
Keywords: Sweet potatoes; Anthocyanins; Catechins; Flavonoid pathway; Hydroxycinnamic acids; Flavonols; Hydroxybenzoic acids; Gene expression; Photoperiod

352. Field a summary simulation model of the soil-crop system to analyse long-term resource interactions and use efficiencies at farm scale/ P. Tittone...[et al.]
European Journal of Agronomy, Vol. 32, Issue 1, Cropping Systems Design: new methods for new challenges, January 2010, p. 10-21, ISSN 1161-0301
Keywords: Sub Saharan Africa; Kenya; Mali; Maize; Sweet potatoes; Cotton; Soil organic; Carbon; Model; Complexity
353. Influence of variety and growth environment on [beta]-amylase activity of flour from sweet potato (*Ipomea batatas*)/ N.T. Dziedzoave...[et al.]
Food Control, Vol. 21, Issue 2, February 2010, p. 162-165, ISSN 0956-7135
Keywords: Beta amylase; Sweet potatoes; Varieties; Glucose; Syrup production
354. Nitrogen and phosphorous concentrations in runoff from a purple soil in an agricultural watershed/ J.G. Han...[et al.]
Agricultural Water Management, In Press, Corrected Proof, Available online 1 February 2010, ISSN 0378-3774.
Keywords: NO₃⁻; NH₄⁺; Dissolved; Runoff; Purple soil; Cropping systems; Wheat; Corn; Sweet potatoes ; Nitrogen ; Phosphorus; Agricultural watershed
355. Site-directed mutagenesis improves the thermostability of a recombinant *Picrophilus torridus* trehalose synthase and efficiency for the production of trehalose from sweet potato starch/ Hsin-Hung Chou...[et al.]
Food Chemistry, Vol. 119, Issue 3, 1 April 2010, p. 1017-1022, ISSN 0308-8146
Keywords: Amylases; Maltose; Mutation; Proline; Sweet potatoes; Thermostability; Trehalose; Microbial contamination; Production cost; Starch

UBI KAYU

356. Arbuscular mycorrhizal fungi associated with cassava (*Manihot esculenta* Crantz) in South Africa/ C.J. Straker, A.J. Hilditch, M.E.C. Rey
South African Journal of Botany, Vol. 76, Issue 1, January 2010, p. 102-111, ISSN 0254-6299
Keywords: Cassava ; Manihot esculenta: Rhizospheres; Arbuscular mycorrhizal; Fungi
357. Effect of feeding different levels of dried cassava leaves (*Manihot esculenta* Crantz) based concentrates with *Panicum maximum* basal on the performance of growing West African Dwarf goats/ A.O. Oni...[et al.]
Livestock Science, In Press, Corrected Proof, Available online 8 January 2010, ISSN 1871-1413
Keywords: Digestibility; Nitrogen; Guinea grass; Cassava leaves; West African Dwarf; Goats; Dried; Feeding
358. Effect of using cassava products to vary the level of energy and protein in the diet on growth and digestibility in cattle/ C.M. Thang, I. Ledin, J. Bertilsson
Livestock Science, In Press, Corrected Proof, Available online 6 January 2010, ISSN 1871-1413
Keywords: Cattle; Cassava foliage; Cassava meal; Protein; Energy; Digestibility
359. Flexible feeding on cultivated underground storage organs by rainforest-dwelling chimpanzees at Bossou, West Africa/ Kimberley J. Hockings, James R. Anderson, Tetsuro Matsuzawa
Journal of Human Evolution, In Press, Corrected Proof, Available online 18 January 2010, ISSN 0047-2484
Keywords: Cassava ; Manihot esculenta; Feeding; Cultivation; Undergrown

360. *Manihot flabellifolia* Pohl, wild source of resistance to the whitefly *Aleurotrachelus socialis* Bondar (Hemiptera: Aleyrodidae)/ Arturo Carabali...[et al.]
Crop Protection, Vol. 29, Issue 1, January 2010, p. 34-38, ISSN 0261-2194
Keywords: Host; Plant resistance; Wild species; Manihot esculenta; Aleurotrachelus ; Aleyrodidae
361. Resource use efficiency and environmental performance of nine major biofuel crops, processed by first-generation conversion techniques/ Sander C. de Vries...[et al.]
Biomass and Bioenergy, In Press, Corrected Proof, Available online 27 January 2010, ISSN 0961-9534
Keywords: Biofuel; Bioethanol; Biodiesel; Energy; Sustainability; Soil organic matter; Soil erosion; Greenhouse; Gas emissions; Water use
362. Single cell oil production from hydrolysate of cassava starch by marine-derived yeast *Rhodotorula mucilaginosa* TJY15a/ Mei Li...[et al.]
Biomass and Bioenergy, Vol. 34, Issue 1, January 2010, p. 101-107, ISSN 0961-9534
Keywords: Manihot esculenta; Oil production; Fatty acid methyl esters; Cassava starch; Hydrolysate; Rhodotorula mucilaginosa
363. Utilization of unpeeled cassava (*Manihot esculenta*) root meal in diets of weaner rabbits/ A.O. Oso...[et al.]
Livestock Science, Vol. 127, Issues 2-3, February 2010, p. 192-196, ISSN 1871-1413
Keywords: Unpeeled cassava; Root meal; Diets; Utilization; Carcass weight; Body weight; Rabbits

INDEKS SUBYEK

A

- ABELMOSCHUS, 13
ABIOTIC STRESS, 45
ABSCISSION, 58
ABSORPTION, 58, 65
ACETYL CONTENT, 78
ACETYL GROUP, 7
ACETYLATION, 42, 78
ACID EXTRACTION, 47
ACID MINE DRAINAGE, 12
ACID SOILS, 12
ACRISOLS, 41, 52
ACRYLAMIDE, 44
ACTIVATED CARBON, 32, 42
ACTIVATION ENERGY, 24
ADAPTATION, 9, 11
ADIPONECTIN, 8
ADOPTION, 67
ADSORPTION, 32
AEROBIC RICE, 76
AFLATOXINS, 74
AFRICA, 3, 37, 67
AGENT GELIFIANT, 66
AGRICULTURAL WATERSHED, 89
AGRICULTURAL CHEMICALS, 35
AGRICULTURAL ENVIRONMENTS, 71
AGRICULTURAL HOUSEHOLDS, 15, 29
AGRICULTURAL POLICY, 26
AGRICULTURAL SOILS, 12
AGRICULTURAL WASTES, 32, 33
AGRO ECOSYSTEM, 71
AGRO INDUSTRIES, 13
AGRO STALKS, 80
AGROBACTERIUM, 8
AGROINDUSTRIAL BYPRODUCTS, 33
AGRONOMIC CHARACTERS, 18
AIR DRYING, 51
ALANINE AMINOTRANSFERASE, 33
ALCOHOLS, 16, 58
ALDEHYDES, 29
ALEUROTRACHELUS, 91
ALIPHATIC COMPOUNDS, 29
ALPHA CAROTENE, 77
ALPHA-AMYLASE, 10, 79
ALTERNATIVE HOSTS, 29
ALUMINIUM, 12
AMARANTHUS CRUENTUS, 38
AMERINDIAN TRADITIONAL
CULTIVATION, 47
AMIDES, 29
AMINO ACIDS, 21
AMINO ACID SEQUENCES, 28, 57
AMMONIA, 56
AMMONIUM, 30
AMMONIUM NITROGEN, 53, 54, 55
AMMONIUM SULFATE, 55, 76
AMPLIFIED FRAGMENT LENGTH
POLYMORPHISM, 30
AMYLASE, 89
AMYLOPECTIN, 7, 80
AMYLOSE, 16, 27, 58, 68
AMYLOSE CONTENT, 73
ANAEROBIC CONSORTIA, 84
ANALYTICAL METHOD, 82
ANALYTICAL METHODS, 27, 52, 58
ANIMAL FEEDING, 86
ANIMAL PARASITIC NEMATODES, 32
ANNEALING, 85
AN'ROBIC TREATMENT, 53
ANTAGONISM, 27
ANTHELMINTIC PROPERTIES, 32
ANTHELMINTICS, 30
ANTHOCYANIN, 36, 66, 69
ANTHOCYANINS, 26, 28, 51, 88
ANTHRACNOSE, 49
ANTHRACNOSE DISEASES, 34
ANTIMICROBIAL ACTIVITY, 87
ANTINUTRITIONAL FACTORS, 33
ANTIOXIDANT, 41, 82, 87
ANTIOXIDANT ACTIVITY, 9, 78
ANTIOXIDANT CAPACITY, 44
ANTIOXIDANT PROPERTY, 21
ANTIOXIDANTS, 22, 23, 26, 28, 41, 46, 51,
81
ANTIOXIDATIVE ACTIVITIES, 84
ANTIOXIDATIVE ACTIVITY, 25
ANTIOXIDATIVE ENZYME, 22, 45
ANTIOXIDATIVE ENZYMES, 35
AQUATIC MACROPHYTES, 65
AQUATIC PLANTS, 50
ARABIDOPSIS THALIANA, 61
ARABINO GALACTAN, 73
ARABLE CROP, 67

ARACEAE, 11
ARACHIS HYPOGAEA, 8
ARBUSCULAR MYCORRHIZA, 44
ARBUSCULAR MYCORRHIZAL, 90
ARBUSCULAR MYCORRHIZAL FUNGI,
70
AROID'S STARCHES, 6
AROMATIC COMPOUNDS, 29
ASCORBIC ACID, 40, 51
ASEPTIC PROCESSING, 70
ASH, 58
ASIA, 14
ASPARTATE AMINOTRANSFERASE, 33
ASSESSMENT CONTROL, 50
ATAXIA, 46
ATMOSPHERE, 2
AUBERGINES, 12, 15, 51
AUREOBASIDIUM PULLULANS, 83
AUXIN, 66

B

BACILLUS SUBTILIS, 5, 33
BACTERIA, 54, 56
BADNAVIRUS, 64
BADNAVIRUSES, 64
BAKING, 40, 41, 49
BALL MILL, 47
BAMBOOS, 53
BANANAS, 26
BARK, 32
BATTLE AGAINST, 74
BEEF CATTLE, 53, 54, 55
BEGOMOVIRUS, 32
BEGOMOVIRUSES, 18
BEMISIA TABACI, 4, 8, 9, 43, 50, 62
BENIN, 6, 24, 85
BETA AMYLASE, 89
BETA CAROTENE, 22, 36, 41, 43, 52, 58,
65, 67, 74, 77, 82
BETA GLUCAN, 73
BIOCHEMISTRY, 44
BIODEGRADATION, 69
BIODIESEL, 91
BIODIVERSITY, 18, 19, 79
BIOETHANOL, 91
BIOFORTIFICATION, 18
BIOFUEL, 91
BIOFUELS, 53, 74, 79
BIOGAS, 53

BIOHYDROGEN PRODUCTION, 84
BIOLISTIC INFECTION, 2
BIOLISTICS, 32
BIOLOGICAL CONTROL, 5, 28, 81
BIOLOGICAL PROPERTIES, 35
BIOLOGICAL TREATMENT, 53
BIOMARKER LEVEL, 60
BIOMASS, 12, 83, 84
BIOMASS PRODUCTION, 13, 14
BIOREMEDIATION, 32
BIOSAFETY, 26
BIOSYNTHESIS, 28, 33, 71
BIOTECHNOLOGY, 26, 57
BIOTYPE B, 9
BIOTYPES, 4, 15, 50
BLACKS, 51
BLANCHING, 42, 48, 51
BLIGHT, 55
BLOOD SUGAR, 54
BODY LENGTH, 25
BODY WEIGHT, 91
BOILING, 38, 40, 41, 43
BORDERLINE HEPATITIS, 60
BRADYRHIZOBIUM, 70
BRAN SOURCES, 72
BRASSICA OLERACEA, 22
BREEDING, 23, 26
BREEDING SCHEME, 61
BROWNING, 44, 88
BUDS, 58
BULK DENSITY, 11
BUNAJI, 83
BUSH FALLOW, 72

C

CABBAGES, 15, 51
CACO 2 CELLS, 65
CADMIUM, 32
CAFFEIC ACID, 51
CAFFEYOYL FERULOYLQUINIC ACIDS,
69
CAFFEYOYLQUINIC ACIDS, 69
CALCIUM, 12, 13, 15, 38
CALCIUM OXALATE, 76
CALLIANDRA, 4
CALVES, 60
CAMELLIA SINENSIS, 65
CAMOTE, 82
CAMV35S, 84

CANNA EDULIS, 6, 17, 39, 73, 75, 86
CANNA STARCH, 39
CARBOHYDRATE, 19, 79
CARBOHYDRATES, 15, 20, 56, 57
CARBON, 89
CARBON DIOXIDE, 2
CARBON NITROGEN RATIO, 55
CARCASS CHARACTERISTICS, 3
CARCASS WEIGHT, 91
CARIBBEAN, 73
CARIBBEAN TUBER CROPS, 38
CARLAVIRUSES, 36
CAROTENO PROTEINS, 9
CAROTENOID, 42
CAROTENOIDS, 9, 12, 44, 46, 51, 52, 58, 82
CARROTS, 51
CASE STUDIES, 26
CASEIN, 56
CASSAVA, 2, 3, 4, 5, 10, 11, 13, 14, 15, 16, 17, 18, 19, 23, 24, 26, 29, 30, 31, 32, 33, 36, 37, 45, 46, 47, 52, 53, 54, 55, 56, 57, 58, 61, 62, 63, 66, 68, 71, 72, 73, 74, 75, 77, 79, 84, 86, 90
CASSAVA MOSAIC DISEASE, 4
CASSAVA CHIPS, 28
CASSAVA ECONOMY, 62
CASSAVA FOLIAGE, 90
CASSAVA GREEN MITE, 38, 62
CASSAVA HAY, 10
CASSAVA LEAVES, 17, 33, 90
CASSAVA MEAL, 56, 90
CASSAVA MOSAIC DISEASE, 37
CASSAVA MOSAIC VIRUS, 61
CASSAVA MOSAIC VIRUS DISEASE, 31
CASSAVA PEEL, 32, 33
CASSAVA PEELS, 3
CASSAVA ROOT CORTEX, 47
CASSAVA STACH, 58
CASSAVA STARCH, 13, 15, 33, 34, 53, 91
CATECHINS, 88
CATECHOL OXIDASE, 40
CATTLE, 86, 90
CATTLE FEEDING, 14
CAVITATION, 66
CDNA, 7, 8
CELL ADHESION, 72
CELLULASE, 9
CELLULOLYTIC MICROORGANISMS, 31
CELLULOSE, 54
CEREALS, 72
CHAIN LENGTH DISTRIBUTION, 80
CHALCONE ISOMERASE, 28
CHEMICAL ANALYSIS, 45
CHEMICAL COMPOSITION, 15, 17, 25, 32, 49, 52, 57, 58, 78
CHEMICAL COMPOSITIONS, 48
CHEMICOPHYSICAL PROPERTIES, 38, 58
CHINA, 74
CHINESE SAUSAGE, 48
CHLOROGENIC ACIDS, 65, 69
CHLOROPHYLL, 12
CHLOROPLAST, 72
CHROMATOGRAPHY, 77
CHRYSANTHEMUM, 65
CLASSIFICATION, 83
CLEAVED AMPLIFIED POLYMORPHIC SEQUENCE, 87
CLONAL EVALUATION, 61
CLONES, 2, 12, 80
CLONING, 32
CNIDOSCOLUS, 72
COCKEREL, 3
COCOYAM, 41, 65, 84
COLLETOTRICHUM, 73
COLLETOTRICHUM GLOEOSPORIOIDES, 15
COLOCASIA ANTIQUORUM, 40
COLOCASIA ESCULENTA, 20, 40, 41, 49, 50, 64, 65, 76, 84, 87
COLOCASSIA ESCULENTA, 6
COLOMBIA, 19
COLOUR, 16, 42, 51, 66
COLUMBIA, 53
COMBINING ABILITY, 13
COMPLEXITY, 89
COMPOSITE FLOUR, 72
CONCENTRATES, 14, 30, 31, 53
CONIDIA, 73
CONSERVATION, 63
CONSTRAINTS, 26
CONTAMINATION, 12
CONTINUOUS CROPPING, 72
CONVOLVULACEAE, 42, 82
COOKING, 41, 76
COPPER, 12, 15, 32
CORMS, 50
CORN, 66, 83, 89

CORNELS, 41
COST BENEFIT ANALYSIS, 14
COSTS, 14
COTTON, 70, 89
COTTON SEED, 14
COUMESTROL, 17
COWPEAS, 15, 16, 51
COWS, 14, 31, 60, 83
COX MERZ RULE, 23
CRANTZ, 9
CREDIT, 35
CRINIVIRUS, 27
CROP DAMAGE, 16
CROP DEVELOPMENT, 63
CROP MANAGEMENT, 13
CROP MIXTURES, 16
CROP PRODUCTION, 15, 29, 35
CROP QUALITY, 26
CROP RESIDUES, 57
CROP WASTES, 69
CROP YIELD, 12, 13, 16, 17, 26, 50, 52
CROPPING SYSTEMS, 89
CROPPING PATTERN, 69
CROPPING SYSTEM, 8
CROPPING SYSTEMS, 11, 55
CROPS, 45, 76
CROP-YIELD, 13
CROSSBREDS, 86
CRUDE PROTEIN, 14, 15, 17, 44, 50
CRUDE PROTEIN CONTENT, 24
CRYSTALS, 76
CULTIVARS, 31
CULTIVATION, 13, 40, 90
CULTURAL CONTROL, 16
CULTURE MEDIA, 57
CULTURED CELLS, 10
CUTTING, 17, 80
CUTTING HEIGHT, 17
CUTTINGS, 31
CUZN, 45
CYANIDES, 46, 53, 57
CYANOGENIC GLUCOSIDES, 3
CYANOGENIC-GLYCOSIDES, 57
CYCLONES, 34
CYSTEINE PROTEASE, 21
CYSTEINE PROTEINASE, 7
CYTOGENETIC, 22
CYTOKINE, 49

D

DAIRY CATTLE, 14, 30, 31
DASYSES RUGOSELLA, 25
DATABASES, 79
DATE PLANTING, 49
DAUCUS CAROTA, 79
DEGRADATION, 44, 70, 82
DEHYDROASCORBATE, 8
DENDRANTHEMA MORIFOLIUM, 65
DEODORISATION, 42
DEPOSITION, 71
DESCRIPTIVE ANALYSIS, 48
DETECTION, 27, 57
DETOXIFYING ENZYMES, 84
DEUTERIUM, 71
DEVELOPMENTAL PHASES, 85
DEVELOPMENTAL STAGE, 84
DEVELOPMENTAL STAGES, 34, 56
DIABETES, 8
DIAGNOSTIC TECHNIQUES, 27
DIALLEL ANALYSIS, 3, 13
DICAFFEOYLQUINIC ACIDS, 69
DICOTYLEDONS, 56
DIELECTRIC PROPERTIES, 70
DIET, 2, 3
DIETARY FAT, 74
DIETS, 91
DIFFUSION OF RESEARCH, 29
DIGESTIBILITY, 14, 20, 30, 47, 53, 54, 55, 68, 73, 77, 90
DIGESTIBLE ENERGY, 56
DIGESTION, 30, 54, 56
DIOSCOREA, 5, 63, 64
DIOSCOREA ALATA, 17, 19, 24, 25, 48, 49, 64, 73, 85
DIOSCOREA CAYENENSIS, 5, 85
DIOSCOREA CAYENENSIS ROTUNDATA, 48
DIOSCOREA ESCULENTA, 49, 63, 85
DIOSCOREA ROTUNDATA, 20, 24, 25, 48, 85
DIOSCOREA SANSIBARENSIS, 39
DIOSCOREA SPP, 5
DIOSCORIN, 49
DIOSCORIN CONTENT, 48
DIRECT CONVERSION TECHNIQUET, 77
DISEASE RESISTANCE, 11, 16, 27, 29, 34, 49, 56, 58

DISEASE VECTORS, 29, 55
DISPERSAL, 11
DISSEMINATION, 78
DISSOLVED, 89
DISTRIBUTION, 51
DITHIZONE, 45
DIVERSITY ARRAY TECHNOLOGY, 61
DNA, 32, 61, 72
DNA MARKER, 87
DOMESTICATION, 71
DORMANCY, 20
DPPH, 41
DRIED, 82, 90
DRUMS, 14
DRY COOKING, 44
DRY MATTER, 17, 30, 33, 50, 54
DRY MATTER, 14
DRY MATTER ACCUMULATION, 13
DRYING, 21, 42, 43, 48, 67, 78, 81
DRYING METHODS, 33
DRYING RATE, 68
DRY-MATTER-ACCUMULATION, 13
DUAL, 44
DUAL PURPOSE, 67
DYNAMIC, 88
DYNAMIC PROPERTY, 83

E

EARTHWORMS, 20
EAST AFRICAN CASSAVA MOSAIC VIRUS, 61
ECDYSTEROIDS, 8
ECOLOGICAL ENVIRONMENT, 45
ECOLOGY, 11
ECONOMIC ANALYSIS, 59
ECONOMIC IMPACT, 29
ECONOMICS, 15, 29
ECONOMIES SCALE, 56
EDIBLE CANNA, 6
EDIBLE FILMS, 73
EDIBLE FUNGI, 55
EDIBLE WHITE, 69
EDIBLE YAM, 63
EGGPLANT, 4
EISENIA FOETIDA, 20
ELASTIC MODULUS, 23
ELECTRIC DRYING, 40
ELECTRICAL TREATMENT, 15
ELITES, 50

EMBRYOGENESE SOMATIQUE, 66
EMULSIONS, 33
ENANTIOMERS, 29
ENDOGENOUS HORMONE CONCENTRATION, 21
ENERGY, 90, 91
ENERGY DIGESTIBILITY, 53
ENERGY INTAKE, 53, 56
ENERGY SOURCES, 53
ENTOMOPATHOGENIC FUNGI, 78, 81
ENTOMOPHTHORALES, 62
ENVIRONMENT INTERACTION, 12, 17
ENVIRONMENTAL SCIENCES, 11
ENVIRONMENTAL STRESS, 10
ENZYMATIC, 68
ENZYMATIC BROWNING, 40
ENZYMATIC DEGRADATION, 7
ENZYMATIC DIGESTIBILITY, 6
ENZYME ACTIVITY, 48
ENZYME ACTIVITY, 16, 33, 40
ENZYME EXTRACTION, 9
ENZYME HYDROLYSIS, 79
ENZYME- MODIFICATION, 42
ENZYMES, 16, 28
EPISTASIS, 4
EQUIPMENT PERFORMANCE, 14, 34
ERETMOCERUS MUNDUS, 62
EROSION, 71
EROSIVITY, 68
ESSENTIAL AMINO ACIDS, 48
ESSENTIAL OILS, 57
EST, 56
ESTERS, 29
ESTS, 56
ETHANOL POTENTIAL, 79
ETHEPHON, 21
ETHIOPIA, 39
EUDRILUS EUGENIAE, 20
EUPHORBIACEAE, 56, 72
EUPHORBIALES, 56
EVALUATION, 63
EVOLUTION, 11
EX VITRO, 37
EXPERIMENTAL DESIGN, 68
EXPERIMENTAL INFECTION, 32
EXTENSION, 29, 35
EXTRACTION, 57, 61, 69
EXTRACTS, 40, 57
EXTRUSION, 78

F

FACTORY EFFLUENTS, 34
FALLOW, 4, 13
FAR INFRARED RADIATION, 7
FARM INCOME, 29
FARMERS, 26, 35, 60, 75
FARMERS ATTITUDES, 55
FARMING SYSTEMS, 83
FARMING-SYSTEMS, 12
FATTY ACID METHYL ESTERS, 91
FATTY ACIDS, 84
FEATHERY MOTTLE VIRUS, 60
FECUNDITY, 25, 34
FEED CONVERSION, 33
FEED INTAKE, 30, 32, 47, 53, 54, 56
FEED SUPPLEMENTS, 30, 31, 53
FEED-CONVERSION-EFFICIENCY, 14
FEEDING, 54, 56, 90
FEEDS, 30
FERMENTATION, 33, 66, 83
FERMENTED, 66
FERULIC ACID, 51
FERULOYLQUINIC ACIDS, 69
FIBER INTAKE, 74
FIBRE, 16
FIBRE CONTENT, 54
FIELD EXPERIMENTATION, 44
FIJI, 76, 79
FILM, 68, 87
FILTERS, 53
FLAVANOLS, 65
FLAVONOID GLYCOSIDE, 87
FLAVONOID PATHWAY, 88
FLAVONOIDS, 26, 51
FLAVONOLS, 44, 88
FLAVOURS, 46
FLOODING, 22
FLOUR, 38
FLOURS, 20, 21, 33, 42, 57, 58, 81
FLOW CYTOMETRY, 66
FLOW INJECTION ANALYSIS, 76, 79
FODDER, 44, 50
FOLIAGE, 70, 83
FOLIAR, 71
FOLIAR DIAGNOSIS, 14
FOOD, 46, 89
FOOD COMPOSITION, 51, 79
FOOD PACKAGING, 58
FOOD PROCESSING, 19, 20, 33, 34, 58, 67

FOOD QUALITY, 16, 34, 52, 58
FORAGE, 32
FORAGE CROPS, 45
FORESTRY, 19
FORESTS, 50
FREEZE DRYING, 7
FREEZING, 51
FREEZING PROCESS, 1
FRESH PASTE, 25
FRUCTOSE, 73
FRUIT, 70
FRUITS, 46
FRYING, 51
FUNCTIONAL PROPERTIES, 64
FUNGAL DISEASES, 11, 31, 34, 58
FUNGAL PATHOGEN, 38
FUNGAL ROT, 5
FUNGI, 90

G

GAMBA GRASS, 47
GAS EMISSIONS, 91
GAS PRODUCTION, 55
GEL, 39
GEL PERMEATION CHROMATOGRAPHY, 42
GELATIN, 58, 68
GELATINIZATION, 66, 84
GELATION, 15, 58
GELLING AGENT, 66
GENE EXPRESSION, 1, 7, 28, 29, 88
GENERALIST PREDATOR, 9
GENERATION PROGENY, 45
GENES, 28, 29
GENETIC ANALYSIS, 50
GENETIC DISORDERS, 30
GENETIC DIVERSITY, 30, 31, 39, 61
GENETIC IMPROVEMENT, 37
GENETIC MAPPING, 56
GENETIC MARKERS, 27
GENETIC RESOURCES, 5
GENETIC STABILITY, 50
GENETIC VARIABILITY, 22, 24
GENETIC VARIATION, 4, 11, 12, 13, 30, 31, 37, 80
GENOME, 36
GENOMIC RNA, 19
GENOTYPE, 21, 49
GENOTYPE MIXTURES, 16

GENOTYPES, 2, 12, 13, 17, 26, 30, 31, 35, 36, 37, 45, 50, 61, 62, 66
GENUS, 72
GEOGRAPHICAL, 51
GEOGRAPHICAL DISTRIBUTION, 5, 31
GEOGRAPHICAL DIVERSE, 35
GERMPLASM, 13, 18, 39, 45, 55, 64
GHANA, 64
GIANT TARO, 11
GIBBERELIC ACID, 5
GINGER FLAVOURED, 63
GLUCOAMYLASE, 79
GLUCONOLACTONE, 16
GLUCOSE, 40, 65, 77, 89
GLUCOSE PYROPHOSPHORYLASE, 84
GLUCOSE TRANSPORT, 65
GLUCOSIDES, 16
GLYCAEMIC INDICES, 19
GOATS, 10, 54, 90
GRANULE, 79
GRANULE SIZE, 7, 68, 77
GRANULIN, 21
GRAZING, 30
GREEN BEANS, 70
GREENHOUSE, 91
GREENHOUSE PESTS, 78
GREENHOUSES, 9
GROUNDNUT, 4
GROUNDNUTS, 12
GROWING SITES, 17
GROWTH, 10, 30, 41, 46, 52, 55, 58
GROWTH RATE, 14, 54
GUINEA GRASS, 90

H

HAEMATOCRIT, 54
HARD CAPSULE, 68
HARDNESS, 76
HARVEST TIME, 77
HARVESTING, 17, 44, 45
HATCHABILITY, 25
HAY, 30, 53, 54, 56
HEAT, 86
HEAT TRANSFER, 51
HEAT TREATMENT, 15, 49
HEAVY METALS, 12, 32
HEIFERS, 53
HERITABILITY, 18, 23
HEXACONAZOLE, 46

HIGH FRUCTOSE SYRUP, 77
HIRED LABOUR, 15
HISTORY, 83
HOLSTEIN FRIESIAN, 14
HOST, 91
HOST PLANTS, 31
HOST PREFERENCES, 15
HOST RESPONSE, 70
HOSTS, 9, 11
HPLC, 47, 52, 57, 58, 77, 80
HPMC, 68
HUMID, 72
HUMID TROPICS, 55
HUSKS, 33
HYBRIDIZATION, 13
HYBRIDS, 13
HYDROCARBONS, 33
HYDROGEN CYANIDE, 15
HYDROLYSATE, 91
HYDROLYSATES, 33
HYDROLYSIS, 77
HYDROXYBENZOIC ACIDS, 88
HYDROXYCINNAMIC ACIDS, 88
HYDROXYCOUMARIN, 71
HYDROXYL RADICAL, 23, 28
HYDROXYPROPYLATED STARCH, 39
HYDROXYPROPYLATION, 39

I

IDENTIFICATION, 87
IDENTIFICATION, 59
IMMUNOMODULATORY, 49
IMPROVEMENT-PLANTING, 13
IN SITU CONSERVATION, 47
IN VITRO, 20, 23, 28, 36, 37, 40, 65
IN VITRO CULTURE, 37
INCENTIVES, 56
INDIA, 4
INDIAN CASSAVA MOSAIC VIRUS, 2, 3
INDIAN MUSTARD, 51
INDIGENOUS KNOWLEDGE, 12
INFESTATION, 16
INFILTRATION, 52
INFLAMMATORY RESPONSE, 82
INFRARED SPECTROSCOPY, 42
INFRASTRUCTURE, 35
INHIBITOR ACTIVITY, 82
INNOVATION ADOPTION, 29
INOCULUM MONITORING, 44

INSECT REARING, 9
INSECT PESTS, 13, 15, 16, 29, 50, 55, 56
INSECT RESISTANCE, 22
INSOLUBLE OXALATE, 41
INTEGRATED ASSESSMENT, 67
INTEGRATED PEST MANAGEMENT, 43
INTEGRATED WEED MANAGEMENT,
75
INTENSIVE CROPPING, 16
INTERCROPPING, 11, 13, 14, 16, 37, 38,
70
INVERT SUGAR, 58
IPOMOEA BATATAS, 80
IPOMOEA BATATAS, 2, 7, 8, 9, 21, 22, 42,
43, 44, 45, 59, 65, 66, 67, 68, 69, 76, 77,
78, 79, 81, 82, 87
IPOMOEAXANTHINS, 42
IPOMOVIRUS, 27
IRON, 15, 38
IRRIGATION, 12
ISOFLAVONES, 17
ISOLATES, 64
ISOLATION, 63
ISORHAMNETIN, 51
ISOTOPIC LABELLING, 71
ISOZYMES, 35

J

JAMAICA, 39
JICAMA, 15, 47
JUICE, 42

K

KENYA, 59, 89
KETONES, 29
KINETICS, 16, 32, 51, 82
KNEADING, 21, 26
KNOX, 67
KONJAK MOSAIC VIRUS, 19
KOREA, 17
KOREAN FOODS, 46

L

LABORATORY METHODS, 2
LABOUR ECONOMICS, 15
LACTATING, 60

LACTATION, 14, 83
LACTIC ACID, 53
LAMBS, 32, 56
LAND CLEARANCE, 13
LAND MANAGEMENT, 55
LAND USE, 16, 55
LANDRACES, 57, 79
LAND-USE, 13
LARVAE, 34
LEAF, 71
LEAF AREA, 30
LEAF RETENTION, 23
LEAF SENESCENCE, 21
LEAST DEVELOPED COUNTRIES, 14
LEAVES, 3, 49, 80
LECANICILLIUM LONGISFOLIUM, 78
LECANICILLIUM MUSCARIUM, 78
LEGUMES, 72
LESSER YAM, 63
LIFE HISTORY, 34
LIFE TABLES, 56
LIGNOCELLULOSE, 69
LIMONENE, 57
LINAMARIN, 57
LINAMARIN PURIFICATION, 47
LIPIDS, 15
LIPOPROTEINS, 9
LIVE MULCH, 67
LIVE WEIGHT GAIN, 47
LIVEWEIGHT, 32
LOCAL GOATS, 47
LONG TERM GENE FLOW, 47
LONGEVITY, 25
LOW DENSITY, 9
LOWLAND RICE, 76

M

MACROLOPHUS CALIGINOSUS, 9
MACROPHAGES, 80
MAGNESIUM, 13, 15
MAIZE, 4, 16, 33, 52, 54, 55, 56, 58, 67, 68,
72, 89
MALI, 89
MALIC ACID, 30, 31
MALTOSE, 89
MALTOSYL CYCLODEXTRIN, 42
MALVACEAE, 13
MALVALES, 13
MANAGEMENT, 50

MANGANESE, 15
MANGOES, 11
MANIHOT ESCULENTA, 91
MANIHOT ESCULENTA, 6, 9, 10, 11, 15,
 23, 24, 30, 31, 37, 46, 47, 61, 63, 71, 72,
 73, 79, 84, 90, 91
MARIGOLD, 70
MARKER, 37
MARKETING, 59
MASS SPECTROMETRY, 71
MATHEMATICAL MODELS, 16
MATING INTERACTION, 4
MATURATION, 50
MICROBIAL CONTAMINATION, 89
MECHANICAL ANALYSIS, 88
MECHANICAL METHODS, 55
MECHANICAL PROPERTIES, 58
MEDIATED TRANSFORMATION, 8
MEDICINAL PROPERTIES, 32
MELOIDOGYNE, 24
MENU, 20
MERCURY, 50
METAL CHELATION, 81
METAMORPHOSIS, 43
METHANE, 53
METHANOL EXTRACTS, 87
METHODOLOGY, 52, 57, 58
METHODS, 65
MICROBIAL, 83
MICROBIAL CONTROL, 62
MICROBIAL ECOLOGY, 53
MICROBIAL PROTEINS, 31
MICROBIOLOGICAL
 CHARACTERISTICS, 6
MICRONUTRIENTS, 76
MICROSCOPY, 64
MICROSTRUCTURE, 68
MICROWAVE, 86
MICROWAVE HEATING, 70
MIDALTITUDE VALLEY
 ENVIRONMENT, 3, 4
MILK, 14
MILK RUMEN, 70
MILK SUBSTITUTES, 34
MILK YIELD, 31, 83
MILLING, 40
MILLPEDES, 44
MINERAL SUPPLEMENTS, 55
MINERAL-CONTENT, 15
MINERALS, 72

MINIMUM TILLAGE, 10
MIRID BUGS, 9
MITOGENIC RESPONSE, 78
MIXED CROPPING, 11, 12
MIXED INFECTIONS, 51
MIXED SYSTEMS, 67
MIXTURE, 45
MODEL, 85, 89
MODELING, 24
MODELS, 7
MOISTURE CONTENT, 58, 68
MOISTURE DIFFUSIVITY, 48
MOISTURE TREATMENT, 86
MOISTURE-CONTENT, 51
MOLECULA STRUCTURE, 85
MOLECULAR ANALYSIS, 39
MOLECULAR MARKERS, 59
MOLECULAR STRUCTURE, 49
MOLECULAR VARIABILITY, 35, 60
MOLTING, 43
MOLTING HORMONE, 8
MONGOLIAN, 74
MONITORING, 19
MONODEHYDROASCORBAT, 8
MONONYCHELLUS TANAJOA, 62
MONOSACCHARIDES, 72
MORPHOLOGY, 24, 78
MORTALITY, 56
MOUSE LIVER, 82
MOZAMBIQUE, 36
MUCILAGE, 23, 88
MUCILAGES, 28, 73
MULCH, 41
MULCHING, 13
MULTIVARIATE ANALYSIS, 58
MUNGBEAN, 68
MUSA, 70
MUSA ACUMINATA, 69
MUSA PARADISIACA, 73
MUSHROOMS, 55
MUTATION, 89
MYCROSCOPY, 21

N

NATTRASSIA MANGIFERAE ROOT, 5
NATURAL-REGENERATION, 13
N'DAMA, 83
NEAR INFRARED SPECTROSCOPY, 27
NEMATODE INFECTIONS, 32

NEMATODES, 24, 44, 70, 85
NEOSEIULUS IDAEUS, 62
NEOZYGITES TANAJOA, 38, 62
NEOZYGITES TANAJOA, 62
NEW CULTIVARS, 29
NEW GEOGRAPHIC RECORDS, 51
NEW SPECIES, 5
NH₄⁺, 89
NICOTIANA TABACUM, 61
NIGERIA, 15, 37, 61, 62, 75
NITRAT, 30
NITRATE, 76, 79
NITRIC OXIDE, 80
NITRITES, 29
NITROGEN, 14, 53, 54, 55, 56, 72, 89, 90
NITROGEN BALANCE, 30
NITROGEN CONTENT, 52
NITROGEN FERTILIZER, 14
NITROGEN RETENTION, 54, 56
NMR, 82
NO₃⁻, 89
NON ENZYMATIC, 44
NONCEREAL FLOURS, 64
NOODLES, 1, 65
NUCLEAR, 72
NUCLEOTIDE SEQUENCES, 11, 27, 32, 57
NUCLEOTIDES, 19
NUTRIENT CONTENT, 40
NUTRIENT INTAKE, 54
NUTRIENT LOSSES, 71
NUTRIENTS, 30, 41, 65
NUTRITION, 46, 79, 83
NUTRITION PHYSIOLOGY, 30, 54
NUTRITIONAL, 88
NUTRITIONAL COMPOUNDS, 18
NUTRITIONAL QUALITY, 24
NUTRITIVE VALUE, 20, 49, 51, 52, 54, 58, 69

O

OAT HYDROLYSATE, 23
OAT STARCH, 23
OIL MEAL, 14
OIL PRODUCTION, 91
OILS, 70
OKRA, 4
OKRAS, 13, 15, 29, 51
OMOPYGE SUDANICA, 8

ONIONS, 40
OPEN READING FRAMES, 28
OPTIMIZATION, 69
ORANGE, 67
ORANGE FLESHED, 22
ORANGES, 57
ORGANIC CARBON, 52, 55
ORGANIC MATTER, 30, 53, 54
ORIGIN, 22
ORYZA SATIVA, 71
OVIPOSITION, 15, 25
OXALATES, 40, 49
OXIDATIVE STRESS, 82
OXIDATIVE BURST, 7
OXIDATIVE STRESS, 10
OXIDOREDUCTASES, 28
OXYGENASES, 28

P

PACHYRHIZUS EROSUS, 15
PACHYRRHIZUS EROSUS, 47
PACIFIC ISLAND, 18
PACKAGING MATERIALS, 58
PACLOBUTRAZOL, 22
PADDY, 40
PARASITES, 10
PARASITISM, 56, 62
PARTICIPATORY RURAL APPRAISAL, 12
PASTE, 39
PASTE CLARITY, 84
PASTING PROPERTIES, 88
PASTING BEHAVIOUR, 21
PASTING PROPERTIES, 24, 25, 68
PATHOGENICITY, 11, 81, 85
PATHOGENS, 5, 34
PCR, 3, 26, 57
PEAS, 51
PECTINASE, 9
PEELED, 81
PENETRATION RELAXATION, 40
PEPPER, 37
PERFORMANCE, 14
PERFORMANCE TEST, 34
PERFORMANCE TESTS, 14
PERIOD, 24
PERL'S PRUSSIAN BLUE, 45
PEROXYL RADICAL, 23
PEROXYL RADICAL, 28

PEROXYNITRITE, 9
PEST CONTROL, 62
PEST DAMAGE, 44
PETIOLES, 17, 81
PH, 30, 33, 53, 57, 58
PHAGOCYTOSIS, 49
PHENOLIC COMPOUNDS, 51
PHENOLIC CONTENT, 81
PHENOLS, 41
PHENOTYPES, 50
PHOSPHORUS, 12, 27, 89
PHOSPHORUS CONTENT, 68
PHOSPHORYLATION, 75
PHOTOPERIOD, 88
PHYLOGENETIC ANALYSIS, 67
PHYLOGENETICS, 29, 32
PHYLOGENY, 6, 27
PHYSICAL PROPERTIES, 87
PHYSICOCHEMICAL CHARACTERISTICS, 6
PHYSICOCHEMICAL PROPERTIES, 6, 16, 20, 27, 33, 34, 49, 64, 76, 78, 81, 83, 85
PHYSIOLOGICAL PROPERTY, 78
PHYSIOLOGY, 23
PHYTIC ACID, 72
PHYTOCHEMICALS, 57
PHYTOHORMONES, 10
PHYTOPHTHORA BLIGHT DISEASES, 35
PHYTOREMEDIATION, 65
PHYTOSEIIDAE, 3
PLANT BREEDING, 13, 26, 52, 58
PLANT COMPOSITION, 58
PLANT DEVELOPMENT, 31
PLANT DISEASE CONTROL, 16
PLANT DISEASES, 11, 26, 27, 29, 51, 52, 55, 56, 57, 58
PLANT GENETIC RESOURCES, 13
PLANT MORPHOLOGY, 30
PLANT PARASITIC, 24, 70
PLANT PATHOGENIC BACTERIA, 28
PLANT PATHOGENIC FUNGI, 31, 57, 58
PLANT PATHOGENS, 26, 27, 28, 29, 32, 51, 52, 55, 56, 57, 58
PLANT PESTS, 15, 29, 50, 55, 56
PLANT RESISTANCE, 91
PLANT RESPONSE, 67
PLANT SUCKING INSECTS, 78
PLANT VIRUSES, 26, 27, 29, 51, 52, 55, 57
PLANT- VIRUSES, 32
PLANTING DATE, 85
PLASTIC, 41
PLASTICIZERS, 58
POLLULAN, 83
POLLUTION, 50
POLYMERASE CHAIN REACTION, 27
POLYMORPHISM, 31
POLYSACCHARIDE, 66, 84
POPULATION DENSITY, 38
POPULATION LEVEL, 38
POROSITY, 43
POSTHARVEST PHYSIOLOGY, 81
POSTHARVEST PHYSIOLOGY, 71
POSTHARVEST TREATMENT, 5
POTASSIUM, 12
POTASSIUM HYDROXIDE, 32
POTATO, 42, 66, 83
POTATO STARCH, 23
POTATOES, 26, 45, 51, 66, 68
POTYVIRUS, 26, 27
POTYVIRUSES, 19, 60
PRE TREATMENT, 72
PREADIPOCYTES, 77
PRECURSORS, 32
PREDATION, 56
PREDATORS, 3
PREDATORY BUG, 78
PREDATORY MITE, 62
PREFERENCE, 48
PRETREATMENT, 51
PRE-TREATMENT, 88
PRICES, 56
PROCESSING, 18, 65, 83
PRODUCTION, 56
PRODUCTION, 39, 59
PRODUCTION COST, 89
PRODUCTION ECONOMICS, 56
PRODUCTION FACTORS, 35
PRODUCTIVITY, 1
PROLIFERATION, 49
PROLINE, 89
PROPAGATION, 19, 80
PROPERTIES, 84
PROPIONATES, 54
PROTEIN, 90
PROTEIN CONTENT, 16, 27, 53
PROTEIN DIGESTIBILITY, 53, 54
PROTEIN DIGESTION, 54
PROTEIN INTAKE, 53, 54
PROTEIN NITRATION, 80

PROTEIN SOURCES, 30
PROTEIN SUPPLEMENT, 2
PROTEINASES, 33
PROTEOME ANALYSIS, 71
PROTEPHANUS TRUNCATES, 28
PROTOTYPES, 34
PROXIMATE COMPOSITION, 66
PUFFING, 68
PUMPKIN, 38
PUPAE, 34
PUREE, 23
PURIFICATION, 57
PURPLE, 60, 66, 69, 82
PURPLE SOIL, 89
PURPLE SWEET POTATO COLOUR, 82
PYRIPROXYFEN, 43

Q

QUALITY, 40, 48, 63, 81

R

RABBITS, 91
RADICALS, 26
RADISHES, 51
RALSTONIA SOLANACEARUM, 7
RAPD, 80
RAW MATERIALS, 33
RDNA, 11
REACTION HEAT, 80
REACTIVE OXYGEN SPECIES, 45
REDUCING SUGAR, 79
REDUCING POWER, 81
REDUCTION, 29
REGULATIONS, 2, 26
REGULATORY GENE, 36
REGULATORY- SEQUENCES, 32
REPLACEMENT, 10
REPRODUCTIVE BIOLOGY, 63
RESIDUES, 73
RESISTANT GENOTYPES, 31
RESISTANT STARCH, 6, 73, 75
RESOURCE ALLOCATION, 71
RESOURCE ALLOCATION, 56
**RESPONSE SURFACE
METHODOLOGY**, 69
RETENTION, 22, 43, 67
RETINOL, 36

RETURNS, 13
REVERSE TRANSCRIPTASE, 26
RHEOLOGICAL PROPERTIES, 34, 84
RHEOLOGY, 83
RHIZOBIUM, 70
RHIZOSPHERES, 90
RHODOBACTER SPHAEROIDES, 84
RHODOTORULA MUCILAGINOSA, 91
RICE, 18, 54, 71
RICE STRAW, 54
RNA, 36
RNA INTERFERENCE TECHNOLOGY, 3
ROASTING, 38, 43
ROOT CROP, 5
ROOT DAMAGE, 44
ROOT DISTRIBUTION, 63, 64
ROOT MEAL, 91
ROOT ROT DISEASE, 4
ROOT ROT DISEASES, 2
ROOT TUBER, 88
ROOT VEGETABLES, 76, 79
ROOTS, 16, 28, 29, 46, 50, 52, 54, 57, 58, 73
ROT FUNGI, 69
ROTATIONAL SPEED, 14
ROUGHAGE, 54
ROW SPACING, 67
RUBISCO ACTIVITY, 2
RUMEN, 44, 53
RUMEN DIGESTION, 53, 55
RUMEN FERMENTATION, 55
RUMEN FLORA, 53
RUMEN FLUID, 55
RUMEN MICROORGANISMS, 53, 54, 55
RUNOFF, 89
RUN-OFF, 71
RVA ANALYSIS, 45

S

SALINITY, 33
SALT TOLERANCE, 37
SALT-TOLERANCE, 12
SANDY LOAM SOILS, 55
SAPONIN CONTENT, 82
**SATURATED HYDRAULIC
CONDUCTIVITY**, 52
SAVANA, 75
SCANNING, 88
SCANNING ELECTRON MICROSCOPY,
42

SCHOTT, 87
SCOPOLETIN, 71
SCOPOLIN, 71
SCREENING METHODS, 45
SCUTELLONEMA BRADYS, 24
SEALING, 10
SEC- MALLS, 68
SECONDARY SOMATIC EMBRYOGENESIS, 71
SEEDLINGS, 16
SENSORY, 70
SENSORY ANALYSIS, 23, 42
SENSORY EVALUATION, 16
SEPARATION, 14
SEQUENCE DIVERSITY, 64
SERUM HEPATIC, 60
SEWAGE, 65
SHIFTING CULTIVATION, 71
SHOOTS, 27, 58
SHRINKAGE, 42, 43
SILVER STAINING, 22
SIMPLE SEQUENCE REPEAT, 61
SIMULATION MODELS, 29
SIMULTANEOUS THERMAL ANALYSIS, 80
SINGLE CELL PROTEIN, 30
SLCH, 45, 46
SMALL FARMS, 56, 83
SMOLDERING COMBUSTION, 80
SOAKING, 88
SOCIOECONOMICS, 15
SODIUM PHOSPHATE, 58
SOIL ORGANIC, 89
SOIL COMPACTION, 52
SOIL CRUSTING, 10
SOIL DEGRADATION, 46
SOIL DETERIORATION, 73
SOIL EROSION, 45, 46, 91
SOIL LOSS, 45, 46, 68
SOIL ORGANIC MATTER, 91
SOIL PH, 76
SOIL PROPERTIES, 41
SOIL STRUCTURE, 11
SOIL TEMPERATURE, 16, 52
SOIL TYPES, 12, 52
SOIL WATER, 16
SOIL WATER CONTENT, 52
SOIL-ACIDITY, 12
SOIL-AMENDMENTS, 12
SOLANUM AETHIOPICUM, 69
SOLANUM TUBEROSUM, 45, 73
SOLE FODDER, 60
SOLID BULK DENSITY, 43
SOLUBILITY, 15, 27
SOLUBLE OXALATE, 41
SOLUTION MILK, 70
SOMATIC EMBRYOGENESIS, 66, 71
SOUTH PACIFIC ISLANDS, 64
SOUTHERN INDIA, 18
SOUTHERN CAMEROON, 4
SOUTHERN MOZAMBIQUE, 1
SOY CASSAVA BISCUIT, 63
SOYABEAN OIL, 58
SPECIES, 48, 72
SPECTROMETRY TECHNIQUES, 7
SPECTROSCOPY, 71
SPIROSTREPTUS IBANDA, 8
SPORAMIN, 77
SPORAMIN B, 82
SPROUT INHIBITION, 58
SPROUTING, 31, 58
SRI LANKA, 77
SRI LANKA CASSAVA MOSAIC VIRUS, 3, 4
SSR MARKERS, 18
SSRS, 56
STABILITY, 11
STAGING HISTOLOGY, 43
STARCH, 1, 7, 14, 24, 42, 45, 46, 47, 61, 64, 66, 68, 73, 77, 79, 80, 83, 84, 85, 87, 88, 89
STARCH DEGRADATION, 10
STARCH NOODLES, 83
STARCH PROPERTIES, 6
STARCHES, 6, 66
STAY GREEN, 23
STEAMING, 21, 26
STEERS, 30, 53
STEM ROOT, 5
STEMS, 17, 31, 58
STERILIZATION, 70
STORAGE, 1, 44, 50, 82
STORAGE ORGANS, 37
STORAGE PROTEIN, 9
STORAGE ROOT, 30, 67
STORAGE ROOT FORMATION, 1
STORAGE TEMPERATURE, 25
STORAGE-LOSSES, 28
STORED PRODUCTS PESTS, 28, 34
STRAW, 54
STRAWS, 80

STRONTIUM TRACER, 64
STRUCTURAL BIOLOGY, 59
STRUCTURAL CHARACTERIZATION,
 75
STRUCTURAL DEGRADATION, 10
STRUCTURAL DETERMINATION, 42
STRUCTURE, 25, 83
STYLOSANTHES FOLIAGE, 86
SUB SAHARAN AFRICA, 89
SUBHUMID, 72
SUBSTITUTION, 66
SUCROSE, 58
SUCROSE INDUCTION, 84
SUGAR, 46
SUGAR BEET, 45
SUGARCANE, 12
SUGARCANE BAGASSE, 33
SULFUR, 55
SULFURIC-ACID, 57
SULPHITING, 48
SUN DRYING, 40
SUNFLOWERS, 29
SUPEROXIDE DISMUTASE, 10
SUPPLEMENTATION, 83
SUPPLEMENTS, 54
SUPRAMOLECULAR STRUCTURE, 80
SURFACE AREA, 32
SURFACE PROTEINS, 28
SUSTAINABILITY, 12, 13, 91
SWEET POTATO, 21
SWEET POTATOES, 22, 26, 44, 45, 67, 69,
 70, 76, 83
SWEET CASSAVA, 84
SWEET POTATO, 23, 44, 45, 65, 66, 68, 74
SWEET POTATOES, 1, 2, 7, 8, 9, 12, 21,
 22, 23, 26, 27, 28, 35, 36, 41, 42, 43, 44,
 45, 46, 50, 51, 52, 58, 59, 60, 65, 66, 67,
 68, 69, 70, 74, 76, 77, 78, 79, 80, 81, 82,
 83, 84, 87, 88, 89
SWEETENING, 74
SWELLING POWER, 88
SWINE, 2
SYMBIONTS, 50
SYMPTOMS, 27, 51
SYNERGISM, 52
SYRUP PRODUCTION, 89

T

TAIWAN, 21, 26

TANNINS, 14, 32, 71
TANZANIAN, 75
TAPE FORMULATION, 43
TAPIOCA, 13, 79
TAPIOCAL, 66
TARO, 6, 18, 20, 35, 40, 41, 49, 50, 59, 64,
 65, 76, 88
TARO FLOUR, 40
TARO PASTE, 40
TECHNIQUES, 27, 58
TECHNOLOGY TRANSFER, 29
TEMPERATURE, 2, 32, 33, 44, 66, 68, 70,
 81, 82, 88
TERETRIUS NIGRESCENS, 28
TERRACING, 12
TERRESTRIAL ECOLOGY, 11
TEXTURAL ANALYSIS, 23
TEXTURAL PROPERTIES, 43
TEXTURAL QUALITY, 25
TEXTURE, 25, 34
TEXTURE CHARACTERISTICS, 40
THERMAL PROPERTIES, 88
THERMAL TREATMENT, 24
THERMOGENESIS, 11
THERMOGENIC FLOWERING, 11
THERMOSTABILITY, 89
THICKENING, 21
THIXOTROPY, 23
TIBIOMUS SPP, 8
TILLAGE, 41, 52
TISSUE CULTURE, 19
TOCOPHEROLS, 46
TOMATOES, 15
TOTAL OXALATE, 41
TOXICOLOGY, 50
TRANSFERASES, 28
TRANSGENIC PLANT, 8
TRANSGENIC PLANTS, 22, 26, 45
TRANSIT PEPTIDE, 84
TREHALOSE, 89
TRIADIMEFON, 46
TRIALEURODES PORARIORUM, 43
TRIALEURODES VAPORARIORUM, 8
TRITERPENE SAPONIN, 82
TROPICAL CLIMATE, 85
TROPICAL ENVIRONMENT, 41
TROPICS, 67
TRUE RETENTION, 65
TRYPSIN, 82
TRYPSIN INHIBITOR, 22

TRYPSIN INHIBITORS, 7
TUBER, 44, 66
TUBER CROP, 85
TUBER QUALITY, 31
TUBEROUS ROOT INITIATION, 59
TUBERS, 3, 14, 17, 20, 21, 31, 34, 35, 36, 46,
48, 49, 58

U

UGANDA, 31, 46, 60
ULTRASOUND, 66
UNDERGROWN, 90
UNPEELED CASSAVA, 91
UPLAND CROPS, 40
UPLAND RICE, 11
URBAN MARKET, 69
UREA, 54, 55, 76
USES, 62
UTILIZATION, 91

V

VACUUM FRYING, 70
VALUE ADDED, 74
VANILLIN, 29
VARIETAL RESISTANCE, 29
VARIETAL SUSCEPTIBILITY, 29
VARIETIES, 9, 11, 13, 25, 27, 29, 30, 34, 40,
42, 43, 46, 48, 49, 50, 57, 58, 64, 65, 67,
70, 75, 79, 81, 89
VARIETIES;, 24
VARIETIES;, 87
VARIOUS, 62
VEGETABLES, 46, 51, 70
VEGETATIVE PROPAGATION, 31
VERMICOMPOSTING, 20
**VESICULAR ARBUSCULAR
MYCORRHIZAS**, 12
VIETNAM, 13, 71
VINE HARVESTING, 1
VIRAL REPLICATION, 32
VIRUS, 49
VIRUS DISEASES, 59
VISCOELASTIC PROPERTIES, 23
VISCOELASTIC PROPERTY, 88
VISCOSITY, 23, 27, 33, 34, 66
VITAMIN A, 22, 36, 43, 65, 67
VITAMINS, 70

VOLATILE COMPOUNDS, 82
VOLATILE FATTY ACIDS, 53, 54, 55

W

WASTE MANAGEMENT, 20
WASTE UTILIZATION, 33
WASTE WATER TREATMENT, 32
WASTEWATER, 33
WASTEWATER TREATMENT, 53
WATER ACTIVITY, 58, 82
WATER AVAILABILITY, 1
WATER USE, 91
WATER YAM, 17, 34, 49
WATER YAMS, 19
WATERCHESTNUT, 68
WEED CONTROL, 38, 67, 75
WEED DENSITY, 72
WEEDS, 31
WEIGHT GAIN, 14, 30
WEST AFRICA, 24
WEST AFRICAN DWARF, 90
WEST INDIAN, 19
WESTERN MADAGASCAR, 5, 63
WHEAT, 89
WHEAT FLOUR, 45, 65, 66
WHITE FLIES, 9, 43
WHITEFLIES, 81
WHITEFLY, 8
WILD MANIHOT, 72
WILD SPECIES, 91
WILTED CASSAVA FOLIAGE, 47
WINGSPAN, 25
WORK CAPACITY, 14

X

XANTHAN GUM, 23, 83
XANTHOMONAS AXONOPODIS, 56
XANTHOPHYLL, 58
XANTHOSOMA SAGITTIFOLIUM, 6
X-RAY, 21

Y

YAM, 5, 6, 48, 66, 68, 85, 88
YAMS, 19, 20, 24, 25, 34, 35, 38, 39, 45, 48,
49, 64, 73, 88
YIELD, 17, 23

YIELD COMPONENTS, 4, 50, 75
YIELD LOSSES, 52
YIELDS, 4, 14, 33, 41, 46, 50, 67, 79
YOUNG CHILDREN, 36

Z

ZEА MAYS, 8, 72, 73
ZEAXANTHIN, 58
ZINC, 32, 38, 45