

BIBLIOGRAFI 2003

PROQUEST

Age at puberty, total fat and conjugated linoelic acid content of carcass, and circulating metabolic hormones in beef heifers fed a diet high in lineoleic acid beginning./M R Garcia; M Amstalden; C D Morrison; D H Keisler; G L Williams.

Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 261 (8 pages)

Beef supreme award goes to 'free moving' Simmental
Farmers *Guardian*. Tonbridge. Jul 25, 2003. p. 12

Blonde takes beef supreme championship
Farmers Guardian. Tonbridge. Jul 25, 2003. p. 15

Combinations of alfalfa hay and wet corn gluten feed in limit-fed growing diets for beef cattle/S P Montgomery; J S Drouillard; J J Sindt; T B Farran et al.

Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1671

Detection of quantitative trait loci for growth and beef carcass fatness traits in a cross between *Bos taurus* (Angus) and *Bos indicus* (Brahman) cattle/J J Kim; F Farnir; J Savell; J F Taylor.

Journal of Animal Science. Savoy. Aug 2003. Vol. 81, Iss. 8, p. 1933

Dose-response study of melengestrol acetate on feedlot performance and carcass characteristics of beef steers/W M Moseley; D M Meeuwse; J F Boucher; K J Dame; J W Lauderdale.

Journal of Animal Science. Savoy. Nov 2003. Vol. 81, Iss. 11, p. 2699

Effect of copper source and level on performance and copper status of cattle consuming molasses-based supplements/J D Arthington; F M Pate; J W Spears. *Journal of Animal Science*. Savoy. Jun 2003. Vol. 81, Iss. 6, p. 1357

Effect of source of energy and rate of growth on performance, carcass characteristics, ruminal fermentation, and serum glucose and insulin of early-weaned steers/J P Schoonmaker; M J Cecava; DB Faulkner; FL Fluharty et al. *Journal of Animal Science*. Savoy. Apr 2003. Vol. 81, Iss. 4, p. 843

Effects of live cultures of *Lactobacillus acidophilus* (strains NP45 and NP51) and *Propionibacterium freudenreichii* on performance, carcass, and intestinal characteristics, and *Escherichia coli* strain O157 shedding of finishing beef steers/N A Elam; J F Gleghorn; J D Rivera; M L Galyean et al. *Journal of Animal Science*. Savoy. Nov 2003. Vol. 81, Iss. 11, p. 2686

Effects of repetitive use of hormonal implants on beef carcass quality, tenderness, and consumer ratings of beef palatability/W J Platter; J D Tatum; K E Belk; J A Scanga; G C Smith
Journal of Animal Science. Savoy. Apr 2003. Vol. 81, Iss. 4, p. 984

Effects of supplemental energy and/or degradable intake protein on performance, grazing behavior, intake, digestibility, and fecal and blood indices by beef steers./T N Bodine; H T Purvis II.
Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 304 (14 pages)

Estimated genetic parameters for palatability traits of steaks from Brahman cattle/D G Riley; C C Chase Jr; A C Hammond; R L West et al.
Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 54 (7 pages)

Evaluation of age of dam effects on maternal performance of multilactation daughters from high- and low-milk EPD sires at three locations in the southern United States/J F Baker; M E Boyd.
Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1693

Evaluation of maternal performance of daughters from high and low milk EPD sires/J F Baker; M E Boyd; A H Brown; D E Franke; C E Thompson.
Journal of Animal Science. Savoy. Jun 2003. Vol. 81, Iss. 6, p. 1406

Fenceline contact of beef calves with their dams at weaning reduces the negative effects of separation on behavior and growth rate/E O Price; J E Harris; R E Borgwardt; M L Sween; J M Connor.

Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 116 (6 pages)

Genetic parameters for carcass traits and their live animal indicators in Simmental cattle/D H Crews Jr; E J Pollak; R L Weaber; R L Quaas; R J Lipsey.

Journal of Animal Science. Savoy. Jun 2003. Vol. 81, Iss. 6, p. 1427

Growth and pubertal development in Brahman-, Boran-, Tuli-, Belgian Blue-, Hereford- and Angus-sired F1 bulls/D D Lunstra; L V Cundiff.

Journal of Animal Science. Savoy. Jun 2003. Vol. 81, Iss. 6, p. 1414

Identification of mitochondrial DNA substitutions related to meat quality in Japanese Black cattle/H Mannen; M Morimoto; K Oyama; F Mukai; S Tsuji.

Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 68 (6 pages)

Influence of steam-peeled potato-processing waste inclusion level in beef finishing diets: Effects on digestion, feedlot performance, and meat quality/A E Radunz; G P Lardy; M L Bauer; M J Marchello et al.

Journal of Animal Science. Savoy. Nov 2003. Vol. 81, Iss. 11, p. 2675

Leptin as a predictor of carcass composition in beef cattle/T W Geary; E L McFadin; M D MacNeil; E E Grings et al.

Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 1 (8 pages)

Liquid supplement and forage intake by range of beef cows/B F Sowell; J G P Bowman; E E Grings; M D MacNeil.

Journal of Animal Science Savoy. Jan 2003. Vol. 81, Iss. 1, p. 294 (10 pages)

Maternal grandsire, granddam, and sire breed effects on growth and carcass traits of crossbred cattle/E Casas; L V Cundiff.

Journal of Animal Science. Savoy. Apr 2003. Vol. 81, Iss. 4, p. 904

Mechanical measures of uncooked beef longissimus muscle can predict sensory panel tenderness and Warner-Bratzler shear force of cooked steaks/R R Timm; J A Unruh; M E Dikeman; M C Hunt et al.

Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1721

On-line prediction of yield grade, longissimus muscle area, preliminary yield grade, adjusted preliminary yield grade, and marbling score using the MARC beef carcass image analysis./S D Shackelford; T L Wheeler; M Koohmaraie.

Journal of Animal Science. Savoy. Jan 2003. Vol. 81, Iss. 1, p. 150 (6 pages)

Oxytocin-induced secretion of prostaglandin F^{sub 2}[alpha][^] in postpartum beef cows: Effects of progesterone and estradiol-17[beta] treatment/K R Kieborz-Loos; H A Garverick; D H Keisler; S A Hamilton et al.

Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1830

Prediction of retail product weight and percentage using ultrasound and carcass measurements in beef cattle/S P Greiner; G H Rouse; D E Wilson; L V Cundiff; T L Wheeler.

Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1736

Relationship between ultrasound measurements and carcass fat thickness and longissimus muscle area in beef cattle/S P Greiner; G H Rouse; D E Wilson; L V Cundiff; T L Wheeler.

Journal of Animal Science. Savoy. Mar 2003. Vol. 81, Iss. 3, p. 676

Resynchronization of estrus in cattle of unknown pregnancy status using estrogen, progesterone, or both/J S Stevenson; S K Johnson; M A Medina-Britos; A M Richardson-Adams; G C Lamb.

Journal of Animal Science. Savoy. Jul 2003. Vol. 81, Iss. 7, p. 1681

Survey of *Campylobacter* species shed in faeces of beef cattle using polymerase chain reaction/G D Inglis; L D Kalischuk; H W Busz.

Canadian Journal of Microbiology. Ottawa. Nov 2003. Vol. 49, Iss. 11, p. 655 (7 pages)

Time course of changes in growth factor mRNA levels in muscle of steroid-implanted and nonimplanted steers/M S Pampusch; B J Johnson; M E White; M R Hathaway et al.

Journal of Animal Science. Savoy. Nov 2003. Vol. 81, Iss. 11, p. 2733

Use of nonergot alkaloid-producing endophytes for alleviating tall fescue toxicosis in stocker cattle/J A Parish; M A McCann; R H Watson; N N Paiva et al.

Journal of Animal Science. Savoy. Nov 2003. Vol. 81, Iss. 11, p. 2856

SCINCE DIRECT

Association between bovine-leukosis virus seroprevalence and herd-level productivity on US dairy farms/ S. L. Ott, R. Johnson, S. J. Wells,
Preventive Veterinary Medicine Volume 61, Issue 4, , 12 December 2003, Pages 249-262.

Keywords : Bovine-leukosis virus; Dairy cows; Disease cost; Economics; NAHMS

Associations between the manipulation of patterns of follicular development and fertility in cattle/ K. L. Macmillan, B. V. E. Segwagwe, C. S. Pino,
Animal Reproduction Science Volume 78, Issues 3-4, , Ovarian Follicle Development, 15 October 2003, Pages 327-344.

Keywords : Synchronisation; Prostaglandin F2[alpha]; GnRH; Oestradiol benzoate; Progesterone; Conception rate; Corpus luteum

Beef production from Holstein-Friesian bulls and steers of New Zealand and European/American descent, and Belgian Blue Holstein-Friesians, slaughtered at two weights/ M. G. Keane,

Livestock Production Science Volume 84, Issue 3, , 30 December 2003, Pages 207-218.

Keywords : Beef production; Belgian Blue: Bulls; Carcass; Dairy breeds; Steers

Bovine viral diarrhea virus genomic associations in mucosal disease, enteritis and generalized dermatitis outbreaks in Argentina/ Anselmo C. Odeon, Guillermo Risatti, German G. Kaiser, Maria R. Leunda, Ernesto Odriozola, Carlos M. Campero, Ruben O. Donis,

Veterinary Microbiology Volume 96, Issue 2, , 17 October 2003, Pages 133-144.

Keywords : Cattle; Viruses; Enteritis; Dermatitis; Bovine viral diarrhea virus; Genotyping; Pathology; Argentina

Carcass quality of 10 beef cattle breeds of the Southwest of Europe in their typical production systems/ Jesus Piedrafita, Raquel Quintanilla, Carlos Sanudo, Jose-Luis Olleta, Maria-Mar Campo, Begona Panea, Gilles Renand, Francoise Turin, Sylvie Jabet, Koldo Osoro, Maria-Carmen Olivan, Gerardo Noval, Pepa Garcia, Maria-Dolores Garcia, Maria-Angels Oliver, Marina Gispert, Xavier Serra, Manuel Espejo, Susana Garcia, Montana Lopez, Mercedes Izquierdo,

Livestock Production Science Volume 82, Issue 1, , July 2003, Pages 1-13.

Keywords : Beef cattle; Breed-system; Carcass composition; Carcass morphology; Phenotypic relationships

Combined effects of irradiation and the use of natural antioxidants on the shelf-life stability of overwrapped minced beef/ Z. Formanek, A. Lynch, K. Galvin, J. Farkas, J. P. Kerry,

Meat Science Volume 63, Issue 4, , April 2003, Pages 433-440.

Keywords : Irradiation; Lipid peroxidation; Vitamin E; Rosemary; Colour

Comparison of hybrid and purebred in vitro-derived cattle embryos during in vitro culture/ A. Boediono, T. Suzuki, R. A. Godke,

Animal Reproduction Science Volume 78, Issues 1-2, , 15 September 2003, Pages 1-11.

Keywords : Bovine; Embryo; In vitro fertilization; In vitro development; Sex ratio

Comparison of two atmospheric-dispersion models to assess farm-site exposure to sour-gas processing-plant emissions/ H. Morgan Scott, Colin L.

Soskolne, S. Wayne Martin, Erik A. Ellehoj, Robert W. Coppock, Tee L. Guidotti, Kerry D. Lissemore,
Preventive Veterinary Medicine Volume 57, Issues 1-2, , 15 February 2003, Pages 15-34.

Keywords : Air pollution; Atmospheric-dispersion model; Environmental epidemiology; Exposure assessment; Geographical information system; Point source emissions

Consumer attitudes towards beef and acceptability of enhanced beef/ K. Robbins, J. Jensen, K. J. Ryan, C. Homco-Ryan, F. K. McKeith, M. S. Brewer,
Meat Science Volume 65, Issue 2, , October 2003, Pages 721-729.

Conversion of cattle and sheep suckler farming to organic farming: adaptation of the farming system and its economic consequences/ M. Benoit, P. Veysset,
Livestock Production Science Volume 80, Issues 1-2, , Organic Livestock Production, March 2003, Pages 141-152.

Keywords : Organic farming; Beef cattle; Sheep; Economics; Simulation models; Farming system

Development of the Dutch Johne's disease control program supported by a simulation model/ Huybert Groenendaal, Mirjam Nielen, Jan Willem Hesselink,
Preventive Veterinary Medicine Volume 60, Issue 1, , Global context, generic tools: Epidemiology for disease control on an international stage, 30 July 2003, Pages 69-90.

Keywords : Cattle; Johne's disease; Control program; Simulation model; Decision-support

Dietary vitamin E supplementation effects on the color and sensory characteristics of enhanced beef steaks/ K. Robbins, J. Jensen, K. J. Ryan, C. Homco-Ryan, F. K. McKeith, M. S Brewer,
Meat Science Volume 64, Issue 3, , July 2003, Pages 279-285.

Keywords : Beef; Injected; Vitamin E

Dissemination of central nervous system tissue from the brain and spinal cord of cattle after captive bolt stunning and carcass splitting/ D. M. Prendergast, J. J. Sheridan, D. J. Daly, D. A. McDowell, I. S. Blair,
Meat Science Volume 65, Issue 4, , December 2003, Pages 1201-1209.

Keywords : Central nervous system (CNS); Abattoir; Captive bolt stunning; Carcass splitting

Economic consequences of postponed first insemination of cows in a dairy cattle herd/ Jan Tind Sorensen, Soren Ostergaard,
Livestock Production Science Volume 79, Issues 2-3, , February 2003, Pages 145-153

Keywords : Cattle; Reproduction; Calving intervals; Milk yield; Replacement

Effect of a wide range in the ratio of supplemental rumen degradable protein to starch on utilization of low-quality, grass hay by beef steers/ E. A. Klevesahl, R. C. Cochran, E. C. Titgemeyer, T. A. Wickersham, C. G. Farmer, J. I. Arroquy, D. E. Johnson,
Animal Feed Science and Technology Volume 105, Issues 1-4, , 31 March 2003, Pages 5-20.

Keywords : Beef cattle; Protein; Starch; Forage

Effect of calving period on herbage intake and nutrient turnover of Simmental and Angus suckler cows with Angus sired calves grazing subalpine and alpine pastures/ B. L. Estermann, H. -R. Wettstein, F. Sutter, D. Erdin, M. Kreuzer,
Livestock Production Science Volume 79, Issues 2-3, , February 2003, Pages 169-182.

Keywords : Beef cattle; Herbage intake; Nitrogen; Phosphorus; Pasture; Alpine environments

Effect of dietary vitamin E supplementation on textural and aroma attributes of enhanced beef clod roasts in a cook/hot-hold situation/ K. Robbins, J. Jensen, K. J. Ryan, C. Homco-Ryan, F. K. McKeith, M. S. Brewer,
Meat Science Volume 64, Issue 3, , July 2003, Pages 317-322.

Keywords : Vitamin E; Effects; Texture; Aroma; Enhanced beef roast

Effect of forage/concentrate ratio and dietary coconut oil level on methane output and performance of finishing beef heifers/ D. Lovett, S. Lovell, L. Stack, J. Callan, M. Finlay, J. Conolly, F. P. O'Mara,
Livestock Production Science Volume 84, Issue 2, ,

Effect of horn fly and internal parasite control on growth of beef heifers/ D. W. Sanson, A. A. DeRosa, G. R. Oremus, L. D. Foil,
Veterinary Parasitology Volume 117, Issue 4, , 28 November 2003, Pages 291-300.

Keywords : Haematobia iritans; Gastrointestinal nematodes; Weight gain; Cattle

Effect of organic zinc sources on performance, zinc status and carcass, meat and claw quality in fattening bulls/ J. Kessler, I. Morel, P. -A. Dufey, A. Gutzwiller, A. Stern, H. Geyer,
Livestock Production Science Volume 81, Issues 2-3, , June 2003, Pages 161-171.

Keywords : Beef cattle; Carcass quality; Claw quality; Meat quality; Organic zinc; Performance

Effect of peppermint feeding on the digestibility, ruminal fermentation and protozoa/ Sada Ando, T. Nishida, M. Ishida, K. Hosoda, E. Bayaru,
Livestock Production Science Volume 82, Issues 2-3, , August 2003, Pages 245-248.

Keywords: Beef cattle; Peppermint; Ruminal fermentation; Ruminal protozoa

Effect of season on color of Hanwoo (Korean native cattle) beef/ Yong Sun Kim, Seok Ki Yoon, Young Han Song, Sung Ki Lee,
Meat Science Volume 63, Issue 4, , April 2003, Pages 509-513.

Keywords : Color; Season; Hanwoo beef; Environmental temperature; Winter

Effect of slow release urea supplementation on fattening of steers fed sugar cane tops (*Saccharum officinarum*) and maize (*Zea mays*): ruminal fermentation, feed intake and digestibility/ M. A. Galina, F. Perez-Gil, R. M. A Ortiz, J. D. Hummel, R. E. Orskov,

Livestock Production Science Volume 83, Issue 1, , September 2003, Pages 1-11.

Keywords : Beef cattle fattening; Non-protein nitrogen supplementation; Fermentation; Maize; Nutrition; Corn stubble; Sugar tops

Effect of transport time and ageing on aspects of beef quality/ G. A. Maria, M. Villarroel, C. Sanudo, J. L. Olleta, G. Gebresenbet,
Meat Science Volume 65, Issue 4, , December 2003, Pages 1335-1340.

Keywords : Meat quality; Cattle; Transport time; pH; Colour; Texture

Effect of transport time on sensorial aspects of beef meat quality/ M. Villarroel, G. A. Maria, C. Sanudo, J. L. Olleta, G. Gebresenbet,
Meat Science Volume 63, Issue 3, , March 2003, Pages 353-357.

Keywords : Sensory meat quality; Cattle; Beef; Transport time

Effects of circulating progesterone and insulin on early embryo development in beef heifers/ G. E. Mann, M. P. Green, K. D. Sinclair, K. J. Demmers, M. D. Fray, C. G. Gutierrez, P. C. Garnsworthy, R. Webb,
Animal Reproduction Science Volume 79, Issues 1-2, , 20 November 2003, Pages 71-79.

Keywords : Cattle-embryo; Progesterone; Embryo; Insulin

Effects of nutrition and metabolic status on circulating hormones and ovarian follicle development in cattle/ M. G. Diskin, D. R. Mackey, J. F. Roche, J. M. Sreenan,
Animal Reproduction Science Volume 78, Issues 3-4, , Ovarian Follicle Development, 15 October 2003, Pages 345-370.

Keywords : Circulating hormones; Ovarian follicle growth; Nutrition

Effects of quality grade on the chemical, physical and sensory characteristics of Hanwoo (Korean native cattle) beef/ C. J. Kim, E. S. Lee,
Meat Science, Volume 63, Issue 3, , March 2003, Pages 397-405.

Keywords : Hanwoo beef; Quality grade; Marbling; Shear force; MFI; Tenderness; Juiciness

Effects of suckling frequency and breed on productive performance, follicular dynamics and postpartum interval in beef cows/ A. Sanz, I. Casaus, D. Villalba, R. Revilla,
Animal Reproduction Science, Volume 79, Issues 1-2, , 20 November 2003, Pages 57-69.

Keywords : Cattle; Suckling; Breed; Follicular dynamics; Postpartum

Efficiencies and biomass appropriation of food commodities on global and regional levels/ Stefan Wirsenius,
Agricultural Systems, Volume 77, Issue 3, , September 2003, Pages 219-255.

Keywords : Food system; Efficiency; Biomass appropriation; Livestock productivity; Diet

Eradication of enzootic bovine leukosis from Finland/ L. Nuotio, H. Rusanen, L. Sihvonen, E. Neuvonen,
Preventive Veterinary Medicine, Volume 59, Issues 1-2, , 30 May 2003, Pages 43-49.

Keywords : Eradication; Control measures; Bovine; Enzootic leukosis; Finland

Evaluation of serum insulin-like growth factor binding proteins (IGFBP) in Angus cattle divergently selected for serum IGF-I concentration/ M. Pagan, M. E. Davis, D. A. Stick, R. C. M. Simmen, N. E. Raney, R. J. Tempelman, C. W. Ernst,
Domestic Animal Endocrinology, Volume 25, Issue 4, , November 2003, Pages 345-358.

Keywords : Beef cattle; Insulin-like growth factor binding proteins; IGFBP-2; IGF-I; Selection

Factors affecting commercial application of embryo technologies in New Zealand: a modelling approach/ D. C. Smeaton, B. L. Harris, Z. Z. Xu, W. H. Vivanco,

Theriogenology, Volume 59, Issue 2, , 15 January 2003, Pages 617-634.

Keywords : Cattle; Dairy; Beef; Embryo technologies; Modelling

Fatty acid composition of intra-muscular triacylglycerols of steers fed autumn grass and

concentrates/ P. French, E. G. O'Riordan, F. J. Monahan, P. J. Caffrey, A. P. Moloney,
Livestock Production Science, Volume 81, Issues 2-3, , June 2003, Pages 307-317.

Keywords : Beef; Grass; Concentrates; Fatty acids; Cattle

Fibrolytic exogenous enzymes improve performance in steers fed sugar cane and stargrass/ A. Gomez-Vazquez, J. Perez, G. D. Mendoza, E. Aranda, A. Hernandez,
Livestock Production Science, Volume 82, Issues 2-3, , August 2003, Pages 249-254.

Keywords : Fibrolytic enzymes; Sugar cane; Beef cattle; Supplementation; Digestibility

Frequency of luteinizing hormone pulses in cattle influences duration of persistence of dominant ovarian follicles, follicular fluid concentrations of steroids, and activity of insulin-like growth factor binding proteins/ F. N. Kojima, E. G. M. Bergfeld, M. E. Wehrman, A. S. Cupp, K. E. Fike, D. V. Mariscal-Aguayo, T. Sanchez-Torres, M. Garcia-Winder, D. T. Clopton, A. J. Roberts, J. E. Kinder,
Animal Reproduction Science, Volume 77, Issues 3-4, , 15 July 2003, Pages 187-211.

Keywords : Progesterone; LH; Ovarian follicles; IGF-binding proteins; Cattle-endocrinology

Frequency of Shiga toxin-producing Escherichia coli (STEC) isolates among diarrheic and non-diarrheic calves in Brazil/ L. Leomil, L. Aidar-Ugrinovich, B. E. C. Guth, K. Irino, M. P. Vettorato, D. L. Onuma, A. F. P. de Castro,
Veterinary Microbiology, Volume 97, Issues 1-2, , 2 December 2003, Pages 103-109.

Keywords : Escherichia coli; Cattle-bacteria; PCR; stx genes; Ehly genes; STEC

Genetic analyses of field-recorded growth and carcass traits for Swedish beef cattle/ S. Eriksson, A. Nasholm, K. Johansson, J. Philipsson,
Livestock Production Science, Volume 84, Issue 1, , November 2003, Pages 53-62.

Keywords : Beef cattle; EUROP; Fleshiness; Fatness; Carcass weight; Genetic correlations

Genetic analysis of calf survival at different preweaning ages in beef cattle/ F. Goyache, J. P. Gutierrez, I. Alvarez, I. Fernandez, L. J. Royo, E. Gomez, *Livestock Production Science, Volume 83*, Issue 1, , September 2003, Pages 13-20.

Keywords : Beef cattle; Genetic correlation; Heritability; Calf losses; Breeding objective; Asturiana de los Valles

Hot-water extractable carbon in soils: a sensitive measurement for determining impacts of fertilisation, grazing and cultivation/ A. Ghani, M. Dexter, K. W. Perrott, *Soil Biology and Biochemistry, Volume 35*, Issue 9, , September 2003, Pages 1231-1243.

Keywords : Hot-water extractable C; Microbial biomass-C; Mineralisable N; Land use impact; Fertilisation

Isolation and molecular characterization of Escherichia coli O157 isolated from cattle, pigs and chickens at slaughter/ A. V. Tutenel, D. Pierard, J. Van Hoof, M. Cornelis, L. De Zutter, *International Journal of Food Microbiology, Volume 84*, Issue 1, , 15 July 2003, Pages 63-69.

Keywords : Enterohemorrhagic plasmid; Verotoxin; E. coli O157

Lack of associations between air emissions from sour-gas processing plants and beef cow-calf herd health and productivity in Alberta, Canada/ H. M. Scott, C. L. Soskolne, S. W. Martin, J. A. Basarab, R. W. Coppock, T. L. Guidotti, K. D. Lissemore, *Preventive Veterinary Medicine, Volume 57*, Issues 1-2, , 15 February 2003, Pages 35-68.

Keywords : Environmental epidemiology; Air pollution; Sour-gas processing plants; Beef cattle; Health and productivity

Mycoplasma bovis-associated Suppurative Otitis Media and Pneumonia in Bull Calves/ T. Maeda, T. Shibahara, K. Kimura, Y. Wada, K. Sato, Y. Imada, Y. Ishikawa, K. Kadota,

Journal of Comparative Pathology, Volume 129, Issues 2-3, , August-October 2003, Pages 100-110.

Keywords : bacterial infection; cattle; Mycoplasma bovis; otitis media; pneumonia

Norma B. Farfan, Norma Samman, Retention of nutrients in processed cuts of Creole cattle,

Journal of Food Composition and Analysis, Volume 16, Issue 4, , August 2003, Pages 459-468.

Keywords : Creole cattle; Criabu cattle; Argentina; Proximate composition

Occurrence and resistance to antibiotics of *Campylobacter jejuni* and *Campylobacter coli* in animals and meat in northeastern Italy, International/ G. Pezzotti, A. Serafin, I. Luzzi, R. Mioni, M. Milan, R. Perin,

Journal of Food Microbiology, Volume 82, Issue 3, , 15 May 2003, Pages 281-287.

Keywords : Campylobacter; Animals; Meat; Humans; Antibiotics; Resistance

Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay/ H. M. Arelovich, M. J. Arzadun, H. E. Laborde, M. G. Vasquez,

Animal Feed Science and Technology, Volume 105, Issues 1-4, , 31 March 2003, Pages 29-42.

Keywords : Oats pasture; Supplementation; Cattle; Weight gain; Rumen parameters; Plasma minerals

Prevalence and genotyping of *Giardia duodenalis* from beef calves in Alberta, Canada/ A. J. Appelbee, L. M. Frederick, T. L. Heitman, M. E. Olson,

Veterinary Parasitology, Volume 112, Issue 4, , 25 March 2003, Pages 289-294.

Keywords : Giardia; Beef; Calves; Prevalence; PCR; Genotype

Prevalence and infection pattern of naturally acquired giardiasis and cryptosporidiosis in range beef calves and their dams/ Brenda J. Ralston, Tim A. McAllister, Merle E. Olson,

Veterinary Parasitology Volume 114, Issue 2, , 30 May 2003, Pages 113-122.

Keywords : Giardia; Cryptosporidium; Calves; Prevalence

Properties of restructured beef steaks from forage- and grain-fed cattle as affected by antioxidant and flavoring agents/ D. Reverte, Y. L. Xiong, W. G. Moody,

Meat Science Volume 65, Issue 1, , September 2003, Pages 539-546.

Keywords : Restructured beef; Flavor; Oxidation; Antioxidant; Frozen storage

Re-assessing agrarian policy and practice in local environmental management: the case of beef cattle/ Nick Evans, Peter Gaskell, Michael Winter,

Land Use Policy Volume 20, Issue 3, , July 2003, Pages 231-242.

Keywords : Agri-environmental policy; Beef; SSSIs; Grazing

Sensitivity of methods for the isolation of Escherichia coli O157 from naturally infected bovine faeces/ A. V. Tutenel, D. Pierard, D. Vandekerchove, J. Van Hoof, L. De Zutter,

Veterinary Microbiology Volume 94, Issue 4, , 30 July 2003, Pages 341-346.

Keywords : Escherichia coli O157; Isolation; Sensitivity; Cattle; Faeces

Serological evidence of Neospora caninum infections in beef bulls in six counties of the Corrientes province, Argentina/ D. P. Moore, M. G. Draghi, C. M. Campero, B. Cetra, A. C. Odeon, E. Alcaraz, E. A. J. Spath,

Veterinary Parasitology Volume 114, Issue 4, , 25 June 2003, Pages 247-252.

Keywords : Bulls; Cattle-protozoa; Epidemiology; Neospora caninum

Seroprevalence and associated risk factors of neosporosis in beef and dairy cattle in Italy/ Domenico Otranto, Andi Llazari, Gabriella Testini, Donato Traversa, Antonio Frangipane di Regalbano, Mara Badan, Gioia Capelli,
Veterinary Parasitology Volume 118, Issues 1-2, , 1 December 2003, Pages 7-18.

Keywords : Neospora caninum; Italy; Cattle-protozoa; ELISA; Risk factors

Seroprevalence of and risk factors for infectious bovine rhinotracheitis in beef cattle herds of Yucatan, Mexico/ J. J. Solis-Calderon, V. M. Segura-Correa, J. C. Segura-Correa, A. Alvarado-Islas,
Preventive Veterinary Medicine Volume 57, Issue 4, , 15 April 2003, Pages 199-208.

Keywords : Infectious bovine rhinotracheitis; Yucatan; Cattle

The comparison of plasma level and mRNA expression of leptin from Japanese Black steers and Holstein steers/ Y. Higashiyama, H. Abe, M. Hayashi, K. Hodate,
Livestock Production Science Volume 81, Issues 2-3, , June 2003, Pages 247-255.

Keywords : Leptin; Japanese Black; Holstein; Fattening

The current status and future of commercial embryo transfer in cattle / John F. Hasler
Animal Reproduction Science Volume 79, Issues 3-4, Potential and Implications of Application of Reproductive Technologies, 15 December 2003, Pages 245-264.

Keywords : Embryo transfer; Cattle; In vitro; Cryopreservation; Cloning

The effect of dietary poultry litter supplementation on beef chemical, cooking, and palatability properties and consumer acceptance/ L. E. Jeremiah, L. L. Gibson,
Food Research International Volume 36, Issues 9-10, , 2003, Pages 943-948.

Keywords : Beef; Dietary poultry litter; Composition; Palatability; Consumer acceptance

The effect of short distance transport under commercial conditions on the physiology of slaughter calves; pH and colour profiles of veal/ G. Van de Water, F. Verjans, R. Geers,
Livestock Production Science Volume 82, Issues 2-3, , August 2003, Pages 171-179.

Keywords : Beef cattle; Transport; Veal; Stress; Physiology; Meat quality

The potential adoption and use of sexed semen in UK suckler beef production/ D. J. Telford, A. P. Beard, J. R. Franks,
Livestock Production Science Volume 84, Issue 1, , November 2003, Pages 39-51.

Keywords : Sexed semen; Beef cattle; Beef production; Suckler beef herds; Artificial insemination; Farmer's behaviour; Questionnaire

Thermoregulatory responses of feeder cattle/ T. M. Brown-Brandl, J. A. Nienaber, R. A. Eigenberg, G. L. Hahn, H. Freetly,
Journal of Thermal Biology Volume 28, Issue 2, , February 2003, Pages 149-157.

Keywords : Heat production; Respiration rate; Rectal temperature; Body temperature; Beef cattle

Transferring results of behavioral research to industry to improve animal welfare on the farm, ranch and the slaughter plant/ Temple Grandin,
Applied Animal Behaviour Science Volume 81, Issue 3, International Society for Applied Ethology Special Issue: A selection of papers from the ISAE international congresses, 1999-2001, 2 May 2003, Pages 215-228.

Keywords : Cattle; Pigs; Slaughter; Restraint; Handling; Welfare; Technology transfer

Two-step (culture and PCR) diagnostic approach for differentiation of non-T. foetus trichomonads from genitalia of virgin beef bulls in Argentina/ C. M. Campero, C. Rodriguez Dubra, A. Bolondi, C. Cacciato, E. Cobo, S. Perez, A. Odeon, A. Cipolla, R. H. BonDurant,
Veterinary Parasitology Volume 112, Issue 3, , 10 March 2003, Pages 167-175.

Keywords : Virgin bull; Trichomonad; Tritrichomonas foetus; Trichomonosis; PCR; Argentina

Ultrasound image characteristics of ovarian follicles in relation to oocyte competence and follicular status in cattle/ R. Vassena, G. P. Adams, R. J. Mapletoft, R. A. Pierson, J. Singh,
Animal Reproduction Science Volume 76, Issues 1-2, , 20 March 2003, Pages 25-41.

Keywords : Cattle; Echotexture analysis; Follicular dynamics; Image analysis; Oocyte competence; Ovary; Ultrasonography

Using conjoint analysis to estimate farmer's preferences for cattle traits in West Africa/ Kouadio Tano, Mulumba Kamuanga, Merle D. Faminow, Brent Swallow,
Ecological Economics Volume 45, Issue 3, , Valuing Animal Genetic Resources, July 2003, Pages 393-407.

Keywords : Animal traits; Breeds; Farmer preferences; Conjoint analysis; West Africa

Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions/ K. M. Moore, T. N. Barry, P. N. Cameron, N. Lopez-Villalobos, D. J. Cameron,
Animal Feed Science and Technology Volume 104, Issues 1-4, , 20 February 2003, Pages 1-11.

Keywords : Willow (*Salix* sp.); Cattle; Drought feeding; Condensed tannin

The Essential Electronic Agricultural Library (TEEAL)

Beef health & nutrition: dietary nutrient allowances for beef cattle/Perry, T.W.
Feedstuffs, 2003, 75(38), Pages 30-34 CD Volume 417

Keywords : Beef-cattle; Energy requirements; Minerals; Nutrient requirements; Nutrients; Protein requirement; Vitamins.

Carcass quality of 10 beef cattle breeds of the Southwest of Europe in their typical production systems/Piedrafita, J.; Quintanilla, R.; Sanudo, C.; Olleta, J.L.; Campo, M.M.; Panea, B.; Renand, G.; Turin, F.; Jabet, S.; Osoro, K.; Oliván, M.C.; Noval, G.; Garcia, P.; Garcia, M.D.; Oliver, M.A.; Gispert, M.; Serra, X.; Espejo, M.; Garcia, S.; Lopez, M.; Izquierdo, M.

Livestock Production Science, 2003, 82(1), Pages 1-13 CD Volume 405

Keywords : Aubrac; Avilena Black Iberian; Beef breeds; Beef bull; Beef cattle; Beef production; Body-fat; Breed differences; Bulls; Carcass quality; Carcass weight; Carcass yield; Conformation; Growth rate; Liveweight Gain; Morucha; Pyrenean (cattle breed); Retinta; Salers.

Combinations of alfalfa hay and wet corn gluten feed in limit-fed growing diets for beef cattle/Montgomery, S.P.; Drouillard, J.S.; Sindt, J.J.; Farran, T.B.; Pike, J.N.; Trater, A.M.; Coetzer, C.M.; LaBrune, H.J.; Hunter, R.D.; Stock, R.A.

Journal of Animal Science, 2003, 81(7), Pages 1671-1680 CD Volume 410

Keywords : Beef cattle; Diet; Dry matter; Feed conversion efficiency; Feed intake; Hay; Heifers; Liveweight gain; Lucerne; Lucerne hay; Maize gluten; Steers; Urea.

Demand for beef from cattle administered growth hormones or fed genetically modified corn: a comparison of consumers in France, Germany, the United Kingdom, and the United States/Lusk, J. L.; Roosen, J.; Fox, J.A.

American Journal of Agricultural Economics, 2003. 85 (1). Pages 16-29, CD Volume 418

Keywords : Beef; Cattle feeding; Comparisons; Consumer attitudes; Consumer behaviour; Consumer preferences; Consumer surveys; Demand; Feeds; Genetic engineering; Maize; Somatotropin; Transgenic plants.

Detection of quantitative trait loci for growth and beef carcass fatness traits in a cross between *Bos taurus* (Angus) and *Bos indicus* (Brahman) cattle/Kim, J.J.; Farnir, F.; Savell, J.; Taylor, J.F.

Journal of Animal Science, 2003. 81(8), Pages 1933-1942 CD Volume 410

Keywords : Aberdeen Angus; Beef; Body fat; Brahman; Carcass composition; Carcass quality; Chromosomes; Crossbreds;

Gene mapping; Growth; Linkage; Models; Quantitative trait loci.

Development of breeding objectives for beef cattle breeding: derivation of economic values/Kluyts, J. F.; Nesor, F. W. C.; Bradfield, M. J.
South African Journal of Animal Science, 2003, 33(3), Pages 142-158 CD Volume 410

Keywords : Animal breeding; Animal production; Beef cattle; Breeding methods; Breeding programmes; Economics; Income; Mathematical models; Reviews; Selection index.

Effect of grain processing and silage on microbial protein synthesis and nutrient digestibility in beef cattle fed barley-based diets/Koenig, K.M.; Beauchemin, K.A.; Rode, L.M.

Journal of Animal Science, 2003, 81(4), Pages 1057-1067 CD Volume 410

Keywords : Barley; Beef cattle; Diet; Digestibility; Dry matter; Grain; Nutrients; Processing; Rumen; Silage; Single cell protein; Steers; Synthesis; Hordeum vulgare.

Effect of ketoprofen, lidocaine local anesthesia, and combined xylazine and lidocaine caudal epidural anesthesia during castration of beef cattle on stress responses, immunity, growth, and behavior/Ting, S.T.L.; Earley, B.; Hughes, J. M. L.; Crowe, M.A.

Journal of Animal Science, 2003, 81(5), Pages 1281-1293 CD Volume 410

Keywords : Acute phase proteins; Anaesthesia; Anaesthetics; Animal behaviour; Beef cattle; Blood chemistry; Castration; Drug combinations; Fibrinogen; Growth rate; Haptoglobins; Hydrocortisone; Immunity; Interferon; Ketoprofen; Lidocaine; Liveweight gain; Pharmacodynamics; Posture; Stress; Stress response; Xylazine.

Effect of season on color of Hanwoo (Korean native cattle) beef/ Kim, YongSun; Yoon, SeokKi; Song, YoungHan; Lee, SungKi

Meat Science, 2003, 63(4), Pages 509-513 CD Volume 406

Keywords : Beef; Colour; Environmental temperature; Korean native; Meat; Meat quality; Seasonal variation.

Effects of dietary vitamin E supplementation on color stability, lipid oxidation and reducing ability of Hanwoo (Korean cattle) beef during retail display/Lee, SungKi; Kim, YongSun; Liang, ChengYun; Song, YoungHan
Asian-Australasian Journal of Animal Sciences, 2003, 16(10), Pages 1529-1534 CD Volume 424

Keywords : Beef; Beef cattle; Beef quality; Cattle feeding; Colour; Lipids; Oxidation; Steers; Storage; Vitamin E; Vitamin supplements.

Effects of flax supplementation and a combined trenbolone acetate and estradiol implant on circulating insulin-like growth factor-I and muscle insulin-like growth factor-I messenger RNA levels in beef cattle/Dunn, J.D.; Johnson, B.J.; Kayser, J.P.; Waylan, A.T.; Sissom, E.K.; Drouillard, J. S.
Journal of Animal Science, 2003, 81(12), Pages 3028-3034 CD Volume 410

Keywords : Beef cattle; Estradiol; Feed supplements; Finishing; Flax; Implantation; Insulin like growth factor; Linolenic acid; Linseed; Longissimus dorsi; Messenger RNA; Steers; Trenbolone.

Effects of postexsanguination vascular infusion of cattle with a solution of saccharides, sodium chloride, and phosphates or with calcium chloride on quality and sensory traits of steaks and ground beef/Dikeman, M.E.; Hunt, M.C.; Addis, P.B.; Schoenbeck, H.J.; Pullen, M.; Katsanidis, E.; Yancey, E. J.
Journal of Animal Science, 2003, 81(1), Pages 156-166 CD Volume 410

Keywords : Beef; Beef quality; Calcium chloride; Carbohydrates; Carcass composition; Carcass grading; Carcass quality; Carcasses; Dressing percentage; Flavour; Meat cuts; Meat quality; Muscle contraction; Muscles; Organoleptic traits; pH; Phosphates; Sensory evaluation; Shear; Sodium chloride; Steaks; Steers; Tenderness.

Effects of quality grade on the chemical, physical and sensory characteristics of Hanwoo (Korean native cattle) beef/Kim, C.J.; Lee, E.S.
Meat Science, 2003, 63(3), Pages 397-405 CD Volume 406

Keywords : Beef; Beef cattle; Chemical properties; Longissimus dorsi; Meat quality; Organoleptic traits; Physical properties; Sensory evaluation.

Effects of varying the interval from follicular wave emergence to progestin withdrawal on follicular dynamics and the synchrony of estrus in beef cattle/Utt, M.D.; Jousan, F.D.; Beal, W.E.

Journal of Animal Science, 2003, 81(6), Pages 1562-1567 CD Volume 410

Keywords : Beef cattle; Estradiol; GnRH; Oestrous cycle; Oestrus; Ovarian follicles; Ovaries; Ovulation; Progestogens; Prostaglandins; Synchronization.

Escherichia coli O157:H7 prevalence in fecal samples of cattle from a southeastern beef cow-calf herd/Riley, D.G.; Gray, J.T.; Loneragan, G.H.; Barling, K.S.; Chase, C.C., Jr.

Journal of Food Protection, 2003, 66(10), Pages 1778-1782 CD Volume 411

Keywords : Beef cattle; Beef cows; Breed differences; Cattle breeds; Cows; Faeces; Romosinuano.

Evaluation models and genetic parameters for calving difficulty in beef cattle/Phocas, F.; Laloe, D.

Journal of Animal Science, 2003, 81(4), Pages 933-938 CD Volume 410

Keywords : Beef cattle; Breeding value; Calving; Cows; Dystocia; Genetic correlation; Genetic parameters; Heritability; Maternal effects; Mathematical models; Statistical analysis.

Evaluation of beef cattle genotypes and estimation of direct and maternal genetic effects in a tropical environment. 1. Growth traits/Prayaga, K.C.

Australian Journal of Agricultural Research, 2003, 54(10), Pages 1013-1025 CD Volume 417

Keywords : Africander; Age differences; Beef cattle; Birth weight; Body weight; Boran; Brahman; Breed differences; Calves; Charolais; Crossbreds; Crossbreeding; Dominance; Genetic effects; Genotypes; Heterosis; Liveweight gain; Maternal effects; Seasonal variation; Sex differences; Shorthorn; Simmental; Tuli; Weaning weight.

Evaluation of beef cattle genotypes and estimation of direct and maternal genetic effects in a tropical environment. 2. Adaptive and temperament traits/ Prayaga, K.C.

Australian Journal of Agricultural Research, 2003, 54(10), Pages 1027-1038 CD Volume 417

Keywords : Animal behaviour; Animal breeding; Animal health; Beef cattle; Body Temperature; Crossbreds; Ectoparasites; Genetic effects; Genotypes; Helminthoses; Heterosis; Liveweight gain; Maternal effects.

Expected increases in genetic merit from using optimized contributions in two livestock populations of beef cattle and sheep/Avendano, S.; Villanueva, B.; Woolliams, J.A.

Journal of Animal Science, 2003, 81(12), Pages 2964-2975 CD Volume 410

Keywords : Algorithms; Artificial insemination; Genetic gain; Inbreeding; Livestock; Selection.

Genetic analyses of field-recorded growth and carcass traits for Swedish beef cattle/Eriksson, S.; Nasholm, A.; Johansson, K.; Philipsson, J.

Livestock Production Science, 2003, 84(1), Pages 53-62 CD Volume 405

Keywords : Beef bulls; Beef cattle; Bulls; Carcass composition; Carcass quality; Carcass weight; Charolais; Genetic analysis; Genetic correlation; Genetic parameters; Growth rate; Heritability; Liveweight gain; Simmental.

Genetic analysis of calf survival at different preweaning ages in beef cattle/ Goyache, F.; Gutierrez, J.P.; Alvarez, I.; Fernandez, I.; Royo, L.J.; Gomez, E.

Livestock Production Science, 2003, 83(1), Pages 13-20 CD Volume 405

Keywords : Beef cattle; Calves; Genetic analysis; Genetic correlation; Genetic parameters; Genetic variation; Heritability; Survival; Weaning; Perinatal period.

Genetic parameter estimates for serum insulin-like growth factor-I concentration and ultrasound measurements of backfat thickness and longissimus muscle area in Angus beef cattle/Davis, M.E.; Boyles, S.L.; Moeller, S.J.; Simmen, R.C.M.

Journal of Animal Science, 2003, 81(9), Pages 2164-2170 CD Volume 410

Keywords: Animal breeding; Backfat; Beef cattle; Blood chemistry; Breeding value; Carcass composition; Carcass quality; Carcass yield; Fat thickness; Feedlots; Genetic analysis; Genetic parameters; Heifers; Insulin; Insulin like growth Factor; Muscle tissue; Selection; Ultrasound.

Leptin as a predictor of carcass composition in beef cattle/Geary, T.W.; McFadin, E.L.; MacNeil, M.D.; Grings, E.E.; Short, R.E.; Funston, R.N.; Keisler, D.H.

Journal of Animal Science, 2003, 81(1), Pages 1-8 CD Volume 410

Keywords : Backfat; Beef cattle; Carcass composition; Carcass grading; Carcasses; Charolais; Heifers; Hereford (cattle breed); Leptin; Limousin (cattle breed); Longissimus dorsi; Steers; Tarentaise.

Performance of beef cattle grazing oats supplemented with energy, escape protein or high quality hay/Arelovich, H.M.; Arzadun, M.J.; Laborde, H.E.; Vasquez, M.G. *Animal Feed Science and Technology*, 2003, 105(1/4), Pages 29-42 CD Volume 406

Keywords : Aberdeen Angus; Beef cattle; Blood composition; Fattening performance; Feed intake; Feeds; Grazing; Hay; Liveweight gain; Oats; Protein supplements; Rumen digestion; Supplementary feeding.

Prediction of retail product weight and percentage using ultrasound and carcass measurements in beef cattle/Greiner, S.P.; Rouse, G.H.; Wilson, D.E.; Cundiff, L.V.; Wheeler, T.L.

Journal of Animal Science, 2003, 81(7), Pages 1736-1742 CD Volume 410

Keywords : Backfat; Beef cattle; Carcass weight; Leanness; Retail marketing; Ultrasound.

Prevalence of Escherichia coli O157:H7 and performance by beef feedlot cattle given Lactobacillus direct-fed microbials/Brashears, M.M.; Galyean, M.L.; Loneragan, G.H.; Mann, J.E.; Killinger Mann, K.

Journal of Food Protection, 2003, 66(5), Pages 748-754 CD Volume 411

Keywords : Beef cattle; Carcasses; Cattle dung; Feed conversion efficiency; Feed intake; Feedlots; Hides and skins;

Liveweight; Liveweight gain; Microbial contamination; Performance; Probiotics; Steers.

Properties of restructured beef steaks from forage- and grain-fed cattle as affected by antioxidant and flavoring agents/Reverte, D.; Xiong, Y. L.; Moody, W.G.

Meat Science, 2003, 65(1), Pages 539-546 CD Volume 406

Keywords : Antioxidants; Beef; Beef cattle; Breaking strength; Colour; Consumer panels; Cooking; Feed grains; Flavour; Flavourings; Food contamination; Food processing; Forage; Frozen storage; Lipid peroxidation; Microbial contamination; Organoleptic traits; Physical properties; Propyl gallate; Rancidity; Sensory evaluation; Steaks; Storage life.

Relationship between ultrasound measurements and carcass fat thickness and longissimus muscle area in beef cattle/Greiner, S.P.; Rouse, G.H.; Wilson, D.E.; Cundiff, L.V.; Wheeler, T.L .

Journal of Animal Science, 2003, 81(3), Pages 676-682 CD Volume 410

Keywords : Analytical methods; Beef cattle; Carcass composition; Carcass quality; Carcasses; Fat thickness; Quantitative analysis; Steers; Ultrasonography; Ultrasound.

Survey of *Campylobacter* species shed in faeces of beef cattle using polymerase chain reaction/Inglis, G.D.; Kalischuk, L.D.; Busz, H.W. *Canadian Journal of Microbiology*, 2003, 49(11), Pages 655-661 CD Volume 414

Keywords : Digestive system; Ingestion and Assimilation; Infection; Molecular genetics; Biochemistry and Molecular Biophysics DNA.

BIBLIOGRAFI 2004

PROQUEST

Constructing covariance functions for random regression models for growth in Gelbvieh beef cattle/A Legarra; I Misztal; J K Bertrand.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1564 (8 pages)

Different measures of energetic efficiency and their phenotypic relationships with growth, feed intake, and ultrasound and carcass merit in hybrid cattle/J D Nkrumah; J A Basarab; M A Price; E K Okine et al.

Journal of Animal Science. Savoy. Aug 2004. Vol. 82, Iss. 8, p. 2451 (9 pages)

Effect of field pea replacement level on intake and digestion in beef steers fed by-product-based medium-concentrate diets/S A Soto-Navarro; G J Williams; M L Bauer; G P Lardy et al.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1855 (8 pages)

Effect of flax supplementation and growth promotants on lipoprotein lipase and glycogenin messenger RNA concentrations in finishing cattle/A T Waylan; J D Dunn; B J Johnson; J P Kayser; E K Sissom.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1868 (8 pages)

Effect of high-selenium wheat on visceral organ mass, and intestinal cellularity and vascularity in finishing beef steers/S A Soto-Navarro; T L Lawler; J B Taylor; L P Reynolds et al.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1788 (6 pages)

Effects of biological type of beef steers on vitamin D, calcium, and phosphorus status/J L Montgomery, J R Blanton Jr; R L Horst; M L Galyean et al.

Journal of Animal Science. Savoy. Jul 2004. Vol. 82, Iss. 7, p. 2043

Effects of copper and zinc source on performance and humoral immune response of newly received, lightweight beef heifers/G B Salyer; M L Galyean; P J Defoor; G A Nunnery et al..

Journal of Animal Science. Savoy. Aug 2004. Vol. 82, Iss. 8, p. 2467 (7 pages)

Effects of supplemental fat on growth performance and quality of beef from steers fed barley-potato product finishing diets: I. Feedlot performance, carcass traits, appearance, water binding, retail storage, and palatability attributes/M L Nelson; D J Marks; J R Busboom; J D Cronrath; L Falen.

Journal of Animal Science. Savoy. Dec 2004. Vol. 82, Iss. 12, p. 3600 (11 pages)

Effects of supplemental fat on growth performance and quality of beef from steers fed barley-potato product finishing diets: II. Fatty acid composition of muscle and subcutaneous fat/D J Marks; M L Nelson; J R Busboom; J D Cronrath; L Falen. *Journal of Animal Science*. Savoy. Dec 2004. Vol. 82, Iss. 12, p. 3611 (6 pages)

Hierarchical Bayes multiple-breed inference with an application to genetic evaluation of a Nelore-Hereford population/F F Cardoso; R J Tempelman.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1589 (13 pages)

Influence of mass of ruminal contents on voluntary intake and digesta passage in steers fed a forage and a concentrate diet/M S Whetsell; E C Prigge; E L Nestor. *Journal of Animal Science*. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1806 (12 pages)

LFA farms are well placed to produce natural, quality beef Farmers Guardian. Tonbridge. Sep 17, 2004. p. 92

Ontogeny of the somatotrophic axis in Hereford calves from birth to one year of age and its response to administration of exogenous bovine somatotropin/K E Govoni; T A Hoagland; S A Zinn.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1646 (10 pages)

Performance and carcass quality of steers fed different sources of dietary fat/E
E D Felton; M S Kerley.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1794 (12
pages)

Phenotypic relationships between longevity, type traits, and production in
Chianina beef cattle/F Forabosco; A F Groen; R Bozzi; J A M Van Arendonk
et al.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1572 (9 pages)

Productivity and hay requirements of beef cattle in a Midwestern year-round
grazing system/N A Janovick, J R Russell, D R Strohbehn, D G Morrill.

Journal of Animal Science. Savoy. Aug 2004. Vol. 82, Iss. 8, p. 2503 (13
pages)

Use of ultrasound to predict body composition changes in steers at 100 and 65
days before slaughter/P B Wall; G H Rouse; D E Wilson; R G Tait Jr; W D
Busby.

Journal of Animal Science. Savoy. Jun 2004. Vol. 82, Iss. 6, p. 1621 (9 pages)

Utilization of beef from different cattle phenotypes to produce a guaranteed
tender beef product/G G Hilton; J G Gentry; D M Allen; M F Miller.

Journal of Animal Science. Savoy. Apr 2004. Vol. 82, Iss. 4, p. 1190 (5
pages)

SCIENCEDIRECT

A decision support system to improve individual cattle management. 1. A
mechanistic, dynamic model for animal growth/ Luis Orlando Tedeschi,
Danny G. Fox, Pablo J. Guiroy,

Agricultural Systems Volume 79, Issue 2, , February 2004, Pages 171-204.

**Keywords : Cattle; Growth; Management; Marketing; Modeling;
Simulation**

A mechanistic dynamic model to estimate beef cattle growth and body composition: 1. Model description/ Thierry Hoch, Jacques Agabriel, *Agricultural Systems* Volume 81, Issue 1, , July 2004, Pages 1-15.

Keywords : Beef cattle; Growth; Mechanistic dynamic model

A mechanistic dynamic model to estimate beef cattle growth and body composition: 2. Model evaluation/ Thierry Hoch, Jacques Agabriel, *Agricultural Systems* Volume 81, Issue 1, , July 2004, Pages 17-35.

Keywords : Beef cattle; Mechanistic dynamic model; Sensitivity analysis; Compensatory growth

A simulation model of brucellosis spread in British cattle under several testing regimes/ T. England, L. Kelly, R. D. Jones, A. MacMillan, M. Wooldridge, *Preventive Veterinary Medicine* Volume 63, Issues 1-2, , 30 April 2004, Pages 63-73.

Keywords: Brucella abortus; Risk assessment; Cattle; Transmission

Beef versus dairy cattle: a comparison of metabolically relevant hormones, enzymes, and metabolites/ O. Bellmann, J. Wegner, C. Rehfeldt, F. Teuscher, F. Schneider, J. Voigt, M. Derno, H. Sauerwein, J. Weingartner, K. Ender, *Livestock Production Science* Volume 89, Issue 1, , August 2004, Pages 41-54.

Keywords: Metabolism; Hormone; Dairy cattle; Beef cattle

Calving and calving management of beef cows and heifers on cow-calf operations in the United States/ David A. Dargatz, Grant A. Dewell, Robert G. Mortimer, *Theriogenology* Volume 61, Issue 6, , 15 April 2004, Pages 997-1007.

Keywords: Cattle; Beef; Calving; Calving management; Dystocia

Carcass and beef color characteristics of three biological types of cattle grazing cool-season forages supplemented with soyhulls/ R. T. Baublits, A. H. Brown Jr., F. W. Pohlman, Z. B. Johnson, D. O. Onks, H. D. Loveday, R. E. Morrow, B. A. Sandelin, W. K. Coblenz, C. J. Richards, R. B. Pugh, *Meat Science* Volume 68, Issue 2, , October 2004, Pages 297-303.

Keywords : Beef cattle; Forage-fed; Soyhulls

Characterisation of young bulls of the Bruna dels Pirineus cattle breed (selected from old Brown Swiss) in relation to carcass, meat quality and biochemical traits/ X. Serra, M. Gil, M. Gispert, L. Guerrero, M. A. Oliver, C. Sanudo, M. M. Campo, B. Panea, J. L. Olleta, R. Quintanilla, J. Piedrafita, *Meat Science* Volume 66, Issue 2, , February 2004, Pages 425-436.

Keywords : Beef breed; Carcass quality; Chemical composition; Muscle fibres; Sensory evaluation

Colour of subcutaneous adipose tissue and M. longissimus dorsi of high index dairy and beef x dairy cattle slaughtered at two liveweights as bulls and steers/ P. G. Dunne, M. G. Keane, F. P. O'Mara, F. J. Monahan, A. P. Moloney,

Meat Science Volume 68, Issue 1, , September 2004, Pages 97-106.

Keywords: Colour; Cattle; Gender; Genotype; Slaughter weight; Muscle

Comparison of selection criteria for pre-weaning growth traits of Nelore cattle/ Carlos Dario Ortiz Pena, Roberto Carvalheiro, Sandra Aidar de Queiroz, Luiz Alberto Fries,

Livestock Production Science Volume 86, Issues 1-3, , March 2004, Pages 163-167.

Keywords : Average daily gain; Beef cattle; Days to gain 160 kg from birth to weaning; Harmonic mean; Heritability

Conjugated linoleic acid content of beef from cattle fed diets containing high grain, CLA, or raised on forages/ C.S. Poulson, T.R. Dhiman, A.L. Ure, D. Cornforth, K.C. Olson,

Livestock Production Science Volume 91, Issues 1-2, , 1 December 2004, Pages 117-128.

Keywords: Beef; Conjugated linoleic acid; Pasture; Meat; Fat

Correlated responses in productive and adaptive traits and temperament following selection for growth and heat resistance in tropical beef cattle/ H. M. Burrow, K. C. Prayaga,

Livestock Production Science Volume 86, Issues 1-3, , March 2004, Pages 143-161.

Keywords : Direct response; Correlated response; Genetic trends; Growth; Adaptation; Temperament; Male and female fertility; Beef cattle

Effect of level of rumen degradable protein and type of supplemental non-fiber carbohydrate on intake and digestion of low-quality grass hay by beef cattle/J. I. Arroquy, R. C. Cochran, M. Villarreal, T. A. Wickersham, D. A. Llewellyn, E. C. Titgemeyer, T. G. Nagaraja, D. E. Johnson, D. Gnad,,
Animal Feed Science and Technology Volume 115, Issues 1-2, , 1 July 2004, Pages 83-99.

Keywords: Carbohydrate; Protein; Beef cattle; Starch; Sugar

Effects of fatty acids on meat quality: a review, / D. Wood, R. I. Richardson, G. R. Nute, A. V. Fisher, M. M. Campo, E. Kasapidou, P. R. Sheard, M. Enser,
Meat Science Volume 66, Issue 1, , January 2004, Pages 21-32.

Keywords: Cattle; Fatty acids; Meat quality; Pigs; Sheep

Effect of postruminal protein supply on the response to ruminal protein supplementation in beef steers fed a low-quality grass hay/T. A. Wickersham, R. C. Cochran, E. C. Titgemeyer, C. G. Farmer, E. A. Klevesahl, J. I. Arroquy, D. E. Johnson, D. P. Gnad,,
Animal Feed Science and Technology Volume 115, Issues 1-2, , 1 July 2004, Pages 19-36.

Keywords: Beef cattle; Protein; Forage

Definition of a breeding goal for the Piemontese breed: economic and biological values and their sensitivity to production circumstances/ A. Albera, P. Carnier, A. F. Groen,
Livestock Production Science Volume 89, Issue 1, , August 2004, Pages 66-77.

Keywords : Breeding goals; Economic values; Biological values; Beef cattle Development of breed identification markers derived from AFLP in beef cattle/ S. Sasazaki, K. Itoh, S. Arimitsu, T. Imada, A. Takasuga, H. Nagaishi, S. Takano, H. Mannen, S. Tsuji, Meat Science Volume 67, Issue 2, , June 2004, Pages 275-280.

Does re-creation of extensive pasture-forest mosaics provide an economically sustainable way of nature conservation in Sweden's forest dominated regions?/ Karl-Ivar Kumm,

Journal for Nature Conservation Volume 12, Issue 4, , 10 December 2004, Pages 213-218.

Keywords : Biodiversity; Economies of scale; Fragmented pastures; Habitat isolation; Income support; Livestock; Semi-natural pastures

Economic weights for a selection index in Avilena purebred beef cattle/ M. T. Fernandez-Perea, R. Alenda Jimenez,

Livestock Production Science Volume 89, Issues 2-3, , September 2004, Pages 223-233.

Keywords: Beef cattle; Profit function; Economic weight; Selection index

Effect of grazing system on fetal development in Nellore cattle/ M. A. C. M. Bergamaschi, W. R. R. Vicente, R. T. Barbosa, J. A. Marques, A. R. Freitas, *Theriogenology* Volume 61, Issues 7-8, , May 2004, Pages 1237-1245.

Keywords : Fetal growth; Genotype; Grazing system; Cattle; Nellore; Ultrasound

Effect of pasture finishing on the meat characteristics and intramuscular fatty acid profile of steers of the Rubia Gallega breed/ A. Varela, B. Oliete, T. Moreno, C. Portela, L. Monserrat, J. A. Carballo, L. Sanchez, *Meat Science* Volume 67, Issue 3, , July 2004, Pages 515-522.

Keywords: Pasture finishing; Meat quality; Fat quality; Steer

Effect of pasture vs. concentrate feeding with or without antioxidants on carcass characteristics, fatty acid composition, and quality of Uruguayan beef/ C. E. Realini, S. K. Duckett, G. W. Brito, M. Dalla Rizza, D. De Mattos, *Meat Science* Volume 66, Issue 3, , March 2004, Pages 567-577.

Keywords: Beef; Pasture; Concentrate; Antioxidants

Effect of the manger space on welfare and meat quality of beef cattle/ F. Gottardo, R. Ricci, S. Preciso, L. Ravarotto, G. Cozzi,

Livestock Production Science Volume 89, Issues 2-3, , September 2004, Pages 277-285.

Keywords: Beef cattle; Manger space; Welfare; Meat quality

Effects of feeding intensity and time on feed on performance, carcass characteristics and meat quality of Simmental bulls/ A. S. Sami, C. Augustini, F. J. Schwarz,

Meat Science Volume 67, Issue 2, , June 2004, Pages 195-201.

Keywords : Cattle; Breed; Beef; Simmental; Feeding intensity; Performance; Meat quality

Effects of natural rainfall and spontaneous heating on voluntary intake, digestibility, in situ disappearance kinetics, passage kinetics, and ruminal fermentation characteristics of tall fescue hay fed to growing steers/ J. E. Turner, W. K. Coblenz, K. P. Coffey, R. T. Rhein, B. C. McGinley, N. W. Galdamez-Cabrera, C. F. Rosenkrans, Z. B. Johnson, D. W. Kellogg, J. V. Skinner,

Animal Feed Science and Technology Volume 116, Issues 1-2, , 1 September 2004, Pages 15-33.

Keywords: Beef cattle; Fescue hay; Environmental influence

Effects of primiparity and subsequent management on carcass composition and quality of continental beef heifers/ D. C. Patterson, R. W. J. Steen, C. A. Moore, B. W. Moss, D. J. Kilpatrick,

Livestock Production Science Volume 86, Issues 1-3, , March 2004, Pages 19-34.

Keywords : Beef cattle; Maiden; Once bred; Carcass composition; Meat quality

Effects of subcutaneous injections of a long acting moxidectin formulation in grazing beef cattle on parasite fecal egg reduction and animal weight gain/ R.M. Cleale, K.B. Hart, D.E. Hutchens, E.G. Johnson, A.J. Paul, L.L. Smith, C. Tucker, T.A. Yazwinski, M.E. Doscher, S.T. Grubbs, M. Wulster-Radcliffe, D.M. Amodie,

Veterinary Parasitology Volume 126, Issue 3, , 15 December 2004, Pages 325-338.

Keywords: Moxidectin; Safety; Growth; Cattle; Pasture; Efficacy

Effects of type of supplemental carbohydrate and source of supplemental rumen degradable protein on low quality forage utilization by beef steers/ J. I. Arroquy, R. C. Cochran, T. A. Wickersham, D. A. Llewellyn, E. C. Titgemeyer, T. G. Nagaraja, D. E. Johnson,
Animal Feed Science and Technology Volume 115, Issues 3-4, , 2 August 2004, Pages 247-263.

Keywords: Starch; Sugar; Protein; Urea; Beef cattle

Energy balance of grazing beef cattle in Mediterranean pasture, the effects of stocking rate and season: 2. Energy expenditure as estimated from heart rate and oxygen consumption, and energy balance/ A. Brosh, Y. Aharoni, E. Shargal, B. Sharir, M. Gutman, I. Choshniak,
Livestock Production Science Volume 90, Issues 2-3, , November 2004, Pages 101-115.

Keywords : Beef cattle; Grazing cows; Heart rate; Energy expenditure; Energy balance; Reproductive cycle

Estradiol benzoate given 0 or 24 h after the end of a progestagen treatment in postpartum suckled beef cows/ Pablo Juan Ross, Juan Florencio Aller, Santiago Saul Callejas, Horacio Butler, Ricardo Horacio Alberio,
Theriogenology Volume 62, Issues 1-2, , July 2004, Pages 265-273.

Keywords : Synchronization; Ovary; Progestagen; Estradiol; Anestrous; Cattle

Evaluation of the prophylactic effect and curative efficacy of fipronil 1% pour on (Topline(R)) on post-castration scrotal myiasis caused by *Cochliomyia hominivorax* in cattle/ W.S. Lima, M.A.F. Malacco, E.L. Bordin, E.L. Oliveira,
Veterinary Parasitology Volume 125, Issues 3-4, , 10 November 2004, Pages 373-377.

Keywords: Cochliomyia hominivorax; Cattle; Myiasis; Fipronil; Control

Fertility in beef cattle given a new or previously used CIDR insert and estradiol, with or without progesterone/ M. G. Colazo, J. P. Kastelic, P. R. Whittaker, Q. A. Gavaga, R. Wilde, R. J. Mapletoft,

Animal Reproduction Science Volume 81, Issues 1-2, , March 2004, Pages 25-34.

Keywords : CIDR; Estradiol; Progesterone; Fixed-time AI; Pregnancy rate

Follicular growth and ovulation in postpartum beef cows following calf removal and GnRH treatment/ G. Quintans, C. Vinales, K. D. Sinclair, *Animal Reproduction Science* Volume 80, Issues 1-2, , January 2004, Pages 5-14.

Keywords : Beef cattle; Postpartum interval; Calf removal; GnRH; Ultrasonography

G and P genotypes of group A rotavirus strains circulating in calves in Brazil, 1996-1999/ Alice Fernandes Alfieri, Amauri Alcindo Alfieri, Marco Antonio Bacellar Barreiros, Jose Paulo Gagliardi Leite, Leonardo Jose Richtzenhain, *Veterinary Microbiology* Volume 99, Issues 3-4, , 19 April 2004, Pages 167-173.

Keywords: Cattle-viruses; Diarrhea; Rotavirus; Genetics; RT-PCR

Genetic evaluation of beef cattle accounting for uncertain paternity/ Fernando F. Cardoso, Robert J. Tempelman, *Livestock Production Science* Volume 89, Issues 2-3, , September 2004, Pages 109-120.

Keywords : Bayesian inference; Beef cattle; Genetic evaluation; Multiple-sires; Uncertain paternity

Genetic parameters for birth and weaning traits in French specialized beef cattle breeds/ F. Phocas, D. Laloe, *Livestock Production Science* Volume 89, Issues 2-3, , September 2004, Pages 121-128.

Keywords : Dystocia; Conformation; Charolais; Limousin; Blonde d'Aquitaine; Maine-Anjou

Genetic parameters for feed efficiency, fatness, muscle area and feeding behaviour of feedlot finished beef cattle/ D.L. Robinson, V.H. Oddy, *Livestock Production Science* Volume 90, Issues 2-3, , November 2004, Pages 255-270.

Keywords : Beef cattle; Feed intake; Weight gain; Feed efficiency; Residual feed intake; Fatness

Genomic approaches to economic trait loci and tissue expression profiling: application to muscle biochemistry and beef quality/ Andre Eggen, Jean-Francois Hocquette,

Meat Science Volume 66, Issue 1, , January 2004, Pages 1-9.

Keywords : Genomics; Animal selection; Meat science; QTL; Mapping; Functional genomics

Growth and carcass characteristics of pasture fed LHRH immunocastrated, castrated and intact Bos indicus bulls/ E. L. de A. Ribeiro, J. A. Hernandez, E. L. Zanella, M. Shimokomaki, S. H. Prudencio-Ferreira, E. Youssef, H. J. S. S. Ribeiro, R. Bogden, J. J. Reeves,

Meat Science Volume 68, Issue 2, , October 2004, Pages 285-290.

Keywords: Beef cattle; Bos indicus; Immunocastration; Nelore; Testis

Herd of origin effect on weight gain of station-tested beef bulls/ F. S. Schenkel, S. P. Miller, J. W. Wilton,

Livestock Production Science Volume 86, Issues 1-3, , March 2004, Pages 93-103.

Keywords: Beef cattle; Genetic evaluation; Growth

Herd-level seroprevalence and risk-mapping of bovine hypodermosis in Belgian cattle herds/ D. Haine, F. Boelaert, D.U. Pfeiffer, C. Saegerman, J.-F. Lonneux, B. Losson, K. Mintiens,

Preventive Veterinary Medicine Volume 65, Issues 1-2, , 30 August 2004, Pages 93-104.

Keywords : Prevalence; Risk-mapping; Spatial analysis; Hypodermosis; Belgium

Hormonal induction of estrous cycles in anestrus Bos taurus beef cows/ M. L. Day,

Animal Reproduction Science Volumes 82-83, , Research and Practice III. 15th International Congress on Animal Reproduction, July 2004, Pages 487-494.

Keywords : Cattle-estrous cycle; Anestrus; Progesterone; Estradiol; Ovarian follicles

In vitro effects of Monensin and Tween 80 on ruminal fermentation of barley grain:barley silage-based diets for beef cattle/ Y. Wang, T.W. Alexander, T.A. McAllister,
Animal Feed Science and Technology Volume 116, Issues 3-4, , 15 October 2004, Pages 197-209.

Keywords : Barley diet; Feedlot cattle; In vitro fermentation; Ionophore; Surfactant

In vivo performance, slaughtering traits and meat quality of bovine (Italian Simmental) and buffalo (Italian Mediterranean) bulls/ M. Spanghero, Luisa Gracco, R. Valusso, E. Piasentier,
Livestock Production Science Volume 91, Issues 1-2, , 1 December 2004, Pages 129-141.

Keywords : Buffalo; Growth; Young bull; Carcass and meat quality; Consumer test

Industrial application to cattle of a method for the early determination of meat ultimate pH/ O. A. Young, R. D. Thomson, V. G. Merhtens, M. P. F. Loeffen,
Meat Science Volume 67, Issue 1, , May 2004, Pages 107-112.

Keywords: Glycogen; Ultimate pH; Abattoir; Beef

Influence of cattle breed and ageing time on textural meat quality/ F. Monson, C. Sanudo, I. Sierra,
Meat Science Volume 68, Issue 4, , December 2004, Pages 595-602.

Keywords : Collagen; Warner-Bratzler; Compression test; Holstein; Old Brown Swiss; Limousin; Blonde d'Aquitaine

Intake capacity of two breeds of suckler cattle of different milk yield potential and validation of prediction models/ I. Casaus, A. Sanz, D. Villalba, R. Ferrer, R. Revilla,
Livestock Production Science Volume 89, Issues 2-3, , September 2004, Pages 195-207.

Keywords : Suckler cattle; Intake capacity; Genotype; Prediction of intake

Integration of organic animal production into land use with special reference to swine and poultry/ J.E. Hermansen, Karin Strudsholm, Klaus Horsted, *Livestock Production Science* Volume 90, Issue 1, , *Trends and Development in Organic Livestock Farming Systems, October 2004, Pages 11-26.*

Keywords : Pigs; Poultry; Free range systems; Environmental impact; Grazing

Interrelationships of breed type, USDA quality grade, cooking method, and degree of doneness on consumer evaluations of beef in Dallas and San Antonio, Texas, USA/ D. R. McKenna, C. L. Lorenzen, K. D. Pollok, W. W. Morgan, W. L. Mies, J. J. Harris, R. Murphy, M. McAdams, D. S. Hale, J. W. Savell,

Meat Science Volume 66, Issue 2, , February 2004, Pages 399-406.

Keywords: Beef; Market research; Meat grades; Consumer preferences

Investigation of genotype by country interactions for growth traits for Charolais populations in Australia, Canada, New Zealand and USA/ K. A. Donoghue, J. K. Bertrand,

Livestock Production Science Volume 85, Issues 2-3, , 16 February 2004, Pages 129-137.

Keywords : Beef cattle; International evaluation; Genotype by country interaction

Lipid composition of the intramuscular fat of beef from Spanish cattle breeds stored under modified atmosphere/ K. Insausti, M. J. Beriain, M. J. Alzueta, T. R. Carr, A. Purroy,

Meat Science Volume 66, Issue 3, , March 2004, Pages 639-646.

Keywords: Lipid classes; Fatty acids; Modified atmosphere; Beef; Breed

Measurements of energy balance of grazing beef cows on Mediterranean pasture, the effects of stocking rate and season: 1. Digesta kinetics, faecal output and digestible dry matter intake/ Y. Aharoni, A. Brosh, A. Orlov, E. Shargal, M. Gutman,

Livestock Production Science Volume 90, Issues 2-3, , November 2004, Pages 89-100.

Keywords : Beef cattle; Stocking rate; Faecal output; Intake; Digesta kinetics

Myofibrillar 1-D fingerprints and myosin heavy chain MS analyses of beef loin at 36 h postmortem correlate with tenderness at 7 days/ J. C. Sawdy, S. A. Kaiser, N. R. St-Pierre, M. P. Wick,
Meat Science Volume 67, Issue 3, , July 2004, Pages 421-426.

Keywords : Tenderness; Proteomic fingerprint; Myofibril; Image analysis; Myosin heavy chain

Organic acids as a substitute for monensin in diets for beef cattle/ C. Castillo, J. L. Benedito, J. Mendez, V. Pereira, M. Lopez-Alonso, M. Miranda, J. Hernandez,
Animal Feed Science and Technology Volume 115, Issues 1-2, , 1 July 2004, Pages 101-116.

Keywords : Malate; Fumarate; Beef cattle nutrition; Rumen fermentation; Feedlot

Persistent activity of moxidectin long-acting injectable formulations against natural and experimentally enhanced populations of lice infesting cattle/ R. M. Cleale, J. E. Lloyd, L. L. Smith, M. A. Grubbs, S. T. Grubbs, R. Kumar, D. M. Amodie,
Veterinary Parasitology Volume 120, Issue 3, , 25 March 2004, Pages 215-227.

Keywords : Moxidectin; Persistent efficacy; Linognathus vituli; Solenopotes capillatus; Bovine lice

Physiological and cellular adaptations of zebu cattle to thermal stress/ P. J. Hansen,
Animal Reproduction Science Volumes 82-83, , Research and Practice III. 15th International Congress on Animal Reproduction, July 2004, Pages 349-360.

Keywords: Zebu; Cattle; Thermotolerance; Heat stress; Production

Plasma concentrations of inhibin A in cattle with follicular cysts: relationships with turnover of follicular waves and plasma levels of gonadotropins and steroid hormones/ Junichi Todoroki, Junko Noguchi, Kazuhiro Kikuchi, Katsuhiko Ohnuma, Manabu Ozawa, Hiroyuki Kaneko,

Domestic Animal Endocrinology Volume 27, Issue 4, , November 2004, Pages 333-344.

Keywords: Follicular cysts; Inhibin A; FSH; Follicular waves; Cattle

Prevalence and characteristics of Escherichia coli O157 from major food animals in Korea/ Mi-Yeong Jo, Ji-Hyun Kim, Jae-Hyang Lim, Mi-Young Kang, Hong-Bum Koh, Yong-Ho Park, Do-Young Yoon, Joon-Seok Chae, Seong-Kug Eo, John Hwa Lee,

International Journal of Food Microbiology Volume 95, Issue 1, , 15 August 2004, Pages 41-49.

Keywords : E. coli O157; Prevalence; Genetic and phenotypic characteristic; Food animal

Processing of soybean affects meat fatty acid composition and lipid peroxidation in beef cattle/ M.A. McNiven, J. Duynisveld, E. Charmley, A. Mitchell,

Animal Feed Science and Technology Volume 116, Issues 3-4, , 15 October 2004, Pages 175-184.

Keywords : Soybean; Roasted; Extruded; Beef; Fatty acid; Lipid peroxidation

Pulsed field gel electrophoresis of related Escherichia coli O157 isolates associated with beef cattle and comparison with unrelated isolates from animals, meats and humans/ S. M. Avery, E. Liebana, M. L. Hutchison, S. Buncic,

International Journal of Food Microbiology Volume 92, Issue 2, , 15 April 2004, Pages 161-169.

Keywords : Meat; Foodborne; O157:H7; Epidemiology; Pulsed-field gel electrophoresis; Verocytotoxigenic; Shiga toxin; Molecular fingerprinting; Lairage; Surface

Random regression analyses of feed intake of individually tested beef steers/ F. S. Schenkel, C. J. B. Devitt, J. W. Wilton, S. P. Miller, J. Jamrozik,
Livestock Production Science Volume 88, Issues 1-2, , June 2004, Pages 129-142.

Keywords: Bayes factors; Beef cattle; Dry matter intake

Relative economic weights of maternal versus direct traits in breeding schemes/ M. Wolfova, G. Nitter,
Livestock Production Science Volume 88, Issues 1-2, , June 2004, Pages 117-127.

Keywords : Discounted expressions; Economic weights; Gene flow, Crossbreeding, Purebreeding, Breeding systems

Response to selection in beef cattle using IGF-1 as a selection criterion for residual feed intake under different Australian breeding objectives/ B.J. Wood, J.A. Archer, J.H.J. van der Werf,
Livestock Production Science Volume 91, Issues 1-2, , 1 December 2004, Pages 69-81.

Keywords : IGF-1; Breeding program design; Two-stage selection; ZPLAN; Feed intake

Scope for a random regression model in genetic evaluation of beef cattle for growth/ Karin Meyer,
Livestock Production Science Volume 86, Issues 1-3, , March 2004, Pages 69-83.

Keywords : Accuracy; Genetic evaluation; Beef cattle; Growth; Random regression model

Seroprevalence of *Dictyocaulus viviparus* in first grazing season calves in Sweden/ Johan Hoglund, Sven Viring, Mats Tornqvist,
Veterinary Parasitology Volume 125, Issues 3-4, , 10 November 2004, Pages 343-352.

Keywords : Cattle nematoda; Control methods; Enzyme-linked immunosorbent assay; Organic farming; Risk factors

Species and muscle differences in L-carnitine levels in skeletal muscles based on a new simple assay/ Kenichiro Shimada, Yoshinori Sakuma, Junichi Wakamatsu, Michihiro Fukushima, Mitsuo Sekikawa, Keigo Kuchida, Masayuki Mikami,
Meat Science Volume 68, Issue 3, , November 2004, Pages 357-362.

Keywords: L-Carnitine; Myoglobin; Muscle fiber type

The Cornell Net Carbohydrate and Protein System model for evaluating herd nutrition and nutrient excretion/ D. G. Fox, L. O. Tedeschi, T. P. Tytlutki, J. B. Russell, M. E. Van Amburgh, L. E. Chase, A. N. Pell, T. R. Overton,
Animal Feed Science and Technology Volume 112, Issues 1-4, , *Mathematical modeling of Animal-Plant interactions in Livestock Enterprises, 10 February 2004, Pages 29-78.*

Keywords : Modeling; Simulation; Cattle; Nutrient; Requirement; Supply; Rumen

The development of sequence-based-typing of myostatin (GDF-8) to identify the double muscling phenotype in the goat/ G. K. Tay, S. P. A. Iaschi, R. H. S. Bellinge, F. N. Chong, J. Hui,
Small Ruminant Research Volume 52, Issues 1-2, , *April 2004, Pages 1-12.*

Keywords : Boer goat; Myostatin or GDF-8; Double muscling; Carcass trait; Sequence-based-typing

The effect of embryonic death rates in cattle on the efficacy of estrus synchronization programs, J. E. P. Santos/ W. W. Thatcher, R. C. Chebel, R. L. A. Cerri, K. N. Galvao,
Animal Reproduction Science Volumes 82-83, , *Research and Practice III. 15th International Congress on Animal Reproduction, July 2004, Pages 513-535.*

Keywords : Embryo mortality; Estrus synchronization; Reproduction; Dairy cows

The effects of blindfolding on behavior and heart rate in beef cattle during restraint/ Kelly D. Mitchell, Joseph M. Stookey, Darrell K. Laturas, Jon M. Watts, Derek B. Haley, Tara Huyde,
Applied Animal Behaviour Science Volume 85, Issues 3-4, , *25 March 2004, Pages 233-245.*

Keywords : Behavior; Blindfold; Cattle; Handling; Heart rate; Restraint; Vocalizations

The effects of finishing diet and postmortem ageing on the eating quality of the M. longissimus thoracis of electrically stimulated Brahman steer carcasses/ H. L. Bruce, J. L. Stark, S. L. Beilken,
Meat Science Volume 67, Issue 2, , June 2004, Pages 261-268.

Keywords : Beef; Tenderness; Sensory evaluation; Brahman; Warner-Bratzler shear

The influence of season on quality characteristics of hot-boned beef m. longissimus thoracis/ I. T. Kadim, O. Mahgoub, D. S. Al-Ajmi, R. S. Al-Maqbaly, S. M. Al-Mugheiry, D. Y. Bartolome,
Meat Science Volume 66, Issue 4, , April 2004, Pages 831-836.

Keywords : Beef; Longissimus thoracis; WB shear force; Meat quality; Expressed juice

The use of hormonal treatments to improve reproductive performance of anestrus beef cattle in tropical climates/ P. S. Baruselli, E. L. Reis, M. O. Marques, L. F. Nasser, G. A. Bo,
Animal Reproduction Science Volumes 82-83, , *Research and Practice III. 15th International Congress on Animal Reproduction, July 2004, Pages 479-486.*

Keywords : Anestrus; B. indicus; Progesterone; Pregnancy rate; Postpartum; Ovarian activity

Trends in small ruminant husbandry and nutrition and specific reference to Egypt/ G. F. W. Haenlein, M. A. Abdellatif,
Small Ruminant Research Volume 51, Issue 2, , *Contribution of Goats to Mankind, February 2004, Pages 185-200.*

Keywords : Dairy goat production; Dairy sheep production; Small ruminants; Production improvement; Egypt

Ultrasonographic evaluation of the pre-pubertal development of the reproductive tract in beef heifers/ Ali Honaramooz, Jayaprakash Aravindakshan, Ramesh K. Chandolia, Andrew P. Beard, Pawel M. Bartlewski, Roger A. Pierson, Norman C. Rawlings,
Animal Reproduction Science Volume 80, Issues 1-2, , January 2004, Pages 15-29.

Keywords: Cattle; Ultrasonography; Reproductive tract; Puberty

Urquiaga, Nitrogen cycling in Brachiaria pastures: the key to understanding the process of pasture decline/ R. M. Boddey, R. Macedo, R. M. Tarre, E. Ferreira, O. C. de Oliveira, C. de P. Rezende, R. B. Cantarutti, J. M. Pereira, B. J. R. Alves, S.

Agriculture, Ecosystems & Environment Volume 103, Issue 2, , Soil Processes under Pastures in Intertropical Areas, July 2004, Pages 389-403.

Keywords : Animal excretions; Beef cattle; Brachiaria; Litter; Nitrogen cycling; Pasture degradation

Variation in the eating quality of M. longissimus dorsi from Holstein-Friesian bulls and steers of New Zealand and European/American descent, and Belgian Blue x Holstein-Friesians, slaughtered at two weights/ S. C. Maher, A. M. Mullen, M. G. Keane, D. J. Buckley, J. P. Kerry, A. P. Moloney, *Livestock Production Science* Volume 90, Issues 2-3, , November 2004, Pages 271-277.

Keywords : Beef cattle; Breed; Genotype; Gender; Liveweight; Tenderness; Colour; Variation

The Essential Electronic Agricultural Library (TEEAL)

Associations of polymorphisms in the Pit-1 gene with growth and carcass traits in Angus beef cattle/Zhao, Q.; Davis, M.E.; Hines, H.C.

Journal of Animal Science, 2004, 82 (8), Pages 2229-2233 CD Volume 444

Keywords : American Angus; Beef cattle; Carcass quality; Genes; Genetic markers; Genetic Polymorphism; Growth; Traits.

Beef versus dairy cattle: a comparison of metabolically relevant hormones, enzymes, and metabolites/Bellmann, O.; Wegner, J.; Rehfeldt, C.; Teuscher, F.; Schneider, F.; Voigt, J.; Derno, M.; Sauerwein, H.; Weingartner, J.; Ender, K.

Livestock Production Science, 2004, 89(1), Pages 41-54 CD Volume 429

Keywords : Beef cattle; Breed differences; Bulls; Charolais; Dairy cattle; Enzymes; Glucagon; Holstein-Friesian; Hormone

secretion; Insulin; Lactation; Leptin; Lipid Metabolism; Metabolites; Protein metabolism; Protein synthesis; Somatotropin.

Biological basis for variation in residual feed intake in beef cattle. 1. Review of potential mechanisms/Herd, R. M.; Oddy, V.H.; Richardson, E.C.
Australian Journal of Experimental Agriculture, 2004, 44(4/5), Pages 423-430 CD Volume 443

Keywords : Beef cattle; Body composition; Digestion; Energy metabolism; Feed conversion efficiency; Feed intake; Genetic variation; Ion transport; Liveweight gain; Metabolism; Nutrition physiology; Protein metabolism; Reviews; Thermoregulation

Biological basis for variation in residual feed intake in beef cattle. 2. Synthesis of results following divergent selection/Richardson, E.C.; Herd, R.M.

Australian Journal of Experimental Agriculture, 2004, 44(4/5), Pages 431-440 CD Volume 443

Keywords : Beef cattle; Carcass composition; Feed conversion efficiency; Feed intake; Protein Digestibility; Selection.

Carcass and beef color characteristics of three biological types of cattle grazing cool-season forages supplemented with soyhulls/Baublits, R.T.; Brown, A.H., Jr.; Pohlman, F.W.; Johnson, Z.B.; Onks, D.O.; Loveday, H.D.; Morrow, R.E.; Sandelin, B.A.; Coblenz, W.K.; Richards, C.J.; Pugh, R.B.
Meat Science, 2004, 68(2), Pages 297-303 CD Volume 431

Keywords : Beef cattle; Beef quality; Carcass composition; Carcass quality; Carcass weight; Feed supplements; Forage; Grazing systems; Hay; Soya hay; Soyabeans.

Colour of subcutaneous adipose tissue and M. longissimus dorsi of high index dairy and beef x dairy cattle slaughtered at two liveweights as bulls and steers/Dunne, P.G.; Keane, M.G.; O'Mara, F.P.; Monahan, F.J.; Moloney, A.P.

Meat Science, 2004, 68(1), Pages 97-106 CD Volume 431

Keywords : Adipose tissue; Beef; Beef cattle; Belgian-Blue; Bulls; Colour; Dairy cattle; Friesian; Genotypes; Haem; Holstein-Friesian; Liveweight; Meat; Muscles; pH; Pigments; Slaughter weight; Steers; Subcutaneous fat.

Comparing alternative definitions of the contemporary group effect in Avilena Negra Iberica beef cattle using classical and Bayesian criteria/
Carabano, M. J.; Moreno, A.; Lopez Romero, P.; Diaz, C.

Journal of Animal Science, 2004, 82(12), Pages 3447-3457 CD Volume 444

Keywords : Avilena Black Iberian; Bayesian theory; Beef cattle; Calving; Cluster analysis; Environment; Genetic effects; Genetic variance; Heritability; Mathematical Models; Prediction; Statistical analysis; Weaning weight.

Conjugated linoleic acid content of beef from cattle fed diets containing high grain, CLA, or raised on forages/Poulson, C.S.; Dhiman, T.R.; Ure, A.L.; Cornforth, D.; Olson, K.C.

Livestock Production Science, 2004, 91(1/2), Pages 117-128 CD Volume 429

Keywords : Beef; Beef cattle; Colour; Diets; Feed grains; Forage; Hay; Linoleic acid; Lucerne; Lucerne hay; Maize; Maize silage; Meat quality; Meat yield; Silage; Supplementary feeding; Vitamin E.

Constructing covariance functions for random regression models for growth in Gelbvieh beef cattle/Legarra, A.; Misztal, I.; Bertrand, J.K.

Journal of Animal Science, 2004, 82(6), Pages 1564-1571 CD Volume 444

Keywords : Age groups; Beef cattle; Correlated traits; Covariance; Gelbvieh; Genetic effects; Growth; Maternal effects; Mathematical models; Nelore; Regression analysis.

Correlated responses in productive and adaptive traits and temperament following selection for growth and heat resistance in tropical beef cattle/
Burrow, H.M.; Prayaga, K.C.

Livestock Production Science, 2004, 86(1/3), Pages 143-161 CD Volume 429

Keywords : Beef cattle; Body temperature; Body weight; Breeding value; Carcass quality; Fertility; Growth; Heat resistance; Meat quality; Selection; Temperament; Traits.

Covariance functions and random regression models for cow weight in beef cattle/ Arango, J.A.; Cundiff, L.V.; Vleck, L. D. van
Journal of Animal Science, 2004, 82(1), Pages 54-67 CD Volume 444

Keywords : **Analysis of covariance; Analytical methods; Beef cattle; Body weight; Correlation analysis; Covariance; Cows; Fattening performance; Genetic effects; Genetic parameters; Growth; Growth rate; Mathematical models; Meat animals; Regression analysis; Repeatability.**

Development of breed identification markers derived from AFLP in beef cattle/ Sasazaki, S.; Itoh, K.; Arimitsu, S.; Imada, T.; Takasuga, A.; Nagaishi, H.; Takano, S.; Mannen, H.; Tsuji, S.

Meat Science, 2004, 67(2), Pages 275-280 CD Volume 431

Keywords : **Alleles; Beef cattle; DNA; Genetic markers; Genotypes; Holstein-Friesian; Identification; Japanese-Black; Nucleotide sequences; Amplified fragment length polymorphism.**

Dietary nutrient allowances for beef cattle/Perry, T. W.

Feedstuffs, 2004, 76(38), Pages 30-34 CD Volume 442

Keywords : **Animal nutrition; Beef bulls; Beef cattle; Beef cows; Bulls; Carbohydrates; Cattle feeding; Cows; Digestible energy; Digestion; Feed rations; Feeds; Liveweight gain; Metabolizable energy; Minerals; Nitrogen; Nitrogen metabolism; Nutrient requirements; Nutrients; Nutritive value; Recommended dietary allowances; rumen; Rumen digestion; Trace elements; Vitamins.**

Dietary supplementation with Lactobacillus- and Propionibacterium-based direct-fed microbials and prevalence of Escherichia coli O157 in beef feedlot cattle and on hides at harvest/Younts Dahl, S.M.; Galyean, M.L.; Loneragan, G.H.; Elam, N.A.; Brashears, M.M.

Journal of Food Protection, 2004, 67(5), Pages 889-893 CD Volume 441

Keywords : **Beef cattle; Bull feeding; Cattle dung; Diets; Feed Supplements; Hides and skins; Probiotics; Steers.**

Economic evaluation of beef cattle breeding schemes incorporating performance testing of young bulls for feed intake/Archer, J.A.; Barwick, S.A.; Graser, H.U.

Australian Journal of Experimental Agriculture, 2004, 44(4/5), Pages 393-404 CD Volume 443

Keywords : Artificial insemination; Beef cattle; Breeding programmes; Bulls; Costs; Feed intake; Genetic gain; Performance testing; Profitability; Returns; Selection; Selection criteria.

Economic weights for a selection index in Avilena purebred beef cattle/Fernandez Perea, M.T.; Alenda Jimenez, R.

Livestock Production Science, 2004, 89(2/3), Pages 223-233 CD Volume 429

Keywords : Avilena Black Iberian; Beef cattle; Carcass composition; Cows; Fertility; Maternal effects; Mathematical models; Profitability; Selection index; Traits; Weaning weight.

Effect of copper, zinc, and manganese supplementation and source on reproduction, mineral status, and performance in grazing beef cattle over a two-year period/Ahola, J.K.; Baker, D.S.; Burns, P.D.; Mortimer, R.G.; Enns, R.M.; Whittier, J.C.; Geary, T.W.; Engle, T.E.

Journal of Animal Science, 2004, 82(8), Pages 2375-2383 CD Volume 444

Keywords : Beef cattle; Beef cows; Calves; Copper; Cows; Grazing; Manganese; Performance; Reproductive performance; Zinc.

Effect of level of rumen degradable protein and type of supplemental non-fiber carbohydrate on intake and digestion of low-quality grass hay by beef cattle/Arroquy, J.I.; Cochran, R.C.;

Villarreal, M.; Wickersham, T.A.; Llewellyn, D.A.; Titgemeyer, E.C.; Nagaraja, T.G.; Johnson, D.E.; Gnad, D.

Animal Feed Science and Technology, 2004, 115(1/2), Pages 83-99 CD Volume 432

Keywords : Beef cattle; Carbohydrates; Feed intake; Feed supplements; Fibre; Glucose; Hay.; Protein; Rumen

digestion; Rumen fermentation; Starch; Steers; Transit time.

Effect of missing data on the estimate of average daily feed intake in beef cattle/Hebart, M.L.; Pitchford, W.S.; Arthur, P.F.; Archer, J.A.; Herd, R.M.; Bottema, C.D.K.

Australian Journal of Experimental Agriculture, 2004, 44(4/5), Pages 415-421 CD Volume 443

Keywords : Beef cattle; Data analysis; Feed conversion efficiency; Feed intake; Quantitative analysis

Effect of the manger space on welfare and meat quality of beef cattle/Gottardo, F.; Ricci, R.; Preciso, S.; Ravarotto, L.; Cozzi, G.

Livestock Production Science, 2004, 89(2/3), Pages 277-285 CD Volume 429

Keywords : Animal welfare; Beef cattle; Bulls; Feed conversion efficiency; Feed intake; Floor Space; Liveweight gain; Mangers; Meat quality; Simmental; Slatted floors; Space requirements.

Effects of environmental factors on fatty acid composition and the assessment of marbling in beef cattle: a review/Tume, R.K.

Australian Journal of Experimental Agriculture, 2004, 44(7), Pages 663-668 CD Volume 443

Keywords : Animal nutrition; Beef cattle; Beef quality; Body fat; Chilling; Cyclopropenoid; Fatty acids; Environmental factors; Fatty acids; Melting point; Muscle fibres; Reviews; Seasonality; Stearic acid; Temperature; Trans fatty acids; Triacylglycerols.

Effects of supplemental rumen-protected conjugated linoleic acid or linoleic acid on feedlot performance, carcass quality, and leptin concentrations in beef cattle/Gillis, M.H.; Duckett, S.K.; Sackmann, J.R.; Realini, C.E.; Keisler, D.H.; Pringle, T.D.

Journal of Animal Science, 2004, 82(3), Pages Pages 851-859 CD Volume 444

Keywords : Adipose tissue; Beef cattle; Carcass composition; Carcass quality; Carcasses; Diets; Feed supplements; Heifers; Leptin; Linoleic acid; Maize oil; Performance traits.

Effects of supplemental rumen-protected conjugated linoleic acid or maize oil on fatty acid composition of adipose tissues in beef cattle/Gillis, M.H.; Duckett, S.K.; Sackmann, J.R.

Journal of Animal Science, 2004, 82(5), Pages 1419-1427 CD Volume 444

Keywords : Adipose tissue; Beef; Beef cattle; Beef quality; Fatty acids; Feed supplements; Linoleic acid; Maize; Maize oil; Nutrition; Nutritive value; Rumen.

Energy balance of grazing beef cattle in Mediterranean pasture, the effects of stocking rate and season. 2. Energy expenditure as estimated from heart rate and oxygen consumption, and energy balance/Brosh, A.; Aharoni, Y.; Shargal, E.; Sharir, B.; Gutman, M.; Choshniak, I.

Livestock Production Science, 2004, 90(2/3), Pages 101-115 CD Volume 429

Keywords : Beef cattle; Beef cows; Body condition; Body temperature; Cows; Energy balance; Energy consumption; Energy intake; Energy retention; Faeces; Grazing; Heart rate; In vitro digestibility; Metabolizable energy; Oxygen consumption; Seasonal variation; Skin temperature; Stocking density; Stocking rate.

Estimation of (co)variance components for reproductive traits in Angus beef cattle divergently selected for blood serum IGF-I concentration/Yilmaz, A.; Davis, M.E.; Simmen, R.C.M.

Journal of Animal Science, 2004, 82(8), Pages 2285-2292 CD Volume 444

Keywords : Age at first calving; American Angus; Beef cattle; Calving rate; Covariance; Genetic correlation; Heritability; Insulin like growth factor; Reproductive traits; Scrotum; Spermatozoa; Variance components.

Evaluation of beef cattle genotypes and estimation of direct and maternal genetic effects in a tropical environment. 3. Fertility and calf survival traits/Prayaga, K.C.

Australian Journal of Agricultural Research, 2004, 55(8), Pages 811-824 CD Volume 443

Keywords : **Beef cattle; Calves; Cattle breeds; Crossbreeding; Female fertility; Fertility; Genetic effects; Genotypes; Heterosis; Lactation; Male fertility; Maternal effects; Mortality; Scrotum; Survival; Traits; Tropics.**

Feed intake and efficiency in beef cattle: overview of recent Australian research and challenges for the future/Arthur, P.F.; Archer, J.A.; Herd, R.M.

Australian Journal of Experimental Agriculture, 2004, 44 (4/5), Pages 361-369 CD Volume 443

Keywords : **Beef cattle; Breeding programmes; Breeding value; Feed conversion efficiency; Feed intake; Genetic improvement; Genetic variation; Hereford (cattle breed); Heritability; Nutrition physiology; Research; Reviews; Selection.**

Genetic evaluation of beef cattle accounting for uncertain paternity/Cardoso, F.F.; Tempelman, R.J. *Livestock Production Science*, 2004, 89(2/3), Pages 109-120 CD Volume 429

Keywords : **Bayesian theory; Beef cattle; Genetic analysis; Genetic effects; Genetic models; Hereford (cattle breed); Heritability; Maternal effects; Paternity; Pedigree; Sire Evaluation; Weaning weight.**

Genetic improvement of feed efficiency of beef cattle: what lessons can be learnt from other species?/Pitchford, W.S.

Australian Journal of Experimental Agriculture, 2004, 44(4/5), Pages 371-382 CD Volume 443

Keywords : **Beef cattle; Dairy cattle; Feed conversion efficiency; Feed intake; Genetic Correlation; Genetic improvement; Genetic variation; Heritability; Heterosis; Livestock; Poultry; Reviews; Selection.**

Genetic parameters for birth and weaning traits in French specialized beef cattle breeds/Phocas, F.; Laloe, D.

Livestock Production Science, 2004, 89(2/3), Pages 121-128 CD Volume 429

Keywords : Beef cattle; Birth weight; Blonde d'Aquitaine; Breed differences; Cattle breeds; Charolais; Genetic correlation; Genetic parameters; Heritability; Limousin (cattle breed); Maine Anjou; Maternal effects; Phenotypic correlation; Traits; Weaning weight.

Genetic parameters for feed efficiency, fatness, muscle area and feeding behaviour of feedlot finished beef cattle/Robinson, D.L.; Oddy, V.H.

Livestock Production Science, 2004, 90(2/3), Pages 255-270 CD Volume 429

Keywords : Beef cattle; Brahman; Cattle feeding; Fat thickness; Feed conversion; Feed conversion efficiency; Feed intake; Feeding behaviour; Genetic correlation; Genetic parameters; Heifers; Heritability; Leanness; Liveweight gain; Muscles; Obesity; Phenotypic correlation; Steers; Traits.

Genetic relationships between calving performance and beef production traits in Piemontese cattle/Albera, A.; Groen, A.F.; Carnier, P.

Journal of Animal Science, 2004, 82(12), Pages 3440-3446 CD Volume 444

Keywords : Beef cattle; Bulls; Calving; Carcass composition; Carcass quality; Cattle breeds; Cows; Estimation; Genetic correlation; Genetic effects; Heifers; Liveweight gain; Maternal effects; Mathematical models; Meat production; Reproductive performance. Traits.

Genetic relationships between sex-specific traits in beef cattle: mature weight, weight adjusted for body condition score, height and body condition score of cows, and carcass traits of their steer relatives/Nephawe, K.A.; Cundiff, L.V.; Dikeman, M.E.; Crouse, J.D.; Vleck, L.D. van

Journal of Animal Science, 2004, 82(3), Pages 647-653 CD Volume 444

Keywords : Beef cattle; Body condition; Body weight; Carcass composition; Cows; Genetic correlation; Height; Heritability; Meat composition; Organoleptic traits; Selection; Steers.

Improving market selection for fed beef cattle: the value of real-time ultrasound and relations data/Walburger, A.M.; Crews, D.H., Jr.

Canadian Journal of Agricultural Economics, 2004, 52(1), Pages 1-16 CD
Volume 435

Keywords : Beef; Beef cattle; Carcass grading; Carcass quality; Marketing; Marketing Channels; Meat quality; Optimization; Returns; Ultrasonography; Value added.

In vitro effects of Monensin and Tween 80 on ruminal fermentation of barley grain:barley silage-based diets for beef cattle/Wang, Y.; Alexander, T.W.; McAllister, T.A.

Animal Feed Science and Technology, 2004, 116(3/4), Pages 197-209 CD
Volume 432

Keywords : Barley; Barley meal; Barley silage; Beef cattle; Gas production; Monensin. Nonionic surfactants; Rumen fermentation; Silage.

Indigenous Thai beef cattle breeding scheme incorporating indirect measures of adaptation: sensitivity to changes in heritabilities of and genetic correlations between adaptation traits/Kahi, A.K.; Graser, H.U.

Asian-Australasian Journal of Animal Sciences, 2004, 17(8), Pages Pages 1039-1046 CD Volume 439

Keywords : Adaptation; Animal breeding; Beef cattle; Breeding programmes; Cows; Genetic correlation; Genetic gain; Heritability; Native livestock; Performance traits; Profitability; Selection; Selection criteria.

Influence of supplemental cracked high-linoleate or high-oleate safflower seeds on site and extent of digestion in beef cattle/Scholljegerdes, E.J.; Hess, B.W.; Moss, G.E.; Hixon, D.L.; Rule, D.C.

Journal of Animal Science, 2004, 82(12), Pages 3577-3588 CD Volume 444

Keywords : Beef cattle; Cattle feeding; Dietary fat; Digestibility; Digestion; Duodenum; Fatty acids; Feed supplements; Heifers; Linoleic acid; Organic matter; Rumen digestion; Rumen fermentation; Safflower oilmeal; Saturated fatty acids; Supplementary feeding; Unsaturated fatty acids; Linoleate; Neutral detergent Fibre; Oleate.

Joint analysis of multiple cDNA microarray studies via multivariate mixed models applied to genetic improvement of beef cattle/Reverter, A.; Wang, Y.H.; Byrne, K.A.; Tan, S.H.; Harper, G.S.; Lehnert, S.A.

Journal of Animal Science, 2004, 82(12), Pages 3430-3439 CD Volume 444

Keywords : Algorithms; Beef cattle; Complementary DNA; Direct sire comparisons; Gene expression; Genetic analysis; Genetic improvement; Genetics; Genomes; Mathematical models; Multivariate analysis; Protein metabolism.

Lipid composition of the intramuscular fat of beef from Spanish cattle breeds stored under modified atmosphere/Insausti, K.; Beriain, M.J.; Alzueta, M.J. Carr, T.R.; Purroy, A.

Meat Science, 2004, 66(3), Pages 639-646 CD Volume 431

Keywords : Beef breeds; Beef bulls; Beef cattle; Bulls; Cholesterol; Modified atmosphere Storage; Monoenoic fatty acids; Morucha; Phospholipids; Polyenoic fatty acids; Retinta; Saturated fatty acids; Triacylglycerols.

Mechanistic dynamic model to estimate beef cattle growth and body composition: 1. Model description/Hoch, T.; Agabriel, J.

Agricultural Systems, 2004, 81(1), Pages 1-15 CD Volume 430

Keywords : Beef cattle; Body composition; Growth; Lipids; Mathematical models; Metabolism; Metabolizable energy; Plane of nutrition; Protein; Restricted feeding

Mechanistic dynamic model to estimate beef cattle growth and body composition: 2. Model evaluation/Hoch, T.; Agabriel, J.

Agricultural Systems, 2004, 81(1), Pages 17-35 CD Volume 430

Keywords : Beef cattle; Body composition; Body weight; Growth; Lipids; Mathematical models; Metabolism; Protein; Protein synthesis.

Methane emissions from beef cattle: effects of monensin, sunflower oil, enzymes, yeast, and fumaric acid/McGinn, S.M.; Beauchemin, K.A.; Coates, T.; Colombatto, D.

Journal of Animal Science, 2004, 82(11), Pages 3346-3356 CD Volume 444

Keywords : **Animal nutrition; Beef; Beef cattle; Carbon dioxide; Cattle feeding; Digestibility; Enzymes; Feed additives; Feed supplements; Fibre; Fumaric acid; Greenhouse effect; Greenhouse gases; Ionophores; Methane; Methane production; Monensin; Nutritive value; Pollution control; Rumen fermentation; Sunflower oil.**

Microbiological quality of ground beef from conventionally-reared cattle and "raised without antibiotics" label claims/LeJeune, J.T.; Christie, N.P.

Journal of Food Protection, 2004, 67(7), Pages 1433-1437 CD Volume 441

Keywords : **Amoxicillin; Ampicillin; Cefotiofur; Ceftriaxone; Chloramphenicol; Clavulanic acid; Coliform bacteria; Drug resistance; Food contamination; Gentamicin; Kanamycin; Streptomycin; Sulfamethoxazole; Tetracycline; Trimethoprim.**

Mitochondrial DNA polymorphism, maternal lineage and correlations with postnatal growth of Japanese Black beef cattle to yearling age/Malau Aduli, A.E.O.; Nishimura Abe, A.; Niibayashi, T.; Yasuda, Y.; Kojima, T.; Abe, S.; Oshima, K.; Hasegawa, K.; Komatsu, M.

Asian-Australasian Journal of Animal Sciences, 2004, 17(11), Pages 1484-1490 CD Volume 439

Keywords : **Beef cattle; Birth weight; Body weight; Calves; Genetic polymorphism; Growth; Haplotypes; Japanese Black; Liveweight gain; Mitochondrial DNA; Phylogenetics; Prediction; Weaning weight.**

Organic acids as a substitute for monensin in diets for beef cattle/ Castillo, C.; Benedito, J.L.; Mendez, J.; Pereira, V.; Lopez Alonso, M.; Miranda, M.; Hernandez, J.

Animal Feed Science and Technology, 2004, 115(1/2), Pages 101-116 CD Volume 432

Keywords : Acidosis; Animal nutrition; Beef cattle; Diet; Feed additives; Malic acid; Monensin; Organic acids; Reviews; Rumen; Rumen fermentation.

Phenotypic relationships between longevity, type traits, and production in Chianina beef cattle/Forabosco, F.; Groen, A.F.; Bozzi, R.; Arendonk, J.A.M. van; Filippini, F.; Boettcher, P.; Bijma, P.

Journal of Animal Science, 2004, 82(6), Pages 1572-1580 CD Volume 444

Keywords : Beef cattle; Beef production; Chianina; Correlated traits; Cows; Culling; Livestock numbers; Longevity; Phenotypes; Phenotypic correlation; Traits.

Processing of soybean affects meat fatty acid composition and lipid peroxidation in beef cattle/McNiven, M.A.; Duynisveld, J.; Charmley, E.; Mitchell, A.

Animal Feed Science and Technology, 2004, 116 (3/4), Pages 175-184 CD Volume 432

Keywords : Beef cattle; Chemical composition; Extrusion; Fatty acids; Growth; Lipid Peroxidation; Meat composition; Processing; Roasting; Soyabeans.

Productivity and hay requirements of beef cattle in a Midwestern year-round grazing system/Janovick, N.A.; Russell, J.R.; Strohbehn, D.R.; Morrical, D.G.

Journal of Animal Science, 2004, 82(8), Pages 2503-2515 CD Volume 444

Keywords : Animal production; Beef cattle; Beef cows; Cows; Grazing systems; Hay; Rotational grazing.

Response to selection in beef cattle using IGF-1 as a selection criterion for residual feed intake under different Australian breeding objectives/ Wood, B.J.; Archer, J.A. Werf J.H.J., van der

Livestock Production Science, 2004, 91(1/2), Pages 69-81 CD Volume 429

Keywords : Beef cattle; Breeding aims; Carcass weight; Feed intake; Insulin like growth factor; Liveweight gain; Selection.

Rice mill feed as a replacement for broiler litter in diets for growing beef cattle/Stacey, W.N.; Rankins, D.L., Jr.

Journal of Animal Science, 2004, 82(7), Pages 2193-2199 CD Volume 444

Keywords : **Animal nutrition; Beef cattle; Cattle feeding; Feed supplements; Maize; Poultry Manure; Rice; Rice byproducts; Rice husks; Soyabean husks.**

Scope for a random regression model in genetic evaluation of beef cattle for growth/Meyer, K. *Livestock Production Science*, 2004, 86(1/3), Pages 69-83 CD volume 429

Keywords : **Beef cattle; Breeding value; Genetic analysis; Growth; Mathematical models; Regression analysis; Simulation models.**

Site and extent of digestion and amino acid flow to the small intestine in beef cattle consuming limited amounts of forage/Scholljegerdes, E.J.; Ludden, P.A.; Hess, B.W.

Journal of Animal Science, 2004, 82(4), Pages 1146-1156 CD Volume 444

Keywords : **Amino acids; Beef cattle; Digestibility; Digestion; Equations; Essential amino acids; Feed intake; Forage; Heifers; Nitrogen; Organic matter; Restricted feeding; Rumen digestion; Rumen fermentation; Small intestine; Neutral detergent fibre.**

Threshold-linear analysis of measures of fertility in artificial insemination data and days to calving in beef cattle/Donoghue, K.A.; Rekaya, R.; Bertrand, J.K.; Misztal, I.

Journal of Animal Science, 2004, 82(4), Pages 987-993 CD Volume 444

Keywords : **Artificial insemination; Beef cattle; Calving; Fertility; Genetic correlation; Heritability.**

Total reduced sulfur concentrations in the vicinity of beef cattle feedlots/Koelsch, R.K.; Woodbury, B.L.; Stenberg, D.E.; Miller, D.N.; Schulte, D.D.

Applied Engineering in Agriculture, 2004, 20(1), Pages 77-85 CD Volume 435

Keywords : Air pollutants; Air pollution; Air quality; Air temperature; Cattle housing; Emission; Feedlots; Occupational hazards; Sulfur; Wind speed.

Utilization of beef from different cattle phenotypes to produce a guaranteed tender beef product/Hilton, G.G.; Gentry, J.G.; Allen, D.M.; Miller, M.F.

Journal of Animal Science, 2004, 82(4), Pages 1190-1194 CD Volume 444

Keywords : Beef; Beef quality; Carcass composition; Carcass quality; Carcass yield; Carcasses; Fat thickness; Longissimus dorsi; Meat products; Organoleptic traits; Phenotypes; Shear.

BIBLIOGRAFI 2005

PROQUEST

Association of single nucleotide polymorphisms in the leptin gene with carcass and meat quality traits of beef cattle/F S Schenkel; S P Miller; X Ye; S S Moore et al. *Journal of Animal Science*. Savoy. Sep 2005. Vol. 83, Iss. 9, p. 2009 (12 pages)

Body condition score at parturition and postpartum supplemental fat effects on cow and calf performance/S L Lake; E J Scholljegerdes; R L Atkinson; V Nayigihugu et al.
Journal of Animal Science. Savoy. Dec 2005. Vol. 83, Iss. 12, p. 2908 (10 pages)

Effect of rotation frequency and weaning date on forage measurements and growth performance by cows and calves grazing endophyte-infected tall fescue pastures overseeded with crabgrass and legumes/K P Coffey; W K Coblenz; D A Scarbrough; J B Humphry et al.
Journal of Animal Science. Savoy. Nov 2005. Vol. 83, Iss. 11, p. 2684 (12 pages)

Effects of copper oxide bolus administration or high-level copper supplementation on forage utilization and copper status in beef cattle/J D Arthington.
Journal of Animal Science. Savoy. Dec 2005. Vol. 83, Iss. 12, p. 2894 (7 pages)

Evaluation of production and economic efficiency of two beef systems from calving to slaughter/R V Anderson; R J Rasby; T J Klopfenstein; R T Clark.
Journal of Animal Science. Savoy. Mar 2005. Vol. 83, Iss. 3, p. 694 (11 pages)

Fatty acid composition of muscle fat and subcutaneous adipose tissue of pasture-fed beef heifers: Influence of the duration of grazing/F Noci; F J Monahan; P French; A P Moloney.

Journal of Animal Science. Savoy. May 2005. Vol. 83, Iss. 5, p. 1167 (12 pages)

Genetic parameters for a maternal breeding goal in beef production/T Roughsedge; P R Amer; R Thompson; G Simm.

Journal of Animal Science. Savoy. Oct 2005. Vol. 83, Iss. 10, p. 2319 (11 pages)

Growth rate, body composition, and meat tenderness in early vs. traditionally weaned beef calves/D L Meyer;; M S Kerley; E L Walker; D H Keisler et al.

Journal of Animal Science. Savoy. Dec 2005. Vol. 83, Iss. 12, p. 2752 (10 pages)

Identification of genetic markers for fat deposition and meat tenderness on bovine chromosome 5: Development of a low-density single nucleotide polymorphism map/R T Stone; E Casas; T P L Smith; J W Keele et al.

Journal of Animal Science. Savoy. Oct 2005. Vol. 83, Iss. 10, p. 2280 (9 pages)

Luteinizing hormone-releasing hormone fusion protein vaccines block estrous cycle activity in beef heifers/J D Stevens, J M Sosa, D M deAvila, J M Oatley, et al. *Journal of Animal Science*. Savoy: Jan 2005. Vol. 83, Iss. 1; p. 152 (8 pages)

Meat quality responses to feeding distiller's grains to finishing Holstein steers/D L Roeber; R K Gill; A DiCostanzo.

Journal of Animal Science. Savoy. Oct 2005. Vol. 83, Iss. 10, p. 2455 (6 pages)

New single nucleotide polymorphism in CAPN1 extends the current tenderness marker test to include cattle of *Bos indicus*, *Bos taurus*, and crossbred descent/S N White; E Casas; T L Wheeler; S D Shackelford et al.

Journal of Animal Science. Savoy. Sep 2005. Vol. 83, Iss. 9, p. 2001 (8 pages)

Phenotypic ranges and relationships among carcass and meat palatability traits for fourteen cattle breeds, and heritabilities and expected progeny

differences for Warner-Bratzler shear force in three beef cattle breeds/M E Dikeman; E J Pollak; Z Zhang; D W Moser et al.
Journal of Animal Science. Savoy. Oct 2005. Vol. 83, Iss. 10, p. 2461 (7 pages)

Prediction of retail product and trimmable fat yields from the four primal cuts in beef cattle using ultrasound or carcass data/R G Tait Jr; D E Wilson; G H Rouse.
Journal of Animal Science. Savoy. Jun 2005. Vol. 83, Iss. 6, p. 1353 (8 pages)

Relationship between profitability and type traits and derivation of economic values for reproduction and survival traits in Chianina beef cows/F Forabosco; R Bozzi; P Boettcher; F Filippini et al.
Journal of Animal Science. Savoy. Sep 2005. Vol. 83, Iss. 9, p. 2043 (9 pages)

Ruminant Nutrition: Dairy and Beef-Minerals/Anonymous.
Journal of Animal Science. Savoy. 2005. Vol. 83, p. 222 (4 pages)

SCIENCEDIRECT

A dynamic model to predict the nitrogen excretion in growing-finishing cattle/ K. Guo, I. Zoccarato,
Ecological Modelling Volume 187, Issues 2-3, , 25 September 2005, Pages 219-231.

Keywords: Dynamic model; Nitrogen excretion; Growing-finishing cattle

A method for exploring sustainable development options at farm scale: a case study for vegetable farms in South Uruguay/ S. Dogliotti, M.K. van Ittersum, W.A.H. Rossing,
Agricultural Systems Volume 86, Issue 1, , October 2005, Pages 29-51.

Keywords : Sustainable development; Multiple goal linear programming; Farming systems; Modelling

Accounting for bias in regression coefficients with example from feed efficiency/ D.L. Robinson,

Livestock Production Science Volume 95, Issues 1-2, , 1 August 2005, Pages 155-161.

Keywords : Bias; Regression coefficients; Residual feed intake; Feed efficiency; Beef cattle

Allele frequencies for SNPs in the [alpha]S1-casein gene (CSN1S1) 5' flanking region in European cattle and association with economic traits in German Holstein/ Eva-Maria Prinzenberg, Horst Brandt, Joern Bennewitz, Ernst Kalm, Georg Erhardt,

Livestock Production Science Volume 98, Issues 1-2, , Seventh International Workshop in the Biology of Lactation in Farm Animals, 1 December 2005, Pages 155-160.

Keywords : Alpha-S1-casein; Promoter polymorphism; Allele frequency; Economic traits

An evaluation of selected methods for the decontamination of cattle hides prior to skinning/ A. Small, B. Wells-Burr, S. Buncic,

Meat Science Volume 69, Issue 2, , February 2005, Pages 263-268.

Keywords : Hide decontamination; Beef carcass; Cattle slaughter; Meat hygiene

Assessing the accuracy of modelling weight gain of cattle using feed efficiency data/ D.L. Robinson,

Livestock Production Science Volume 95, Issue 3, , 15 August 2005, Pages 187-200.

Keywords : Beef cattle; Weight gain; Accuracy; Feed intake; Feed efficiency; Residual feed intake

Association between IGF-I, IGF-IR and GHRH gene polymorphisms and growth and carcass traits in beef cattle/ R.A. Curi, H.N. de Oliveira, A.C. Silveira, C.R. Lopes,

Livestock Production Science Volume 94, Issue 3, , July 2005, Pages 159-167.

Keywords : Beef cattle; Polymorphisms; Candidate gene; Growth; Carcass

Associations between dairy herd management factors and bulk tank milk antibody levels against *Ostertagia ostertagi*/ Johannes Charlier, Edwin Claerebout, Etienne De Muelenaere, Jozef Vercruyssen,
Veterinary Parasitology Volume 133, Issue 1, , 10 October 2005, Pages 91-100.

Keywords : Cattle-nematoda; Ostertagia ostertagi; ELISA; Management; Alternative control strategy

Bovine viral diarrhoea virus in beef cattle herds of Yucatan, Mexico: Seroprevalence and risk factors, Preventive/ J.J. Solis-Calderon, V.M. Segura-Correa, J.C. Segura-Correa,
Veterinary Medicine Volume 72, Issues 3-4, , 12 December 2005, Pages 253-262.

Keywords : Bovine viral diarrhoea virus; Seroprevalence; Risk factors; Tropics; Mexico

Breeding objectives for beef cattle used in different production systems: 1. Model development/ M. Wolfova, J. Wolf, J. Pribyl, R. Zahradkova, J. Kica,
Livestock Production Science Volume 95, Issue 3, , 15 August 2005, Pages 201-215.

Keywords : Cattle; Bio-economic model; Economic weight; Breeding objective; Production system; Profit function

Breeding objectives for beef cattle used in different production systems: 2. Model application to production systems with the Charolais breed/ M. Wolfova, J. Wolf, R. Zahradkova, J. Pribyl, J. Dano, E. Krupa, J. Kica,
Livestock Production Science Volume 95, Issue 3, , 15 August 2005, Pages 217-230.

Keywords : Beef cattle; Charolais; Bio-economic model; Economic weight; Breeding objective

Chemical, physical and sensory properties of meat from pure and crossbred Podolian bulls at different ageing times/ A. Braghieri, G.F. Cifuni, A. Girolami, A.M. Riviezzi, I. Marsico, F. Napolitano,
Meat Science Volume 69, Issue 4, , April 2005, Pages 681-689.

Keywords : Podolian cattle; Crossbreeding; Ageing; Fatty acid composition; Tenderness

Colour of muscle from 18-month-old steers given long-term daily exercise/
P.G. Dunne, F.P. O'Mara, F.J. Monahan, P. French, A.P. Moloney,
Meat Science Volume 71, Issue 2, , October 2005, Pages 219-229.

Keywords: Colour; Muscle; Steers; Beef; Exercise

Comparison of three oxytetracycline regimens for the treatment of persistent
Anaplasma marginale infections in beef cattle/ Johann F. Coetzee, Michael D.
Apley, Katherine M. Kocan, Fred R. Rurangirwa, Joyce Van Donkersgoed,
Veterinary Parasitology Volume 127, Issue 1, , 4 January 2005, Pages 61-73.

**Keywords : Anaplasma marginale; Persistent infections;
Oxytetracycline; Therapy**

Compatibility of delayed cutting regime with bird breeding and hay
nutritional quality/ Joseph J. Nocera, Glen J. Parsons, G. Randy Milton, Alan
H. Fredeen,
Agriculture, Ecosystems & Environment Volume 107, Issues 2-3, , 20 May
2005, Pages 245-253.

**Keywords : Bobolink; Breeding phenology; Crude protein; Fledging
rate; Grassland birds; Hay cutting; Livestock nutrition**

Conjugated linoleic acid concentration in M. Longissimus dorsi from heifers
offered sunflower oil-based concentrates and conserved forages/ F. Noci, P.
O'Kiely, F.J. Monahan, C. Stanton, A.P. Moloney,
Meat Science Volume 69, Issue 3, , March 2005, Pages 509-518.

Keywords: Conjugated linoleic acid; Fatty acids; Silage; Muscle

Consequences of selection for growth on carcass and meat quality in
Pirenaica cattle/ J. Altarriba, L. Varona, C. Moreno, G. Yague, C. Sanudo,
Livestock Production Science Volume 95, Issues 1-2, , 1 August 2005, Pages
103-114.

**Keywords : Correlated response; Growth; Carcass quality; Meat
quality; Beef cattle**

The effect of production system and age on levels of iron, taurine, carnosine, coenzyme Q10, and creatine in beef muscles and liver/ R.W. Purchas, J.R. Busboom,

Meat Science Volume 70, Issue 4, , August 2005, Pages 589-596.

Keywords: Beef; Haem iron; Pasture finished; Cheek muscle

Detection of bovine viral diarrhoea virus (BVDV) in seropositive cattle/ L.M. Gogorza, P.E. Moran, J.L. Larghi, R. Segui, C. Lissarrague, M. Saracco, M. Braun, E.N. Esteban,

Preventive Veterinary Medicine Volume 72, Issues 1-2, , Bovine virus diarrhoea virus (BVDV) control, 15 November 2005, Pages 49-54.

Keywords: BVDV; Diagnosis; ELISA test; Seropositive cattle

Dressing percentage and its relationship with some components of the fifth quarter in Portuguese cattle breeds/ J.A. Simoes, J.F.F. Mira, J.P.C. Lemos, I.A. Mendes,

Livestock Production Science Volume 96, Issues 2-3, , 30 September 2005, Pages 157-163.

Keywords: Dressing; Breed comparisons; Indigenous beef cattle

Effect of a CIDR insert and flunixin meglumine, administered at the time of embryo transfer, on pregnancy rate and resynchronization of estrus in beef cattle/ S.H. Purcell, W.E. Beal, K.R. Gray,

Theriogenology Volume 64, Issue 4, , 1 September 2005, Pages 867-878.

Keywords: Embryo transfer; CIDR; Flunixin meglumine; Beef cattle

Effect of a grass-based and a concentrate feeding system on meat quality characteristics and fatty acid composition of longissimus muscle in different cattle breeds/ Karin Nuernberg, D. Dannenberger, G. Nuernberg, K. Ender, J. Voigt, N.D. Scollan, J.D. Wood, G.R. Nute, R.I. Richardson,

Livestock Production Science Volume 94, Issues 1-2, , Product quality and livestock systems, June 2005, Pages 137-147.

Keywords: Beef; n-3 fatty acids; Sensory traits; CLA; Shelf life

Effect of CIDR-based protocols for timed-AI on the conception rate and ovarian functions of Japanese Black beef cows in the early postpartum period/

M. Sakase, Y. Seo, M. Fukushima, M. Noda, K. Takeda, S. Ueno, T. Inaba, H. Tamada, T. Sawada, N. Kawate,

Theriogenology Volume 64, Issue 5, , 15 September 2005, Pages 1197-1211.

Keywords : Ovsynch; CIDR; Estradiol benzoate; Ovarian steroids; Beef cattle

Effect of concentrate extrusion and castration on diet digestion and performance of intensively reared male calves/ E. Solanas, C. Castrillo, X. Serrano, H. Janacua, M. Fondevila, J.A. Guada,

Livestock Production Science Volume 94, Issue 3, , July 2005, Pages 225-236.

Keywords: Beef cattle; Extrusion; Digestibility; Growth

Effect of estradiol valerate on ovarian follicle dynamics and superovulatory response in progestin-treated cattle/ M.G. Colazo, M.F. Martinez, J.A. Small, J.P. Kastelic, C.A. Burnley, D.R. Ward, R.J. Mapletoft,

Theriogenology Volume 63, Issue 5, , 15 March 2005, Pages 1454-1468.

Keywords : Estradiol valerate; Norgestomet; Cattle; Ovarian follicle dynamics; Superovulation

Effect of weight at slaughter on the volatile compounds of cooked beef from Spanish cattle breeds/ K. Insausti, V. Goni, E. Petri, C. Gorraiz, M.J. Beriain,

Meat Science Volume 70, Issue 1, , May 2005, Pages 83-90.

Keywords: Volatiles; Beef; Breed; Weight at slaughter

Effects of experimental chlorate preparations as feed and water supplements on *Escherichia coli* colonization and contamination of beef cattle and carcasses/ Robin C. Anderson, Mandy A. Carr, Rhonda K. Miller, David A. King, Gordon E. Carstens, Kenneth J. Genovese, Todd R. Callaway, Thomas S. Edrington, Yong Soo Jung, Jack L. McReynolds, Micheal E. Hume, Ross C. Beier, Robert O. Elder, David J. Nisbet,

Food Microbiology Volume 22, Issue 5, , October 2005, Pages 439-447.

Keywords : Beef cattle; Escherichia coli; Experimental chlorate product; Feed additive; Water additive

Effects of oestradiol and some of its esters on gonadotrophin release and ovarian follicular dynamics in CIDR-treated beef cattle/ M.F. Martinez, J.P. Kastelic, G.A. Bo, M. Caccia,

R.J. Mapletoft, Animal Reproduction Science Volume 86, Issues 1-2, , March 2005, Pages 37-52.

Keywords : Ovarian follicular waves; Progesterone; Oestradiol; Oestrus synchronisation; Beef cattle; Gonadotrophins; Ovariectomised cattle

Effects of pre-harvest supplemental chlorate on beef carcass and meat quality/
D.A. King, R.C. Anderson, R.K. Miller, M.A. Carr, G.E. Carstens, J.W. Savell, Y.S. Jung, T.R. Callaway, T.S. Edrington, K.J. Genovese, D.J. Nisbet,
Meat Science Volume 70, Issue 2, , June 2005, Pages 215-221.

Keywords: Beef; Carcass quality; Color; Sodium chlorate; Tenderness

Endoparasites in calves of beef cattle herds: Management systems dependent and genetic influences/
Michael Jager, Matthias Gauly, Christian Bauer, Klaus Failing, Georg Erhardt, Horst Zahner,
Veterinary Parasitology Volume 131, Issues 3-4, , 10 August 2005, Pages 173-191.

Keywords : Beef cattle herd calves; Giardia duodenalis; Cryptosporidium spp.; Eimeria spp.; Strongyloides papillosus; Strongyles; Influence of housing systems; Genetic influences

Enzyme immunoassay of progesterone in the feces from beef cattle to monitor the ovarian cycle/
N. Isobe, T. Nakao, H. Yamashiro, M. Shimada,
Animal Reproduction Science Volume 87, Issues 1-2, , June 2005, Pages 1-10.

Keywords : Beef cattle; Enzyme immunoassay; Ovarian cycle; Fecal progesterone; Corpus luteum

Evaluation of microsatellites as a potential tool for product tracing of ground beef mixtures/
G.H. Shackell, H.C. Mathias, V.M. Cave, K.G. Dodds,
Meat Science Volume 70, Issue 2, , June 2005, Pages 337-345.

Keywords: DNA; Microsatellites; Traceability; Ground beef

Factors influencing tenderness in steaks from Brahman cattle/ D.G. Riley, D.D. Johnson, C.C. Chase Jr., R.L. West, S.W. Coleman, T.A. Olson, A.C. Hammond,

Meat Science Volume 70, Issue 2, , June 2005, Pages 347-356.

Keywords: Beef; Brahman; Collagen; Tenderness

Feeding behaviour and diet selection of finishing Limousin bulls under intensive rearing system/ Giulio Cozzi, Flaviana Gottardo,

Applied Animal Behaviour Science Volume 91, Issues 3-4, , June 2005, Pages 181-192.

Keywords : Beef cattle; Feeding behaviour; Diet selection; Intensive rearing

HPLC purification of recombinant NeGRA6 antigen improves enzyme-linked immunosorbent assay for serodiagnosis of bovine neosporosis/ M.C. Jenkins, R. Fetterer, G. Schares, C. Bjorkman, W. Wapenaar, M. McAllister, J.P. Dubey,

Veterinary Parasitology Volume 131, Issues 3-4, , 10 August 2005, Pages 227-234.

Keywords : Neospora caninum; Recombinant protein; Serological assays; Cattle

Inferring the origin and dietary history of beef from C, N and S stable isotope ratio analysis/ O. Schmidt, J.M. Quilter, B. Bahar, A.P. Moloney, C.M. Scrimgeour, I.S. Begley, F.J. Monahan,

Food Chemistry Volume 91, Issue 3, , July 2005, Pages 545-549.

Keywords : Authenticity; Food safety; Isotope ratio mass spectrometry; Meat; Organic production; Traceability

Influence of pasture or grain-based diets supplemented with vitamin E on antioxidant/oxidative balance of Argentine beef/ A.M. Descalzo, E.M. Insani, A. Biolatto, A.M. Sancho, P.T. Garcia, N.A. Pensel, J.A. Josifovich,

Meat Science Volume 70, Issue 1, , May 2005, Pages 35-44.

Keywords : Argentine beef; Pasture- and grain-fed cattle; Vitamin E supplementation; Natural antioxidants; Lipid oxidation; Fatty acid composition; Volatile compounds

Meat color stability affected by barley variety fed in finishing diet to beef steers/ J.A. Boles, J.G.P. Bowman, D.L. Boss, L.M.M. Surber,
Meat Science Volume 70, Issue 4, , August 2005, Pages 633-638.

Keywords: Barley; Beef cattle; Color stability; Corn; Tenderness

Occurrence of conjugated linoleic acid in longissimus dorsi muscle of water buffalo (*Bubalus bubalis*) and zebu-type cattle raised under savannah conditions/ M. Giuffrida de Mendoza, L. Arenas de Moreno, N. Huerta-Leidenz, S. Uzcategui-Bracho, M.J. Beriain, G.C. Smith,
Meat Science Volume 69, Issue 1, , January 2005, Pages 93-100.

Keywords : Conjugated linoleic acid; longissimus dorsi; Water buffalo; Beef cattle; Grasses

Possibilities with today's reproductive technologies/ S.K. Johnson,
Theriogenology Volume 64, Issue 3, , Proceedings of the 2005 Annual Conference of the Society for Theriogenology, August 2005, Pages 639-656.

Keywords : Artificial insemination; Synchronization of estrus; Reproductive management; Pregnancy rates; Beef cattle

Predicting time of parturition from changing vaginal temperature measured by data-logging apparatus in beef cows with twin fetuses/ M. Aoki, K. Kimura, O. Suzuki,
Animal Reproduction Science Volume 86, Issues 1-2, , March 2005, Pages 1-12.

Keywords : Data-logging apparatus; Vaginal temperature; Fetal sex; Predicting parturition; Twins; Cattle-parturition

Pregnancy diagnosis based on the fecal progesterone concentration in beef and dairy heifers and beef cows/ N. Isobe, M. Akita, T. Nakao, H. Yamashiro, H. Kubota,
Animal Reproduction Science Volume 90, Issues 3-4, , December 2005, Pages 211-218.

Keywords : Beef cattle; Enzyme immunoassay; Pregnancy diagnosis; Fecal progesterone

Prevalence of Shiga toxin-producing *Escherichia coli* in beef/ H.S. Hussein, L.M. Bollinger,

Meat Science Volume 71, Issue 4, , December 2005, Pages 676-689.

Keywords : Beef; Beef cattle; Escherichia coli; Foodborne pathogens; Prevalence; Shiga toxins

Medicine Volume 69, Issues 3-4, , 12 July 2005, Pages 285-295.

Keywords : Cattle-microbiological diseases; Bovine herpesvirus-1; Infectious bovine rhinotracheitis; Seroprevalence; Risk assessment; Belgium

Selection of muscles as indicators of tenderness after seven days of ageing/
J.A. Simoes, M.I. Mendes, J.P.C. Lemos,

Meat Science Volume 69, Issue 4, , April 2005, Pages 617-620.

Keywords : Cattle; Tenderness index; Muscle; Warner-Bratzler shear force

Seroprevalence of *Neospora caninum* in dairy and beef cattle with reproductive disorders in Japan/ Masahiro Koiwai, Takahumi Hamaoka, Makoto Haritani, Shinya Shimizu, Toshiyuki Tsutsui, Mariko Eto, Itsuro Yamane,

Veterinary Parasitology Volume 130, Issues 1-2, , 10 June 2005, Pages 15-18.

Keywords : Neospora caninum; Japan; Seroprevalence; Abortion; Perinatal death; Calf mortality

Serotypes and virulence markers of Shiga toxin-producing *Escherichia coli* (STEC) isolated from dairy cattle in Sao Paulo State, Brazil/ K. Irino, M.A.M.F. Kato, T.M.I. Vaz, I.I. Ramos, M.A.C. Souza, A.S. Cruz, T.A.T. Gomes, M.A.M. Vieira, B.E.C. Guth,

Veterinary Microbiology Volume 105, Issue 1, , 5 January 2005, Pages 29-36.

Keywords : Escherichia coli O157; Shiga toxin-producing E. coli; Dairy cattle

Suitability of Mediterranean oak woodland for beef herd husbandry/ Z. Henkin, M. Gutman, Hava Aharon, A. Perevolotsky, E.D. Ungar, N.G. Seligman,

Agriculture, Ecosystems & Environment Volume 109, Issues 3-4, , 1 September 2005, Pages 255-261.

Keywords : Animal performance; Cattle; Farming system; Feed supplementation; Landscape ecology; Quercus calliprinos

The effect of growth rate during backgrounding and finishing on meat quality traits in beef cattle/ D. Perry, J.M. Thompson,
Meat Science Volume 69, Issue 4, , April 2005, Pages 691-702.

Keywords : Growth rate; Tenderness; Meat quality; Palatability; Shear force; Compression

The effect of production system and age on concentrations of fatty acids in intramuscular fat of the longissimus and triceps brachii muscles of Angus-cross heifers/ R.W. Purchas, T.W. Knight, J.R. Busboom,
Meat Science Volume 70, Issue 4, , August 2005, Pages 597-603.

Keywords : Beef; Intramuscular fat; Pasture finished; Fatty acids; Conjugated linoleic acid; Omega-3 fatty acids

The environmental safety of eprinomectin to earthworms/ Bruce A. Halley, Renate Winter, Stephen Yoon, S.E. Marley, Steffen Rehbein,
Veterinary Parasitology Volume 128, Issues 1-2, , 10 March 2005, Pages 109-114.

Keywords : Eprinomectin; Earthworm; Environmental safety; Lumbricus terrestris; Ivermectin

The freemartin syndrome: an update/ A.M. Padula,
Animal Reproduction Science Volume 87, Issues 1-2, , June 2005, Pages 93-109.

Keywords : Freemartin; Bovine; Chimera; Gender determination; DNA; XX/XY

The prediction of the intake potential of grass silage in the supplemented diets of lactating dairy cows/ B.F. McNamee, V.B. Woods, D.J. Kilpatrick, C.S. Mayne, R.E. Agnew, F.J. Gordon,
Livestock Production Science Volume 92, Issue 3, , March 2005, Pages 233-240.

Keywords : Dairy cattle-feeding and nutrition; Predicted grass silage ad libitum intake; Concentrate supplementation; Empirical model; Substitution rate

Unravelling the rationale of 'overgrazing' and stocking rates in the beef production systems of Central Brazil using a bi-criteria compromise programming model/ Fernando Paim Costa, Tahir Rehman,
Agricultural Systems Volume 83, Issue 3, , March 2005, Pages 277-295.

Keywords : Decision-making; Farmers' objectives; Compromise programming; Pasture degradation

Wasting and mortality in beef cattle parasitized by *Eurytrema coelomaticum* in the State of Parana, southern Brazil/ M.R.S. Ilha, A.P. Loretto, A.C.F. Reis,
Veterinary Parasitology Volume 133, Issue 1, , 10 October 2005, Pages 49-60.

Keywords : Eurytrema coelomaticum; Pancreatic fluke; Wasting disease; Beef cattle; Brazil

The Essential Electronic Agricultural Library (TEEAL)

Adaptability in tropical beef cattle: genetic parameters of growth, adaptive and temperament traits in a crossbred population/Prayaga, K.C.; Henshall, J.M.

Australian Journal of Experimental Agriculture, 2005, 45(7/8), Pages 971-983 CD Volume 451

Keywords : Adaptability; Adaptation; Beef cattle; Birth weight; Breed differences; Crossbreeding; Disease resistance; Environment; Genes; Genetic covariance; Genetic effects; Genetic parameters; Genetic variance; Genotype environment interaction; Growth; Heat adaptation; Heat resistance; Heat stress; Heat tolerance; Heritability; Liveweight; Liveweight gain; Maternal effects; Phenotypic variation; Selection; Temperament; Traits; Weaning weight.

Additive, dominance, and epistatic loss effects on preweaning weight gain of crossbred beef cattle from different *Bos taurus* breeds/Roso, V.M.; Schenkel, F.S.; Miller, S.P.; Wilton, J.W.

Journal of Animal Science, 2005, 83(8), Pages 1780-1787 CD Volume 456

Keywords : **Beef cattle; Blonde-d'Aquitaine; Breed differences; Cattle breeds; Charolais; Crossbreds; Environmental impact; Gelbvieh; Genetic effects; Genetic-models; Genetic variance; Hereford (cattle breed); Limousin (cattle breed); Liveweight gain; Maine-Anjou; Maternal effects; Phenotypes; Preweaning period; Salers; Shorthorn; Simmental; Weaning weight.**

Application and impact of new genetic technologies on beef cattle breeding: a 'real world' perspective/Pollak, E.J.

Australian Journal of Experimental Agriculture, 2005, 45(7/8), Pages 739-748 CD Volume 451

Keywords : **Alleles; Animal breeding; Animal breeding methods; Beef cattle; Biotechnology; Breeding programmes; DNA; Genetic markers; Genetics; Molecular genetics; Pedigree; Quantitative trait loci; Selection; Testing; Traits.**

Association between IGF-I, IGF-IR and GHRH gene polymorphisms and growth and carcass traits in beef cattle/Curi, R. A.; Oliveira, H. N.; de Silveira, A.C.; Lopes, C. R.

Livestock Production Science, 2005, 94(3), Pages159-167 CD Volume 445

Keywords : **Alleles; Beef cattle; Binding proteins; Carcass quality; Carcass yield; Charolais; Crossbreds; Genes; Genetic polymorphism; Genotypes; Growth; Hormone receptors; Insulin like growth factor; Liveweight; Liveweight gain; Nelore; Performance traits; Simmental; Somatoliberin; Somatotropin; Subcutaneous fat.**

Association of single nucleotide polymorphisms in the leptin gene with carcass and meat quality traits of beef cattle/Schenkel, F.S.; Miller, S. P.; Ye, X.; Moore, S. S.; Nkrumah, J. D.; Li, C.; Yu, J.; Mandell, I. B.; Wilton, J. W.; Williams, J. L.

Journal of Animal Science, 2005, 83(9), Pages 2009-2020 CD Volume 456

Keywords : **Beef cattle; Genes; Genetic polymorphism; Haplotypes; Leptin; Traits; Single nucleotide polymorphism.**

Breeding objectives for beef cattle used in different production systems: 1. Model development/Wolfova, M.; Wolf, J.; Pribyl, J.; Zahradkova, R.; Kica, J.

Livestock Production Science, 2005, 95(3), Pages 201-215 CD Volume 445

Keywords : Beef bulls; Beef cattle; Breeding aims; Bulls; Farm management; Herd improvement; Herds; Markov processes; Traits.

Breeding objectives for beef cattle used in different production systems: 2. Model application to production systems with the Charolais breed/ Wolfova, M.; Wolf, J.; Zahradkova, R.; Pribyl, J.; Dano, J.; Krupa, E.; Kica, J.

Livestock Production Science, 2005, 95(3), Pages 217-230 CD Volume 445

Keywords : Beef cattle; Breeding aims; Calving rate; Charolais; Conception rate; Cows; Crossbreeding; Finishing; Marketing; Production economics; Traits; Weaning weight.

Dietary overlap between prairie dog (*Cynomys mexicanus*) and beef cattle in a desert rangeland of northern Mexico/Mellado, M.; Olvera, A.; Quero, A.; Mendoza, G.

Journal of Arid Environments, 2005, 62(3), Pages 449-458 CD Volume 449

Keywords : Animal behaviour; Animal ecology; Beef cattle; Beef cows; Cows; Diets; Faeces; Feeding behaviour; Food preferences; Forbs; Herbivores; Interspecific competition; Rangelands; Spring; Summer; Wild animals; Winter.

Effect of a leptin single nucleotide polymorphism on quality grade, yield grade, and carcass weight of beef cattle/Kononoff, P.J.; Deobald, H.M.; Stewart, E.L.; Laycock, A.D.; Marquess, F.L.S.

Journal of Animal Science, 2005, 83(4), Pages 927-932 CD volume 456

Keywords : Beef cattle; Beef quality; Carcass composition; Carcass quality; Carcass weight; Carcass yield; Genotypes; Heifers; Leptin; Nucleotides; Steers; Single nucleotide polymorphism.

Effect of endophyte type on carcass traits, meat quality, and fatty acid composition of beef cattle grazing tall fescue/Realini, C.E.; Duckett, S.K.; Hill, N.S.; Hoveland, C.S.; Lyon, B.G.; Sackmann, J.R.; Gillis, M.H.

Journal of Animal Science, 2005, 83(2), Pages 430-439 CD Volume 456

Keywords : Adipose tissue; Beef cattle; Beef quality; Carcasses; Endophytes; Ergot alkaloids; Fattening performance; Fatty acids; Grazing; Hereford (cattle breed); Sensory evaluation. Traits.

Effect of growth rate during backgrounding and finishing on meat quality traits in beef cattle/Perry, D.; Thompson, J.M.

Meat Science, 2005, 69(4), Pages 691-702 CD Volume 449

Keywords:Beef cattle; Beef quality; Growth; Palatability; Tenderness.

Effect of weight at slaughter on the volatile compounds of cooked beef from Spanish cattle breeds/Insausti, K.; Goni, V.; Petri, E.; Gorraiz, C.; Beriain, M.J.

Meat Science, 2005, 70(1), Pages 83-90 CD Volume 449

Keywords : Asturian; Beef; Cooking; Ethanol; Liveweight; Morucha; Octane; Retinta; Volatile compounds.

Effects of age and method of castration on performance and stress response of beef male cattle: a review/Bretschneider, G.

Livestock Production Science, 2005, 97(2/3), Pages 89-100 CD Volume 445

Keywords : Age; Beef cattle; Castration Liveweight gain; Reviews; Stress; Stress response; Surgery; Surgical operations.

Effects of copper oxide bolus administration or high-level copper supplementation on forage utilization and copper status in beef cattle/Arthington, J.D.

Journal of Animal Science, 2005, 83(12), Pages 2894-2900 CD Volume 456

Keywords:Beef cattle; Copper; Digestibility; Feed intake; Forage; Steers.

Effects of pelleted sugarcane tops on voluntary feed intake, digestibility and rumen fermentation in beef cattle/Yuangklang, C.; Wanapat, M.; Wachirapakorn, C.

Asian-Australasian Journal of Animal Sciences, 2005, 18(1), Pages 22-26 CD Volume 458

Keywords : **Acetic acid; Beef cattle; Butyric acid; Cattle feeding; Crude protein; Digestibility; Dry matter; Feed intake; Nutritive value; Organic matter; Pelleting; Propionic acid; Rumen fermentation; Steers; Sugarcane; Sugarcane tops; Volatile fatty acids.**

Erratum: Genetic relationships between calving performance and beef production traits in Piemontese cattle (*Journal of Animal Science* 2004 82, issue 12: 3440-3446)

Journal of Animal Science, 83(1), 2005, Page 271 CD Volume 456

Estimation of correlation between maternal permanent environmental effects of related dams in beef cattle/Iwaisaki, H.; Tsuruta, S.; Misztal, I.; Bertrand, J.K.

Journal of Animal Science, 2005, 83(3), Pages 537-542 CD Volume 456

Keywords : **Beef cattle; Gelbvieh; Genetic parameters; Genetic variance; Heritability; Limousin (cattle breed); Maternal effects; Variance components; Weaning weight.**

Estimation of genetic effects in the presence of multicollinearity in multibreed beef cattle evaluation/Roso, V.M.; Schenkel, F.S.; Miller, S.P.; Schaeffer, L.R.

Journal of Animal Science, 2005, 83(8), Pages 1788-1800 CD Volume 456

Keywords : **Beef cattle; Breeding value; Calves; Correlation analysis; Dominance; Genetic effects; Genetic models; Mathematical models; Multiple regression; Prewaning period; Weaning weight.**

Fatty acid profiles of various muscles and adipose tissues from fattening horses in comparison with beef cattle and pigs/He, M.L.; Ishikawa, S.; Hidari, H.

Asian-Australasian Journal of Animal Sciences, 2005,18(11), Pages 1655-1661 CD volume 458

Keywords : Adipose tissue; Beef cattle; Fatty acids; Finishing; Gas chromatography; Holstein Friesian; Japanese Black; Linoleic acid; Linolenic acid; Lipids; Muscles.

Genetic analysis of days open in beef cattle/Goyache, F.; Gutierrez ,J. P.; Fernandez, I.; Royo, L.J.; Alvarez, I.

Livestock Production Science, 2005, 93(3), Pages 283-289 CD Volume 445

Keywords : Asturian; Beef cattle; Calving; Calving interval; Genetic analysis; Genetic correlation; Genetic factors; Genetic parameters; Gestation period; Heritability; Traits.

Genetic and phenotypic relationships between insulin-like growth factor-I (IGF-I) and net feed intake, fat, and growth traits in Angus beef cattle/ Moore, K.L.; Johnston, D.J.; Graser, H.U.;

Herd, R.

Australian Journal of Agricultural Research, 2005, 56(3), Pages 211-218 CD Volume 451

Keywords : Aberdeen Angus; Beef bulls; Beef cattle; Beef production; Birth weight; Body fat; Body weight; Bulls; Feed intake; Genetic correlation; Growth rate; Heifers; Heritability; Insulin like growth factor; Phenotypic correlation; Selection.

Genetics research in the Cooperative Research Centre for Cattle and Beef Quality/Burrow, H.M.; Bindon, B.M.

Australian Journal of Experimental Agriculture, 2005, 45(7/8), Pages 941-957 CD Volume 451

Keywords : Animal breeding; Beef; Beef cattle; Beef cows; Bioinformatics; Carcass Grading; Carcass quality; Cows; DNA; Economics; Feed conversion efficiency; Female fertility; Gene expression; Genes; Genetic gain; Genetics; Growth; Meat and livestock industry; Meat quality; Molecular genetics; Profitability; Quantitative trait loci; Research institutes; Traits.

Grazing and feedlot performance of yearling stocker cattle integrated with spring- and fall-calving beef cows in a year-round grazing system/ Guretzky, N.A.J.; Russell, J.R.; Strohbehn, D.R.; Morrical, D.G.

Journal of Animal Science, 2005, 83(11), Pages 2696-2704 CD Volume 456

Keywords : Autumn; Beef cows; Calf feeding; Carcass quality; Carcass weight; Concentrates; Cows; Diet; Dressing percentage; Farming systems; Feed Intake; Feedlots; Forage; Grazing; Liveweight gain; Seasonal variation; Spring organism.

Influence of dietary crude protein concentration and source on potential ammonia emissions from beef cattle manure/Cole, N.A.; Clark, R.N.; Todd, R.W.; Richardson, C.R.; Gueye, A.; Greene, L. W.; McBride, K.

Journal of Animal Science, 2005, 83(3), Pages 722-731 CD Volume 456

Keywords : Ammonia; Beef cattle; Cattle dung; Crude protein; Emission; Nitrogen; Protein; Steers; Urine.

Joint longitudinal modeling of age of dam and age of animal for growth traits in beef cattle/Robbins, K.R.; Misztal, I.; Bertrand, J.K.

Journal of Animal Science, 2005, 83(12), Pages 2736-2742 CD Volume 456

Keywords : Age; Beef cattle; Gelbvieh; Growth; Regression analysis; Traits.

Management strategies for sustainable beef cattle grazing on forested rangelands in the Pacific Northwest/DelCurto, T.; Porath, M.; Parsons, C.T.; Morrison, J.A.

Rangeland Ecology and Management, 2005, 58(2), Pages 119-127 CD Volume 455

Keywords: Riparian areas; Distribution; Mixed conifer rangelands.

Model to predict absorbed amino acid supply at the proximal duodenum in growing beef cattle/Yan, XiangHua; Xu, ZiRong; Zhang, WenJu; Wang, JiaQi

Asian-Australasian Journal of Animal Sciences, 2005, 18(3), Pages 358-363 CD Volume 458

Keywords : Amino acids; Beef cattle; Duodenum; Equations; Mathematical models; Prediction; Regression analysis.

Odor characterization at open-lot beef cattle feedyards using triangular forced-choice olfactometry/Parker, D.B.; Rhoades, M.B.; Schuster, G.L.; Koziel, J.A.; Perschbacher Buser, Z.L

Transactions of the ASAE, 2005, 48(4), Pages 1527-1535 CD Volume 456

Keywords : Cattle housing; Cattle manure; Moisture content; Odour abatement; Odour Emission; Odours; Olfactometers; Precipitation; Quality controls; Weather data.

Phenotypic ranges and relationships among carcass and meat palatability traits for fourteen cattle breeds, and heritabilities and expected progeny differences for Warner-Bratzler shear force in three beef cattle breeds/Dikeman, M.E.; Pollak, E.J.; Zhang, Z.; Moser, D.W.; Gill, C.A.; Dressler, E.A.

Journal of Animal Science, 2005, 83(10), pages 2461-2467 CD Volume 456

Keywords : American Angus; Beef; Beef cattle; Beef quality; Brahman; Brangus; Cattle Breeds; Charolais; Flavour; Gelbvieh; Heritability; Limousin (cattle breed); Maine Anjou; Palatability; Salers; Shea; Shorthorn; Simmental; South Devon; Tenderness.

Prediction of retail product and trimmable fat yields from the four primal cuts in beef cattle using ultrasound or carcass data/Tait, R.G., Jr.; Wilson, D.E.; Rouse, G.H.

Journal of Animal Science, 2005, 83(6), Pages 1353-1360 CD Volume 456

Keywords : Beef cattle; Carcass composition; Crossbreds; Fats; Meat cuts; Meat yield; Ultrasound

Prevalence of Shiga toxin-producing *Escherichia coli* in beef cattle/ Hussein, H.S.; Bollinger, L.M.;

Journal of Food Protection, 2005, 68(10), Pages 2224-2241 CD Volume 456

Keywords : Bacterial toxins; Beef; Beef cattle; Disease prevalence; Epidemiology; Food contamination; Food safety; Foodborne diseases; Human diseases; Meat products; Microbial contamination; reviews; Risk factors.

Rate and frequency of urease inhibitor application for minimizing ammonia emissions from beef cattle feedyards/Parker, D.B.; Pandrangi, S.; Greene, L. W.; Almas, L. K.; Cole, N. A.; Rhoades, M. B.; Koziel, J. A.

Transactions of the ASAE, 2005, 48(2), Pages 787-793 CD Volume 456

Keywords : **Air pollutants; Air pollution; Air quality; Ammonia; Cattle manure; Cost benefit analysis; Emission; Enzyme activity; Enzymes; Farmyard manure; Odour abatement; Odour emission; Odours; Urease; Urease inhibitors.**

Reduction of Escherichia coli O157 in finishing beef cattle by various doses of Lactobacillus acidophilus in direct-fed microbials/ Younts Dahl, S.M.; Osborn, G.D.; Galyean, M.L.; Rivera, J.D.; Loneragan, G.H.; Brashears, M.M.

Journal of Food Protection, 2005, 68 (1), Pages 6-10 CD Volume 456

Keywords:Antimicrobial properties; Steers.

Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle/ Cardozo, P.W.; Calsamiglia, S.; Ferret, A.; Kamel, C.

Journal of Animal Science, 2005, 83(11), Pages 2572-2579 CD Volume 456

Keywords : **Acetates; Ammonium nitrogen; Beef cattle; Butyrates; Cinnamon; Concentrates; Diet; Eugenol; Feed additives; Garlic; Heifers; Metabolites; pH; Plant extracts; Propionates; Rumen fermentation; Rumen fluid; Volatile fatty acids.**

Studies on multiple trait and random regression models for genetic evaluation of beef cattle for growth/Bohmanova, J.; Misztal, I.; Bertrand, J.K.

Journal of Animal Science, 2005, 83(1), Pages 62-67 CD Volume 456

Keywords : **Accuracy; Beef cattle; Bos; Bovidae; Growth; Regression analysis; Ruminants.**

Supplementing a ruminally undegradable protein supplement to maintain essential amino acid supply to the small intestine when forage intake is restricted in beef cattle/Scholljegerdes, E.J.; Weston, T.R.; Ludden, P.A.; Hess, B.W.

Journal of Animal Science, 2005, 83(9), Pages 2151-2161 CD Volume 456

Keywords : American Angus; Beef cattle; Crossbreds; Essential amino acids; Protein; Restricted feeding; Small intestine.

Survival of Escherichia coli in Beef Cattle Fecal Pats Under Different Levels of Solar Exposure/Meays Cindy, L.; Broersma, Klaas; Nordin, Rick; Mazumder, Asit

Rangeland Ecology & Management, 2005, 58(3), Pages 279-283 CD Volume 455

Keywords:Fecal bacteria; Water quality; Pathogens.

BIBLIOGRAFI 2006

PROQUEST

Association of a single nucleotide polymorphism in the calpastatin gene with carcass and meat quality traits of beef cattle/F S Schenkel; S P Miller; Z Jiang; I B Mandell et al.

Journal of Animal Science. Savoy. Feb 2006. Vol. 84, Iss. 2, p. 291 (9 pages)

Comparison of genetic gains per year for carcass traits among breeding programs in the Japanese Brown and the Japanese Black cattle/Y Sasaki; T Miyake; C Gaillard; T Oguni et al.

Journal of Animal Science. Savoy. Feb 2006. Vol. 84, Iss. 2, p. 317 (7 pages)

Effect of processing flax in beef feedlot diets on performance, carcass characteristics, and trained sensory panel ratings/T D Maddock; M L Bauer; K B Koch; V L Anderson et al.

Journal of Animal Science. Savoy. Jun 2006. Vol. 84, Iss. 6, p. 1544 (8 pages)

Effects of 25-hydroxyvitamin D³ and manipulated dietary cation-anion difference on the tenderness of beef from cull native Korean cows/Y M Cho; H Choi; I H Hwang; Y K Kim; K H Myung.

Journal of Animal Science. Savoy. Jun 2006. Vol. 84, Iss. 6, p. 1481 (8 pages)

Effects of calpastatin and μ -calpain markers in beef cattle on tenderness traits/E Casas; S N White; T L Wheeler; S D Shackelford et al.

Journal of Animal Science. Savoy. Mar 2006. Vol. 84, Iss. 3, p. 520 (6 pages)

Effects of cattle sex on carcass characteristics and longissimus muscle palatability/W T Choat; J A Paterson; B M Rainey; M C King et al.

Journal of Animal Science. Savoy. Jul 2006. Vol. 84, Iss. 7, p. 1820 (7 pages)

Effects of phase-feeding of crude protein on performance, carcass characteristics, serum urea nitrogen concentrations, and manure nitrogen of finishing beef steers^{1,2}/N A Cole; P J Defoor; M L Galyean; G C Duff; J F Gleghorn.

Journal of Animal Science. Savoy. Dec 2006. Vol. 84, Iss. 12, p. 3421 (12 pages)

Effects of ractopamine and protein source on growth performance and carcass characteristics of feedlot heifers/D K Walker; E C Titgemeyer; J S Drouillard; E R Loe et al.

Journal of Animal Science. Savoy. Oct 2006. Vol. 84, Iss. 10, p. 2795 (6 pages)

Effects of supplements that contain increasing amounts of metabolizable protein with or without Ca-propionate salt on postpartum interval and nutrient partitioning in young beef cows/R C Waterman; J E Sawyer; C P Mathis; D E Hawkins et al. *Journal of Animal Science*. Savoy. Feb 2006. Vol. 84, Iss. 2, p. 433 (14 pages)

Effects of two [beta]-adrenergic agonists on finishing performance, carcass characteristics, and meat quality of feedlot steers/L Avendaño-Reyes; V Torres-Rodríguez; F J Meraz-Murillo; C Pérez-Linares et al.

Journal of Animal Science. Savoy. Dec 2006. Vol. 84, Iss. 12, p. 3259 (7 pages)

Increasing the amount of n-3 fatty acid in meat from young Holstein bulls through nutrition/N Mach; M Devant; I Díaz; M Font-Furnols et al.

Journal of Animal Science. Savoy. Nov 2006. Vol. 84, Iss. 11, p. 3039 (10 pages)

Residual feed intake of purebred Angus steers: Effects on meat quality and palatability/S D Baker; J I Szasz; T A Klein; P S Kuber et al.

Journal of Animal Science. Savoy. Apr 2006. Vol. 84, Iss. 4, p. 938 (8 pages)

Use of bovine somatotropin for increased skeletal and lean tissue growth of Holstein steers/M L Schlegel; W G Bergen; A L Schroeder; M J VandeHaar; S R Rust. *Journal of Animal Science*. Savoy. May 2006. Vol. 84, Iss. 5, p. 1176 (12 pages)

Variations in meat pH of beef bulls in relation to conditions of transfer to slaughter and previous history of the animals/L Mounier; H Dubroeuq; S Andanson; I Veissier.

Journal of Animal Science. Savoy. Jun 2006. Vol. 84, Iss. 6, p. 1567 (10 pages)

SCIENCEDIRECT

2006

A 3-year field evaluation of pasture rotation and supplementary feeding to control parasite infection in first-season grazing cattle--Effects on animal performance/ A. Larsson, S.-O. Dimander, A. Rydzik, A. Ugglä, P.J. Waller, J. Hoglund

Veterinary Parasitology Volume 142, Issues 3-4, , 20 December 2006, Pages 197-206.

Keywords : Nematoda; Coccidia; Ostertagia; Eimeria; Grazing management; Production loss; Organic production

A clinical, evidence-based approach to infectious causes of infertility in beef cattle/ M. Daniel Givens,

Theriogenology Volume 66, Issue 3, , Proceedings of the Annual Conference of the Society for Theriogenology 2006, August 2006, Pages 648-654.

Keywords : Infertility; Reproduction; Immunization; Vaccination; Cattle

A mapping method for the description of Warner-Bratzler shear force gradients in beef Longissimus thoracis et lumborum and Semitendinosus/J.A.M. Janz, J.L. Aalhus, M.E.R. Dugan, M.A. Price,

Meat Science Volume 72, Issue 1, , January 2006, Pages 79-90.

Keywords : Shear force mapping; Longissimus thoracis et lumborum; Semitendinosus; Beef; Altered suspension

A nationwide survey on seroprevalence of Neospora caninum infection in beef cattle in Uruguay/ Pedro Banales, Leandro Fernandez, Maria V. Repiso, Andres Gil, David A. Dargatz, Takeshi Osawa,

Veterinary Parasitology Volume 139, Issues 1-3, , 30 June 2006, Pages 15-20.

Keywords: Neospora caninum; ELISA; Uruguay; Seroprevalence

A quantitative assessment of the risk of exposure to bovine spongiform encephalopathy via meat-and-bone meal in Japan/ Takehisa Yamamoto, Toshiyuki Tsutsui, Takashi Nonaka, Sota Kobayashi, Akiko Nishiguchi, Itsuro Yamane,
Preventive Veterinary Medicine Volume 75, Issues 3-4, , 17 August 2006, Pages 221-238.

Keywords: BSE; Meat-and-bone meal; Risk assessment

A stochastic exposure assessment model to estimate vanadium intake by beef cattle used as sentinels for the South African vanadium mining industry./B. Gummow, W.F.A. Kirsten, R.J. Gummow, J.A.P. Heesterbeek,
Preventive Veterinary Medicine Volume 76, Issues 3-4, , 17 October 2006, Pages 167-184.

Keywords : Environmental epidemiology; Vanadium; Pollution; Cattle; Model; Transition metals and exposure assessment

A study of helminth parasites in culled cows from Ireland/ T.M. Murphy, K.N. Fahy, A. McAuliffe, A.B. Forbes, T.A. Clegg, D.J. O'Brien,
Preventive Veterinary Medicine Volume 76, Issues 1-2, , 15 September 2006, Pages 1-10.

Keywords : Culled cows; Gastrointestinal nematodes; Liver fluke; Lungworm

Ability of induced corpora lutea to maintain pregnancy from the third month of gestation to term in cattle/ M.J. Starbuck, D.H. Poole, E.K. Inskeep,
Theriogenology Volume 66, Issue 2, , 15 July 2006, Pages 383-386.

Keywords: Progesterone; Induced corpus luteum; Cattle; Pregnancy

Alterations in follicular IGFBP mRNA expression and follicular fluid IGFBP concentrations during the first follicle wave in beef heifers/ M.J. Canty, M.P. Boland, A.C.O. Evans, M.A. Crowe,
Animal Reproduction Science Volume 93, Issues 3-4, , July 2006, Pages 199-217.

Keywords: IGFBP; Follicle waves; Estradiol; IGF; Cattle

An assessment of dietary supplementation with tea catechins and rosemary extract on the quality of fresh beef/ M.N. O'Grady, M. Maher, D.J. Troy, A.P. Moloney, J.P. Kerry,

Meat Science Volume 73, Issue 1, , May 2006, Pages 132-143.

Keywords : Tea catechins; Rosemary extract; Colour; Lipid oxidation; Rumen

An examination of the prevalence of and risk factors for shedding of *Cryptosporidium* spp. and *Giardia* spp. in cows and calves from western Canadian cow-calf herds/ Sheryl Gow, Cheryl Waldner,

Veterinary Parasitology Volume 137, Issues 1-2, , 15 April 2006, Pages 50-61.

Keywords : Beef cattle; Cryptosporidium spp.; Giardia spp.; Prevalence; Risk factors

Analysis of female reproductive traits in Angus beef cattle divergently selected for blood serum insulin-like growth factor I concentration/ A. Yilmaz, M.E. Davis, R.C.M. Simmen,

Theriogenology Volume 65, Issue 6, , 1 April 2006, Pages 1180-1190.

Keywords : Age at first calving; Age at puberty; Beef cattle; IGF-I; Pregnancy rate

Application of sexed semen technology to in vitro embryo production in cattle/ Matthew B. Wheeler, Jack J. Rutledge, Amy Fischer-Brown, Tara VanEtten, Samantha Malusky, David J. Beebe,

Theriogenology Volume 65, Issue 1, , IETS 2006 Pre- and Post-Conference Symposia, 7 January 2006, Pages 219-227.

Keywords: Bovine; In vitro production; Embryo; Sexed semen

Assessment of the impact of cattle testing strategies on human exposure to BSE agents in Japan/ Toshiyuki Tsutsui, Fumiko Kasuga,

International Journal of Food Microbiology Volume 107, Issue 3, , 1 April 2006, Pages 256-264.

Keywords: BSE; Stochastic model; Japan; Testing strategies

Carcass merit between and among family groups of *Bos indicus* crossbred steers and heifers/ D.A. King, W.W. Morgan, R.K. Miller, J.O. Sanders, D.K. Lunt, J.F. Taylor, C.A. Gill, J.W. Savell,

Meat Science Volume 72, Issue 3, , March 2006, Pages 496-502.

Keywords: Beef; Bos indicus; Carcass; Cutability

Changes in the forms of iron and in concentrations of taurine, carnosine, coenzyme Q10, and creatine in beef longissimus muscle with cooking and simulated stomach and duodenal digestion/R.W. Purchas, J.R. Busboom, B.H.P. Wilkinson,,

Meat Science Volume 74, Issue 3, , November 2006, Pages 443-449.

Keywords : Pepsin digestion; Pancreatin; Bile extract; Haem iron; Beef; Cooking

Comparative economics of Holstein/Gir F1 dairy female production and conventional beef cattle suckler herds - A simulation study/ Paulo Henrique Silva Guimaraes, Fernando Enrique Madalena, Ivo Martins Cezar,

Agricultural Systems Volume 88, Issues 2-3, , June 2006, Pages 111-124.

Keywords : Beef cattle; F1 Holstein x Gir; F1 Angus x Nelore; Nelore; Economic performance

Comparison between the characteristics of follicular fluid and the developmental competence of bovine oocytes/ H. Iwata, J. Inoue, K. Kimura, T. Kuge, T. Kuwayama, Y. Monji,

Animal Reproduction Science Volume 91, Issues 3-4, , February 2006, Pages 215-223.

Keywords: Cattle-ovarian follicular fluid; Embryo; Development

Comparison of supplementary concentrate levels with grass silage, separate or total mixed ration feeding, and duration of finishing in beef steers/ M.G. Keane, M.J. Drennan, A.P. Moloney,

Livestock Science Volume 103, Issues 1-2, , August 2006, Pages 169-180.

Keywords : Beef cattle; Concentrate supplementation; Total mixed ration; Winter finishing

Consistency of flight speed and its correlation to productivity and to personality in *Bos taurus* beef cattle/ Roger Muller, Marina A.G.von Keyserlingk,

Applied Animal Behaviour Science Volume 99, Issues 3-4, , September 2006, Pages 193-204.

Keywords : Beef cattle; Flight speed; Personality; Productivity; Social separation test

Simulating *Escherichia coli* O157:H7 transmission to assess effectiveness of interventions in Dutch dairy-beef slaughterhouses/Bouda Vosough Ahmadi, Annet G.J. Velthuis, Henk Hogeveen, Ruud B.M. Huirne, *Preventive Veterinary Medicine* Volume 77, Issues 1-2, , 17 November 2006, Pages 15-30.

Keywords : Escherichia coli O157:H7; Simulation model; Slaughterhouse interventions; Risk assessment; Food safety; Beef

Suckling behaviour of Nelore/ Mateus Jose Rodrigues Paranhos da Costa, Lucia Galvao Albuquerque, Joanir Pereira Eler, Gir and Caracu calves and their crosses, *Applied Animal Behaviour Science* Volume 101, Issues 3-4, , 15 December 2006, Pages 276-287.

Keywords : Cattle; Cow-calf relationship; Milk transfer estimation; Breed differences; Suckling

Cumulative discounted expressions of dairy and beef traits in cattle production systems/ D.P. Berry, F.E. Madalena, A.R. Cromie, P.R. Amer, *Livestock Science* Volume 99, Issues 2-3, , February 2006, Pages 159-174.

Keywords : Gene flow; Cumulative discounted expression; Dairy cattle; Beef cattle

Development and evaluation of empirical equations to predict feed passage rate in cattle/ S. Seo, L.O. Tedeschi, C. Lanzas, C.G. Schwab, D.G. Fox, *Animal Feed Science and Technology* Volume 128, Issues 1-2, , 28 May 2006, Pages 67-83.

Keywords : Passage rate; Meta-analysis; Empirical model; Model comparison; CNCPS

Diagnostic significance of *Neospora caninum* DNA detected by PCR in cattle serum/ Linda M. McInnes, Una M. Ryan, Ryan O'Handley, Heinz Sager, David Forshaw, Dieter G. Palmer,

Veterinary Parasitology Volume 142, Issues 3-4, , 20 December 2006, Pages 207-213.

Keywords: Neospora caninum; DNA; Antibodies; PCR; Cow; Foetus

Diet composition and energy balance of cows grazing on Mediterranean woodland/ A. Brosh, Z. Henkin, A. Orlov, Y. Aharoni,

Livestock Science Volume 102, Issues 1-2, , June 2006, Pages 11-22.

Keywords : Beef cattle; Grazing cows; Mediterranean browse; Botanical composition; Heart rate; Energy expenditure; Energy balance

Differences among beef sire breeds and relationships between terrain use and performance when daughters graze foothill rangelands as cows/ Harv C. VanWagoner, Derek W. Bailey, Donald D. Kress, Donald C. Anderson, Kathleen C. Davis,

Applied Animal Behaviour Science Volume 97, Issues 2-4, , May 2006, Pages 105-121.

Keywords: Cattle; Distribution; Breed; Performance; Weaning weight

Dynamics of verotoxin-producing *Escherichia coli* isolated from German beef cattle between birth and slaughter/ D. Dopfer, L. Geue, J. de Bree, M.C.M. de Jong,

Preventive Veterinary Medicine Volume 73, Issue 4, , 16 March 2006, Pages 229-240.

Keywords : Verotoxin; VTEC; Transmission dynamics; Virulence factors; Cattle

Effect of a single growth hormone (rbST) treatment at breeding on conception rates and pregnancy retention in dairy and beef cattle/ Melanie J. Starbuck, E. Keith Inskeep, Robert A. Dailey,

Animal Reproduction Science Volume 93, Issues 3-4, , July 2006, Pages 349-359.

Keywords : rbST; Conception rates; Dairy cows; Retention of pregnancy; Beef cows; Dairy heifers

Effect of chromium supplementation and copper status on glucose and lipid metabolism in Angus and Simmental beef cows/ H.S. Stahlhut, C.S. Whisnant, K.E. Lloyd, E.J. Baird, L.R. Legleiter, S.L. Hansen, J.W. Spears, *Animal Feed Science and Technology* Volume 128, Issues 3-4, , 28 June 2006, Pages 253-265.

Keywords: Chromium; Cattle; Copper; Glucose tolerance

Effect of chromium supplementation and copper status on performance and reproduction of beef cows/ H.S. Stahlhut, C.S. Whisnant, J.W. Spears, *Animal Feed Science and Technology* Volume 128, Issues 3-4, , 28 June 2006, Pages 266-275.

Keywords: Chromium; Cattle; Reproduction; Performance

Effects of GHR gene polymorphisms on growth and carcass traits in Zebu and crossbred beef cattle/ R.A. Curi, D.A. Palmieri, L. Suguisawa, A.L.J. Ferraz, H.N. de Oliveira, L.R. Furlan, A.C. Silveira, C.R. Lopes, *Livestock Science* Volume 101, Issues 1-3, , May 2006, Pages 94-100.

Keywords: Beef cattle; Polymorphisms; GHR; Growth; Carcass

Effects of low-voltage electrical stimulation and rapid chilling on meat quality characteristics of Chinese Yellow crossbred bulls/ C.B. Li, Y.J. Chen, X.L. Xu, M. Huang, T.J. Hu, G.H. Zhou, *Meat Science* Volume 72, Issue 1, , January 2006, Pages 9-17.

Keywords : Low-voltage electrical stimulation; Rapid chilling; Beef quality; Chinese yellow cattle

Energetic and economic feasibility associated with the production, processing, and conversion of beef tallow to a substitute diesel fuel/ Richard G. Nelson, Mark D. Schrock, *Biomass and Bioenergy* Volume 30, Issue 6, , June 2006, Pages 584-591.

Keywords : Biodiesel; Tallow; Energy ratio; Direct and embodied energies; Transesterification; Co-product credits; Economics

Errors in development of fetuses and placentas from in vitro-produced bovine embryos/ Peter W. Farin, Jorge A. Piedrahita, Charlotte E. Farin,

Theriogenology Volume 65, Issue 1, , IETS 2006 Pre- and Post-Conference Symposia, 7 January 2006, Pages 178-191.

Keywords: Bovine; Embryo culture; Nuclear transfer; Fetus; Placenta

Fatty acid and sensory characteristics of beef from three biological types of cattle grazing cool-season forages supplemented with soyhulls/ R.T. Baublits, A.H. Brown Jr., F.W. Pohlman, D.C. Rule, Z.B. Johnson, D.O. Onks, C.M. Murrieta, C.J. Richards, H.D. Loveday, B.A. Sandelin, R.B. Pugh, *Meat Science* Volume 72, Issue 1, , January 2006, Pages 100-107.

Keywords: Beef; Forage-fed; Soyhulls; Fatty acids; CLA; Flavor

Fatty acid composition of intramuscular fat of bulls and steers/ A.C.G. Monteiro, J. Santos-Silva, R.J.B. Bessa, D.R. Navas, J.P.C. Lemos, *Livestock Science* Volume 99, Issue 1, , January 2006, Pages 13-19.

Keywords: Beef cattle; Castration; Intramuscular fat; Fatty acids

Field observations during the Bluetongue serotype 8 epidemic in 2006: II. Morbidity and mortality rate, case fatality and clinical recovery in sheep and cattle in the Netherlands/ Armin R.W. Elbers, Aniek Backx, Koen Mintiens, Guillaume Gerbier, Christoph Staubach, Guy Hendrickx, Arco van der Spek, *Preventive Veterinary Medicine* Volume 87, Issues 1-2, , Special Issue: The 2006 Bluetongue outbreak in North-West Europe: The outcome from the epidemiological investigation coordinated by the

Genetic parameters for carcass traits of field progeny and their relationships with feed efficiency traits of their sire population for Japanese Black cattle/ M.A. Hoque, P.F. Arthur, K. Hiramoto, T. Oikawa, *Livestock Science* Volume 100, Issues 2-3, , April 2006, Pages 251-260.

Keywords : Genetic parameters; Beef cattle; Feed efficiency; Correlated response; Carcass traits

Genetic relationship among stayability, scrotal circumference and post-weaning weight in Nelore cattle/ J.A. II V. Silva, I.B. Formigoni, J.P. Eler, J.B.S. Ferraz, *Livestock Science* Volume 99, Issue 1, , January 2006, Pages 51-59.

Keywords : Beef cattle; Genetic correlation; Growth trait; Reproductive trait

Genetic relationship between different measures of feed efficiency and its component traits in Japanese Black (Wagyu) bulls/ M.A. Hoque, P.F. Arthur, K. Hiramoto, T. Oikawa,

Livestock Science Volume 99, Issues 2-3, , February 2006, Pages 111-118.

Keywords: Beef cattle; Feed efficiency; Growth; Genetic parameters

HACCP-based approach to the derivation of an on-farm food safety program for the Australian red meat industry/ Peter M. Horchner, Denis Brett, Bruce Gormley, Ian Jenson, Andrew M. Pointon,

Food Control Volume 17, Issue 7, , July 2006, Pages 497-510.

Keywords: HACCP; Meat safety; Farm

If control of *Neospora caninum* infection is technically feasible does it make economic sense?/ Michael P. Reichel, John T. Ellis,

Veterinary Parasitology Volume 142, Issues 1-2, , 30 November 2006, Pages 23-34.

Keywords : Cattle; Neospora caninum; Abortions; Costs; Decision tree; Economics; Control

Improving fertility in beef cow recipients/ C.R. Looney, J.S. Nelson, H.J. Schneider, D.W. Forrest,

Theriogenology Volume 65, Issue 1, , IETS 2006 Pre- and Post-Conference Symposia, 7 January 2006, Pages 201-209.

Keywords: Embryo transfer; Recipient; Bovine

Individual differences in the reaction of beef cattle to situations involving social isolation/ Robert J. Kilgour, Gavin J. Melville, Paul L. Greenwood, close proximity of humans, restraint and novelty,

Applied Animal Behaviour Science Volume 99, Issues 1-2, , August 2006, Pages 21-40.

Keywords : Beef cattle; Social isolation; Principal component; Individuality; Temperament; Animal welfare

Induction and detection of long-lasting peptide-specific antibody responses in pigs and beef cattle: a powerful technology for tracing meat processing chains from stock farmers to sales counters/ Annett Raschke, Sandra Strich, Stephanie Huppke, Markus Neugebauer, Eugen Geuther, Wolf Bertling, Birgit Walders, Christian Reiser, Juergen Hess,
Food Control Volume 17, Issue 1, , January 2006, Pages 65-74.

Keywords: Livestock; Meat labelling; Antibody

Influence of animal temperament and stress responsiveness on the carcass quality and beef tenderness of feedlot cattle/ D.A. King, C.E. Schuehle Pfeiffer, R.D. Randel, T.H. Welsh Jr., R.A. Oliphint, B.E. Baird, K.O. Curley Jr., R.C. Vann, D.S. Hale, J.W. Savell,
Meat Science Volume 74, Issue 3, , November 2006, Pages 546-556.

Keywords: Beef; Carcass quality; Stress; Temperament; Tenderness

Influence of limited fall protein supplementation on performance and forage utilization by beef cattle grazing low-quality native grass pastures/ D.A. Llewellyn, R.C. Cochran, T.T. Marston, D.M. Grieger, C.G. Farmer, T.A. Wickersham,
Animal Feed Science and Technology Volume 127, Issues 3-4, , 28 April 2006, Pages 234-250.

Keywords: Protein; Forage; Beef cattle; Digestion

Linear model vs. survival analysis for genetic evaluation of sires for longevity in Chianina beef cattle/ F. Forabosco, R. Bozzi, F. Filippini, P. Boettcher, J.A.M. Van Arendonk, P. Bijma,
Livestock Science Volume 101, Issues 1-3, , May 2006, Pages 191-198.

Keywords : Beef cattle; Chianina; Genetic parameters; Breeding values; Longevity

Manteca, In situ degradability of seven plant protein supplements in heifers fed high concentrate diets with different forage to concentrate ratio/ A. Rotger, A. Ferret, S. Calsamiglia, X.
Animal Feed Science and Technology Volume 125, Issues 1-2, , 6 January 2006, Pages 73-87.

Keywords : Heifers; High concentrate diets; In situ nitrogen degradability; Plant protein supplements

Mixing at the beginning of fattening moderates social buffering in beef bulls/
Luc Mounier, Isabelle Veissier, Stephane Andanson, Eric Delval, Alain Boissy, Applied

Animal Behaviour Science Volume 96, Issues 3-4, , February 2006, Pages 185-200.

Keywords: Bulls; Mixing; Reactivity; Social buffering

Nutrient requirements of South American camelids: A factorial approach/
Robert J. Van Saun,

Small Ruminant Research Volume 61, Issues 2-3, , South American Camelids, February 2006, Pages 165-186.

Keywords: Llama; Alpaca; Nutrient requirements; Digestion; Nutrition

Nutrition and fertility in ruminant livestock/ J.J. Robinson, C.J. Ashworth, J.A. Rooke, L.M. Mitchell, T.G. McEvoy,

Animal Feed Science and Technology Volume 126, Issues 3-4, , Feed and Animal Health, 9 March 2006, Pages 259-276.

Keywords: Fertility; Nutrition; Ruminants

Overview of the economic and social importance of the livestock sector in Cyprus with particular reference to sheep and goats/ C. Papachristoforou, M. Markou,

Small Ruminant Research Volume 62, Issue 3, , The future of sheep and goat production in Europe: prospects within the framework of new support regimes and market conditions, April 2006, Pages 193-199.

Keywords: Cyprus livestock production; Present situation;

Prediction of intramuscular fat by ultrasound in lean cattle/ L. Aass, J.D. Gresham, G. Klemetsdal,

Livestock Science Volume 101, Issues 1-3, , May 2006, Pages 228-241.

Keywords: Cattle; Beef; Ultrasound; Intramuscular fat; Breeding

Presence of antibodies to non-structural proteins of foot-and-mouth disease virus in repeatedly vaccinated cattle/ Fan Lee, Ming-Hwa Jong, Der-Wei Yang,

Veterinary Microbiology Volume 115, Issues 1-3, , 15 June 2006, Pages 14-20.

Keywords: Foot-and-mouth disease; Non-structural protein; Vaccination

Prevalence and genotyping of *Cryptosporidium* in three cattle husbandry systems in Zambia/ T. Geurden, F.Y. Goma, J. Siwila, I.G.K. Phiri, A.M. Mwanza, S. Gabriel, E. Claerebout, J. Vercruysse,
Veterinary Parasitology Volume 138, Issues 3-4, , 15 June 2006, Pages 217-222.

Keywords : Cryptosporidium; Prevalence; Husbandry systems; Calves; Genotyping; Zambia

Prevalence of anti-*Neospora caninum* antibodies in cattle and dogs from Western Amazon, Brazil, in association with some possible risk factors/ Daniel M. Aguiar, Guacyara T. Cavalcante, Aline A.R. Rodrigues, Marcelo B. Labruna, Luis Marcelo A. Camargo, Erney P. Camargo, Solange M. Gennari,
Veterinary Parasitology Volume 142, Issues 1-2, , 30 November 2006, Pages 71-77.

Keywords: Neospora caninum; Cattle; Epidemiology; Amazon; Brazil

Progress and challenges in animal handling and slaughter in the U.S./ Temple Grandin,
Applied Animal Behaviour Science Volume 100, Issues 1-2, , *Sentience in Animals*, October 2006, Pages 129-139.

Keywords: Cattle; Pigs; Slaughter; Welfare; Handling; Stunning

Rationale and perspectives on the success of vaccination against bovine herpesvirus-1/ Sylvia van Drunen Littel-van den Hurk,
Veterinary Microbiology Volume 113, Issues 3-4, , *Proceedings of the 2nd ESVV Veterinary Herpesvirus Symposium*, 31 March 2006, Pages 275-282.

Keywords : Bovine herpesvirus 1; Vaccination; DIVA vaccine; Gene-deleted vaccine; Subunit vaccine

Realizing the promise of IVF in cattle--an overview/ P.J. Hansen,

Theriogenology Volume 65, Issue 1, , IETS 2006 Pre- and Post-Conference Symposia, 7 January 2006, Pages 119-125.

Keywords: Embryo transfer; In vitro embryo production; Cattle

Relationship between body condition score and production of multiparous beef cows/ B.J. Renquist, J.W. Oltjen, R.D. Sainz, C.C. Calvert,

Livestock Science Volume 104, Issues 1-2, , October 2006, Pages 147-155.

Keywords : BCS; Beef cattle; Birth weight; Calving interval; Pregnancy rate; Weaning weight

Resynchronization of previously timed-inseminated beef heifers with progestins/ M.G. Colazo, J.P. Kastelic, R.C. Mainar-Jaime, Q.A. Gavaga, P.R. Whittaker, J.A. Small, M.F. Martinez, R.E. Wilde, D.M. Veira, R.J. Mapletoft,

Theriogenology Volume 65, Issue 3, , February 2006, Pages 557-572.

Keywords : Resynchronization; Progestins; Estradiol; Estrus synchronization; Beef cattle

Sequence diversity of the immunogenic outer membrane lipoprotein PlpE from *Mannheimia haemolytica* serotypes 1, 2, and 6/ Sahlu Ayalew, Emily R. Blackwood, Anthony W. Confer,

Veterinary Microbiology Volume 114, Issues 3-4, , 31 May 2006, Pages 260-268.

Keywords : Bovine respiratory disease; Mannheimia haemolytica; PlpE; S1; S2; S6; Epitope, Repeats

Sire x contemporary group interactions for birth weight and preweaning growth traits in the Asturiana de los Valles beef cattle breed/ J.P. Gutierrez, I. Fernandez, I. Alvarez, L.J. Royo, F. Goyache,

Livestock Science Volume 99, Issue 1, , January 2006, Pages 61-68.

Keywords : referential treatment; Heritability; Maternal effect; Genetic correlation; Birth weight; Weaning weight; Average daily gain

Stabilization of organic carbon in chemically separated pools in no-till and meadow soils in Northern Appalachia/ K. Lorenz, R. Lal, M.J. Shipitalo, *Geoderma* Volume 137, Issues 1-2, , 31 December 2006, Pages 205-211.

Keywords : Carbon sequestration; Land-use and soil management; Soil C depth distribution; Chemically separated C fractions

Standardising bull breeding soundness evaluations and reporting in Australia/ Geoffry Fordyce, Keith Entwistle, Scott Norman, Vivienne Perry, Ben Gardiner, Patrick Fordyce,

Theriogenology Volume 66, Issue 5, , 15 September 2006, Pages 1140-1148.

Keywords : Bull; Breeding soundness evaluations; Fertility; Standards; Reports

Stochastic simulation of mountain beef cattle systems/ D. Villalba, I. Casaus, A. Sanz, A. Bernues, J. Estany, R. Revilla,

Agricultural Systems Volume 89, Issues 2-3, , September 2006, Pages 414-434.

Keywords: Simulation; Stochastic models; Beef cattle; Feeding strategies

Structural characterisation and typology of beef cattle farms of Spanish wooded rangelands (dehesas)/ Maria Jose Milan, Jordi Bartolome, Raquel Quintanilla, Maria Dolores Garcia-Cachan, Manuel Espejo, Pedro Luis Herraiz, Jose Manuel Sanchez-Recio, Jesus Piedrafita,

Livestock Science Volume 99, Issues 2-3, , February 2006, Pages 197-209.

Keywords : Beef cattle; Spanish dehesa; Livestock farming systems; Farm typology; Structural characterisation; Multiple correspondence analysis

Superovulatory response of Sistani cattle to three different doses of FSH during winter and summer/ F. Barati, A. Niasari-Naslaji, M. Bolourchi, F. Sarhaddi, K. Razavi, E. Naghzali, W.W. Thatcher,

Theriogenology Volume 66, Issue 5, , 15 September 2006, Pages 1149-1155.

Keywords: Bos indicus; Sistani cattle; Season; FSH; Estrus

Supranational comparison of Neospora caninum seroprevalences in cattle in Germany, The Netherlands, Spain and Sweden/ C.J.M. Bartels, J.I. Arnaiz-Seco, A. Ruiz-Santa-Quitera, C. Bjorkman, J. Frossling, D. von Blumroder, F.J. Conraths, G. Schares, C. van Maanen, W. Wouda, L.M. Ortega-Mora,

Veterinary Parasitology Volume 137, Issues 1-2, , 15 April 2006, Pages 17-27.

Keywords : Neospora caninum; Herd prevalence; Within-herd prevalence; Animal prevalence; Potential risk factors

The distribution of *Fasciola hepatica* in Queensland, Australia, and the potential impact of introduced snail intermediate hosts/ J.B. Molloy, G.R. Anderson,

Veterinary Parasitology Volume 137, Issues 1-2, , 15 April 2006, Pages 62-66.

Keywords : Liver fluke; Fasciola hepatica; Distribution; Queensland; Australia

The effect of quality of grass and maize silage on the intake and performance of beef cattle/ R.M. Kirkland, D.C. Patterson,

Livestock Science Volume 100, Issues 2-3, , April 2006, Pages 179-188.

Keywords : Grass silage; Maize silage; Intake; Beef cattle; Animal performance

The geographic distribution of the putative agent of epizootic bovine abortion in the tick vector, *Ornithodoros coriaceus*/ Mike B. Teglás, Nicole L. Drazenovich, Jeff Stott, Janet E. Foley,

Veterinary Parasitology Volume 140, Issues 3-4, , 10 September 2006, Pages 327-333.

Keywords : Foothill abortion; Vector; Ornithodoros coriaceus; Cattle; Tick-borne disease

Thermal balance of cattle grazing winter range: Model development/ Elai N. Keren, Bret E. Olson,

Journal of Thermal Biology Volume 31, Issue 5, , July 2006, Pages 371-377.

Keywords : Angle; Climate; Conduction; Convection; Geometry; Insulation layer; Three dimension

Using machine learning procedures to ascertain the influence of beef carcass profiles on carcass conformation scores/ J. Diez, P. Alberti, G. Ripoll, F. Lahoz, I. Fernandez, J.L. Olleta, B. Panea, C. Sanudo, A. Bahamonde, F. Goyache,

Meat Science Volume 73, Issue 1, , May 2006, Pages 109-115.

Keywords : Bovine carcass; Conformation assessment; SEUROP; Artificial intelligence; Machine learning; Relevancy

BIBLIOGRAFI 2007

PROQUEST

Analysis of beef cattle longitudinal data applying a nonlinear model/S Forni; M Piles; A Blasco; L Varona et al.

Journal of Animal Science. Savoy. Dec 2007. Vol. 85, Iss. 12, p. 3189 (9 pages)

Beef Species I/Anonymous

Journal of Animal Science. Savoy. 2007. Vol. 85, p. 370 (4 pages)

Benchmarking carcass characteristics and muscles from commercially identified beef and dairy cull cow carcasses for Warner-Bratzler shear force and sensory attributes/A M Stelzleni; L E Patten; D D Johnson; C R Calkins; B L Gwartney.

Journal of Animal Science. Savoy. Oct 2007. Vol. 85, Iss. 10, p. 2631 (8 pages)

Breeding and Genetics - Livestock and Poultry: Beef Cattle/Anonymous.

Journal of Animal Science. Savoy. 2007. Vol. 85, p. 188 (5 pages)

CASE STUDY: Distiller's Dried Grains with Solubles Affects Fatty Acid Composition of Beef/P A Lancaster; J B Corners; L N Thompson; K L Fritsche; J E Williams.

Professional Animal Scientist. Champaign. Dec 2007. Vol. 23, Iss. 6, p. 715 (6 pages)

Combining genetic test information and correlated phenotypic records for breeding value estimation/M L Spangler; J K Bertrand; R Rekaya.

Journal of Animal Science. Savoy. Mar 2007. Vol. 85, Iss. 3, p. 641 (9 pages)

Drought-Stressed Soybean Supplementation for Beef Cows/J D Steele; J P Banta; R P Wettemann; C R Krehbiel; D L Lalman.

Professional Animal Scientist. Champaign. Aug 2007. Vol. 23, Iss. 4, p. 358 (8 pages)

Effect of distillers grains or corn supplementation frequency on forage intake and digestibility/T W Loy; J C MacDonald; T J Klopfenstein; G E Erickson.
Journal of Animal Science. Savoy. Oct 2007. Vol. 85, Iss. 10, p. 2625 (6 pages)

Effectiveness of adjusting for heterogeneity of variance in genetic evaluation of Japanese Black cattle/H Nakaoka; A Narita; T Ibi; Y Sasae et al.
Journal of Animal Science. Savoy. Oct 2007. Vol. 85, Iss. 10, p. 2429 (8 pages)

Evaluation of Production Systems for Progeny of Beef Sires with Higher Marbling Expected Progeny Differences/J W Comerford; H W Harpster; K B Bryan; E H Cash; V H Baumer.
Professional Animal Scientist. Champaign. Aug 2007. Vol. 23, Iss. 4, p. 349 (9 pages)

Genetic and phenotypic relationships of feeding behavior and temperament with performance, feed efficiency, ultrasound, and carcass merit of beef cattle/J D Nkrumah, D H Crews Jr; J A Basarab; M A Price et al.
Journal of Animal Science. Savoy. Oct 2007. Vol. 85, Iss. 10, p. 2382 (9 pages)

Genetic and phenotypic relationships of serum leptin concentration with performance, efficiency of gain, and carcass merit of feedlot cattle/J D Nkrumah; D H Keisler; D H Crews Jr; J A Basarab et al.
Journal of Animal Science. Savoy. Sep 2007. Vol. 85, Iss. 9, p. 2147 (9 pages)

Genetic effects on acute phase protein response to the stresses of weaning and transportation in beef calves/X Qiu; J D Arthington; D G Riley; C C Chase Jr et al.
Journal of Animal Science. Savoy. Oct 2007. Vol. 85, Iss. 10, p. 2367 (8 pages)

Genetic relationships between growth and carcass traits and profitability in Japanese Brown cattle/A K Kahi; T Oguni; Y Sumio; H Hirooka.
Journal of Animal Science. Savoy. Feb 2007. Vol. 85, Iss. 2, p. 348 (8 pages)

Growth Performance and Carcass Characteristics of Finishing Steers Given an Oral Dose and Daily Supplement of Yucca-derived Sarsaponin/B E Dejenbusch; J S Drouillard; E R Loe; M A Greenquist; M E Corrigan.
Professional Animal Scientist. Champaign. Dec 2007. Vol. 23, Iss. 6, p. 681 (5 pages)

Maternal effects on docility in Limousin cattle/D W Beckman; R M Enns; S E Speidel; B W Brigham; D J Garrick.
Journal of Animal Science. Savoy. Mar 2007. Vol. 85, Iss. 3, p. 650 (8 pages)

Reproductive Performance of Beef Heifers Supplemented with Corn Gluten Feed and Rumen-Protected Fat before Breeding/N M Long; G M Hill; J F Baker; W M Graves et al.
Professional Animal Scientist. Champaign. Aug 2007. Vol. 23, Iss. 4, p. 316 (9 pages)

Ruminant Nutrition: Corn Milling Co-Products - Beef/Anonymous.
Journal of Animal Science. Savoy. 2007. Vol. 85, p. 409 (4 pages)

SCIENCEDIRECT

A 3-year field evaluation of pasture rotation and supplementary feeding to control parasite infection in first-season grazing cattle--Dynamics of pasture infectivity/ A. Larsson, S.-O. Dimander, A. Rydzik, A.Uggla, P.J. Waller, J. Hoglund
Veterinary Parasitology, Volume 145, Issues 1-2, , 10 April 2007, Pages 129-137.

Keywords : Ostertagia; Cooperia; Trichostrongylid larvae; Epidemiology; Pasture infectivity; Grazing management; Parasite control

A comparison of nutritionally-related blood metabolites among Nguni, Bonsmara and Angus steers raised on sweetveld/ T. Ndlovu, M. Chimonyo, A.I. Okoh, V. Muchenje, K. Dzama, S. Dube, J.G. Raats

The Veterinary Journal In Press, Corrected Proof, , Available online 25 October 2007.

Keywords : Nguni cattle; Exotic breeds; Natural pasture; Serum chemistry

A free-choice intake of mineral blocks in beef cows during the grazing season and in winter/ G. Chladek, D. Zapletal,

Livestock Science, Volume 106, Issue 1, , January 2007, Pages 41-46.

Keywords : Mineral blocks; Free-choice intake; Beef cows; Ca; P; Mg; Na; K

A review of composting as a management alternative for beef cattle feedlot manure in southern Alberta, Canada/ Francis J. Larney, Xiyang Hao

Bioresource Technology, Volume 98, Issue 17, , December 2007, Pages 3221-3227.

Keywords : Compost; Manure; Nutrients; Greenhouse gas emissions; Pathogens

A six-year study on respiratory viral infections in a bull testing facility/ S. Hagglund, M. Hjort, D.A. Graham, P. Ohagen, M. Tornquist, S. Alenius,

The Veterinary Journal, Volume 173, Issue 3, , May 2007, Pages 585-593.

Keywords : BRSV; PIV-3; BCoV; BCV; BVDV; Breed; Beef calves; Bovine respiratory disease

Accuracy of the n-alkane technique for intake estimates in beef cattle using different sampling procedures and feeding levels/ M. Oliván, L.M.M. Ferreira, R. Celaya, K. Osoro,

Livestock Science, Volume 106, Issue 1, , January 2007, Pages 28-40.

Keywords: Feeding level; Beef cattle; n-Alkanes; Intake

An alternative process for cleaning knives used on meat slaughter floors/ Ian Eustace, Jocelyn Midgley, Charles Giarrusso, Chris Laurent, Ian Jenson, John Sumner,

International Journal of Food Microbiology, Volume 113, Issue 1, , 1 January 2007, Pages 23-27.

Keywords : Meat industry; Knife cleaning; Alternative procedure; Australian Standard; Equivalence; Operator safety

An investigation of factors associated with the prevalence of verocytotoxin producing *Escherichia coli* O157 shedding in Scottish beef cattle/ G.J. Gunn, I.J. McKendrick, H.E. Ternent, F. Thomson-Carter, G. Foster, B.A. Synge
The Veterinary Journal, Volume 174, Issue 3, , November 2007, Pages 554-564.

Keywords : E. coli; VTEC O157; Cattle; Shedding prevalence; Risk factors

Analysis of changes in electric current intensity during high voltage electrical stimulation in the aspect of predicting the pH value of beef/ Ryszard Zywicka, Joanna Katarzyna Banach

Journal of Food Engineering, Volume 81, Issue 3, , August 2007, Pages 560-565.

Keywords : Electrical stimulation; Electric current intensity; pH; Beef; Prediction

Antimicrobial resistance in *Salmonella enterica* serovar Dublin isolates from beef and dairy sources/ Margaret A. Davis, Dale D. Hancock, Thomas E. Besser, Joshua B. Daniels, Katherine N.K. Baker, Douglas R. Call,

Veterinary Microbiology, Volume 119, Issues 2-4, , 31 January 2007, Pages 221-230.

Keywords : Salmonella enterica serovar Dublin; Antimicrobial drug resistance; Ceftazidime; Cattle

Antioxidant status and odour profile in fresh beef from pasture or grain-fed cattle/ A.M. Descalzo, L. Rossetti, G. Grigioni, M. Irurueta, A.M. Sancho, J. Carrete, N.A. Pensel,

Meat Science, Volume 75, Issue 2, , February 2007, Pages 299-307.

Keywords : Argentine beef; Pasture- and grain- fed cattle; Vitamin E supplementation; E-nose; FRAP; Antioxidant enzymes; Antioxidant status; ABTS; GSH

Artificial insemination increases the probability of a male calf in dairy and beef cattle/ D.P. Berry, A.R. Cromie,

Theriogenology, Volume 67, Issue 2, , 15 January 2007, Pages 346-352.

Keywords : Sex ratio; Cattle; Mating; Natural mating; Artificial insemination

Association between floor type and behaviour, skin lesions, and claw dimensions in group-housed fattening bulls/ Siegfried Platz, Frank Ahrens, Elisabeth Bahrs, Stefan Nuske, Michael H. Erhard,
Preventive Veterinary Medicine, Volume 80, Issues 2-3, , 16 July 2007, Pages 209-221.

Keywords : Beef cattle; Bulls' behaviour; Concrete slatted floor; Rubber mat; Skin lesion

Beef heifer production as affected by indoor feed intensity and slaughter age when grazing semi-natural grasslands in summer/ A. Hessle, E. Nadeau, S. Johnsson

Livestock Science, Volume 111, Issues 1-2, , August 2007, Pages 124-135.

Keywords : Beef heifers; Feed intensity; Slaughter age; Semi-natural grasslands

Biomass yield and nutritional quality of forage species under long-term irrigation with saline-sodic drainage water: Field evaluation/ H. Suyama, S.E. Benes, P.H. Robinson, G. Getachew, S.R. Grattan, C.M. Grieve,
Animal Feed Science and Technology, Volume 135, Issues 3-4, , 15 June 2007, Pages 329-345.

Keywords : Salt-tolerant forages; Drainage water re-use; Salinity; Selenium; Tall wheatgrass

Carcass, sensory, fat color, and consumer acceptance characteristics of Angus-cross steers finished on ryegrass (*Lolium multiflorum*) forage or on a high-concentrate diet/ C.R. Kerth, K.W. Braden, R. Cox, L.K. Kerth, D.L. Rankins Jr.,

Meat Science, Volume 75, Issue 2, , February 2007, Pages 324-331.

Keywords : Beef; Carcass traits; Consumer survey; Fat color; Forage; Sensory

Chronic *Neospora caninum* infection and repeat abortion in dairy cows: A 3-year study/ M. Pabon, F. Lopez-Gatius, I. Garcia-Ispuerto, G. Bech-Sabat, C. Nogareda, S. Almeria,

Veterinary Parasitology, Volume 147, Issues 1-2, , 20 June 2007, Pages 40-46.

Keywords : Neospora caninum; Chronic infection; Repeat abortion; Dairy cattle

Comparison of grazing behaviour, dietary overlap and performance in non-lactating domestic ruminants grazing on marginal heathland areas/ R. Celaya, M. Olivan, L.M.M. Ferreira, A. Martinez, U. Garcia, K. Osoro,
Livestock Science, Volume 106, Issues 2-3, , February 2007, Pages 271-281.

Keywords: Cattle; Diet selection; Goat; Gorse; Heather; Sheep

Conjugated linoleic acid content of beef differs by feeding regime and muscle/ C.L. Lorenzen, J.W. Golden, F.A. Martz, I.U. Grun, M.R. Ellersieck, J.R. Gerrish, K.C. Moore,
Meat Science, Volume 75, Issue 1, , January 2007, Pages 159-167.

Keywords: Beef; Conjugated linoleic acid; Muscle

Days to calving in artificially inseminated beef cows: Comparison of potential traits/ D.L. Robinson,
Livestock Science, Volume 110, Issues 1-2, , June 2007, Pages 174-180.

Keywords : Beef cattle; Female fertility; Artificial insemination; Days to calving

Detection of antibodies and risk factors for infection with bovine respiratory syncytial virus and parainfluenza virus-3 in beef cattle of Yucatan, Mexico/ J.J. Solis-Calderon, J.C. Segura-Correa, F. Aguilar-Romero, V.M. Segura-Correa
Preventive Veterinary Medicine, Volume 82, Issues 1-2, , 15 November 2007, Pages 102-110.

Keywords : Bovine respiratory syncytial virus; Parainfluenza virus-3; Prevalence; Risk factors; Tropics; Mexico

Development of DNA markers for discrimination between domestic and imported beef/ S. Sasazaki, H. Mutoh, K. Tsurifune, H. Mannen
Meat Science, Volume 77, Issue 2, , October 2007, Pages 161-166.

Keywords : Japanese Black; Holstein; Australian beef; AFLP; MC1R; Cattle

Difference in tenderness and pH decline between water buffalo meat and beef during postmortem aging/ K.E. Neath, A.N. Del Barrio, R.M. Lapitan, J.R.V. Herrera, L.C. Cruz, T. Fujihara, S. Muroya, K. Chikuni, M. Hirabayashi, Y. Kanai,

Meat Science, Volume 75, Issue 3, , March 2007, Pages 499-505.

Keywords : Buffalo; Tenderness; Troponin T; pH decline; Glycogen; Lactic acid; Myosin heavy chain

Dynamics of infections with gastrointestinal parasites and *Dictyocaulus viviparus* in dairy and beef cattle from Costa Rica/ A.E. Jimenez, V.M. Montenegro, J. Hernandez, G. Dolz, L. Maranda, J. Galindo, C. Epe, T.

Schnieder Veterinary Parasitology, Volume 148, Issues 3-4, , 30 September 2007, Pages 262-271.

Keywords : Infection dynamics; Gastrointestinal parasites; Dictyocaulus viviparus; Dairy and beef cattle farm; Costa Rica

Effect of information about animal welfare and product nutritional properties on acceptability of meat from Podolian cattle/ F. Napolitano, G. Caporale, A. Carlucci, E. Monteleone,

Food Quality and Preference, Volume 18, Issue 2, , March 2007, Pages 305-312.

Keywords : Podolian cattle; Beef; Information; Expectancy; Acceptance; Sensory; Animal welfare

Effect of low dose gamma irradiation on beef quality and fatty acid composition of beef intramuscular lipid/ Y.J. Chen, G.H. Zhou, X.D. Zhu, X.L. Xu, X.Y. Tang, F. Gao,

Meat Science Volume 75, Issue 3, , March 2007, Pages 423-431.

Keywords: Radiation; Beef; Fatty acid; TBARS; Total bacterial counts

Effect of tannin levels in sorghum silage and concentrate supplementation on apparent digestibility and methane emission in beef cattle/ Simone Gisele de Oliveira, Telma Teresinha Berchielli, Marcio dos Santos Pedreira, Odo Primavesi, Rosa Frighetto, Magda Aparecida Lima,

Animal Feed Science and Technology, Volume 135, Issues 3-4, , 15 June 2007, Pages 236-248.

Keywords : Global greenhouse gases; Nutritive value; Ruminal fermentation; Polyphenols

Effectiveness of movement-prevention regulations to reduce the spread of foot-and-mouth disease in The Netherlands/ A.G.J. Velthuis, M.C.M. Mourits

Preventive Veterinary Medicine, Volume 82, Issues 3-4, , 14 December 2007, Pages 262-281.

Keywords : Contact structure; Transport movements; Regulations; Foot-and-mouth disease; Simulation model; Prevention; Cattle

Effects of concentrate level of diet and pen configuration on prevalence of Escherichia coli O157 in finishing goats/ J.T. Fox, M. Corrigan, J.S. Drouillard, X. Shi, R.D. Oberst, T.G. Nagaraja

Small Ruminant Research, Volume 72, Issue 1, , September 2007, Pages 45-50.

Keywords: E. coli O157; Finishing goats; Concentrate diet

Effects of estradiol on gonadotrophin release, estrus and ovulation in CIDR-treated beef cattle/ M.F. Martinez, J.P. Kastelic, M.G. Colazo, R.J. Mapletoft, *Domestic Animal Endocrinology, Volume 33, Issue 1, , July 2007, Pages 77-90.*

Keywords: Cattle; CIDR; Estradiol; Gonadotrophins; Progesterone

Effects of fattening periods on the expression of adipogenic transcription factors in Wagyu beef cattle/ T. Yamada, S.-I. Kawakami, N. Nakanishi, *Meat Science, Volume 76, Issue 2, , June 2007, Pages 289-294.*

Keywords : C/EBP[alpha]; C/EBP[beta]; C/EBP[delta]; PPAR[gamma]; Beef cattle

Effects of oral vitamin D3 supplementation and supplement withdrawal on the accumulation of magnesium, calcium, and vitamin D in the serum, liver, and muscle tissue and subsequent carcass and meat quality of *Bos indicus* influenced cattle/ N.C. Tipton, D.A. King, J.C. Paschal, D.S. Hale, J.W. Savell,

Meat Science, Volume 75, Issue 1, , January 2007, Pages 150-158.

Keywords : Beef; Bos indicus; Carcass quality; Meat quality; Tenderness; Vitamin D3

Effects of pre-haul management and transport duration on beef calf performance and welfare/ Karen Shelley Schwartzkopf-Genswein, Mary Elizabeth Booth-McLean, Mohammad Abid Shah, Toby Entz, Susan Joan Bach, Gerald John Mears, Allan Lee Schaefer, Nigel Cook, John Church,

Tim Angus McAllister Applied Animal Behaviour Science Volume 108, Issues 1-2, , 10 December 2007, Pages 12-30.

Keywords: Cattle; Conditioning; Transport distance; Health

Effects of species and sex on plasma hormone and metabolite concentrations in crossbred Brahman cattle and crossbred water buffalo/ T. Ban-Tokuda, E.A. Orden, A.N. Barrio, R.M. Lapitan, C. Delavaud, Y. Chilliard, T. Fujihara, L.C. Cruz, H. Homma, Y. Kanai,

Livestock Science, Volume 107, Issues 2-3, , April 2007, Pages 244-252.

Keywords: Water buffalo; Cattle; Fattening

Effects of yard weaning and training on the behavioural adaptation of cattle to a feedlot/ K.H. Walker, L.R. Fell, L.A. Reddacliff, R.J. Kilgour, J.R. House, S.C. Wilson, P.J. Nicholls,

Livestock Science, Volume 106, Issues 2-3, , February 2007, Pages 210-217.

Keywords : Beef cattle; Feedlots; Stress; Adaptation; Weaning; Feeding behaviour; Performance

Emergency evaluation of grazing cattle in Argentina's Pampas/ G.C. Rotolo, T. Rydberg, G. Lieblein, C. Francis,

Agriculture, *Ecosystems & Environment*, Volume 119, Issues 3-4, , March 2007, Pages 383-395.

Keywords : Beef production; Pastures; Ruminant management; System evaluation; Production efficiency

Energy and nitrogen metabolism and insulin response to glucose challenge in lactating German Holstein and Charolais heifers/ N. Pareek, J. Voigt, O. Bellmann, F. Schneider, H.M. Hammon

Livestock Science, Volume 112, Issues 1-2, , *Special section: Non-Ruminant Nutrition Symposium*, October 2007, Pages 115-122.

Keywords : Dairy and beef heifers; Lactation; Energy and nitrogen balance; Protein turnover; Glucose; Insulin

Energy crops in Ireland: Quantifying the potential life-cycle greenhouse gas reductions of energy-crop electricity/ David Styles, Michael B. Jones

Biomass and Bioenergy, Volume 31, Issues 11-12, , November-December 2007, Pages 759-772.

Keywords : Miscanthus; SRC willow; Life-cycle assessment; Ireland; Greenhouse gas emissions; Agriculture

Enumeration and identification of *Campylobacter* species in the liver and bile of slaughtered cattle/ Maiko Enokimoto, Meiko Kubo, Yoshinobu Bozono, Yoshiko Mieno, Naoaki Misawa

International Journal of Food Microbiology, Volume 118, Issue 3, , 30 September 2007, Pages 259-263.

Keywords: Campylobacter species; Cattle; Bile; Liver; Abattoir

Extent of processing of barley grain did not affect productivity of lactating dairy cows/ G. McGregor, M. Oba, M. Dehghan-banadaky, R. Corbett

Animal Feed Science and Technology, Volume 138, Issues 3-4, , 15 November 2007, Pages 272-284.

Keywords : Dairy cows; Barley grain; Steam-rolling; Extent of processing; Milk fat depression

Farmer attitudes toward wolves: Implications for the role of predators in managing disease/ Astrid V. Stronen, Ryan K. Brook, Paul C. Paquet, Stephane Mclachlan,

Biological Conservation, Volume 135, Issue 1, , February 2007, Pages 1-10.
Keywords : Bovine Tuberculosis; Canis lupus; Cervus elaphus manitobensis; Elk; Logistic regression; Mycobacterium bovis; Transboundary

Fatty acids and tocopherol levels in M. Longissimus dorsi of beef cattle in Sweden - A comparison between seasonal diets/ Sofia Fredriksson Eriksson, Jana Pickova
Meat Science, Volume 76, Issue 4, , August 2007, Pages 746-754.
Keywords: Beef meat; Pasture; Phospholipids; Tocopherol

Feeding feedlot steers fish oil alters the fatty acid composition of adipose and muscle tissue/ T.J. Wistuba, E.B. Kegley, J.K. Apple, D.C. Rule
Meat Science Volume 77, Issue 2, , October 2007, Pages 196-203
Keywords: Beef cattle; Fatty acid; Fish oil; Longissimus thoracis

Feeding value for finishing beef steers of wheat grain conserved by different techniques/ P. Stacey, P. O'Kiely, A.P. Moloney, F.P. O'Mara,
Livestock Science, Volume 106, Issues 2-3, , February 2007, Pages 154-168.
Keywords : Wheat; Moist grain; Conservation; Storage; Feeding value; Cattle

Forage yield and quality under irrigation with saline-sodic drainage water: Greenhouse evaluation/ H. Suyama, S.E. Benes, P.H. Robinson, S.R. Grattan, C.M. Grieve, G. Getachew,
Agricultural Water Management, Volume 88, Issues 1-3, , 16 March 2007, Pages 159-172.
Keywords : Salt tolerance; Drainage water reuse; Salinity; Selenium; Boron; Tall wheatgrass; Forage quality; Forage yield

Frequency of luteinizing hormone pulses in cattle influences duration of persistence of dominant ovarian follicles, follicular fluid concentrations of steroids, and activity of insulin-like growth factor binding proteins/ F. N. Kojima, E. G. M. Bergfeld, M. E. Wehrman, A. S. Cupp, K. E. Fike, D. V.

Mariscal-Aguayo, T. Sanchez-Torres, M. Garcia-Winder, D. T. Clopton, A. J. Roberts, J. E. Kinder,
Animal Reproduction Science, Volume 77, Issues 3-4, , 15 July 2003, Pages 187-211.

Keywords : Progesterone; LH; Ovarian follicles; IGF-binding proteins; Cattle-endocrinology

Frequency of Shiga toxin-producing Escherichia coli (STEC) isolates among diarrheic and non-diarrheic calves in Brazil/ L. Leomil, L. Aidar-Ugrinovich, B. E. C. Guth, K. Irino, M. P. Vettorato, D. L. Onuma, A. F. P. de Castro,
Veterinary Microbiology, Volume 97, Issues 1-2, , 2 December 2003, Pages 103-109.

Keywords : Escherichia coli; Cattle-bacteria; PCR; stx genes; Ehly genes; STEC

Frozen storage stability of antioxidant-treated raw restructured beef steaks made from mature cows/ J.F. Stika, Y.L. Xiong, S.P. Suman, S.P. Blanchard, W.G. Moody
Meat Science, Volume 77, Issue 4, , December 2007, Pages 562-569.

Keywords : Antioxidant; Flavor; Mature beef; Lipid oxidation; Restructured beef; Frozen storage

Hair coat characteristics and sweating rate of Braford cows in Brazil/ Elaine Cristina Abaker Bertipaglia, Roberto Gomes da Silva, Vania Cardoso, Luis Alberto Fries
Livestock Science, Volume 112, Issues 1-2, , Special section: Non-Ruminant Nutrition Symposium, October 2007, Pages 99-108.

Keywords : Adaptation; Beef cattle; Genetic parameters; Hair coat; Sweating rate

How effective are broad-scale nutrient mass balances for determining the sustainability of lot-feed manure application?/ Matthew R. Redding, Alan Skerman, John Ritchie, Kenneth D. Casey, Agriculture,
Ecosystems & Environment, Volume 120, Issues 2-4, , May 2007, Pages 166-178.

Keywords: Nutrient mass balance; Manure; Cattle; Waste re-use

Husbandry practices, badger sett density and habitat composition as risk factors for transient and persistent bovine tuberculosis on UK cattle farms/
L.A. Reilly, O. Courtenay

Preventive Veterinary Medicine, Volume 80, Issues 2-3, , 16 July 2007, Pages 129-142.

Keywords : Bovine tuberculosis; Mycobacterium bovis; Case-control study; Risk factor; Epidemiology; Cattle; Farm management; Badger

Induction of cyclicity in postpartum anestrous beef cows using progesterone, GnRH and estradiol cypionate (ECP)/ J.E. Wheaton, G.C. Lamb

Animal Reproduction Science, Volume 102, Issues 3-4, , December 2007, Pages 208-216.

Keywords : Beef cattle; Postpartum anestrus; CIDR; GnRH; Estradiol cypionate

Intake and total and partial digestibility of nutrients, ruminal pH and ammonia concentration and microbial efficiency in beef cattle fed with diets containing sorghum (*Sorghum bicolor* (L.) Moench) silage and concentrate in different ratios/ Dalton Henrique Pereira, Odilon Gomes Pereira, Bruno Ceolin da Silva, Maria Ignez Leao, Sebastiao de Campos Valadares Filho, Fernanda Helena Martins Chizzotti, Rasmô Garcia,

Livestock Science, Volume 107, Issue 1, , March 2007, Pages 53-61.

Keywords : Chromic oxide; Crude protein; Ruminal parameters; Roughage

Interventions to reduce/eliminate *Escherichia coli* O157:H7 in ground beef/ M. Koochmaraie, T.M. Arthur, J.M. Bosilevac, D.M. Brichta-Harhay, N. Kalchayanand, S.D. Shackelford, T.L. Wheeler

Meat Science, Volume 77, Issue 1, , 53rd International Congress of Meat Science and Technology (53rd ICoMST), September 2007, Pages 90-96.

Keywords : Escherichia coli O157:H7; Non-O157 Shiga toxin-producing E. coli; Salmonella; Interventions; Test-and-hold

Isotype-specific antibody responses against Escherichia coli O157:H7 locus of enterocyte effacement proteins in adult beef cattle following experimental infection/ G. Bretschneider, E.M. Berberov, R.A. Moxley

Veterinary Immunology and

Immunopathology, Volume 118, Issues 3-4, , 15 August 2007, Pages 229-238.

Keywords : Escherichia coli O157:H7; Cattle; Type III secreted proteins; Locus of enterocyte effacement; Antibodies; Humoral immunity

Malic acid supplementation in growing/finishing feedlot bull calves: Influence of chemical form on blood acid-base balance and productive performance/ C. Castillo, J.L. Benedito, V. Pereira, P. Vazquez, M. Lopez Alonso, J. Mendez, J. Hernandez,

Animal Feed Science and Technology, Volume 135, Issues 3-4, , 15 June 2007, Pages 222-235.

Keywords: Malate salt; Malic acid; Beef cattle; Acid-base balance

Milk yield, age at first calving, and the risk of BSE: An analysis at the farm level in France/ C. La Bonnardiere, B. Bonaiti, D. Abrial, P. Gasqui, D. Calavas, C. Ducrot, J. Barnouin,

Preventive Veterinary Medicine, Volume 78, Issue 1, , January 2007, Pages 67-78.

Keywords : Epidemiology; BSE; Case control; Dairy herds; Milk yield; Age at first calving

Mineral content of longissimus dorsi thoracis from water buffalo and Zebu-influenced cattle at four comparative ages/ M. Giuffrida-Mendoza, L. Arenas de Moreno, S. Uzcategui-Bracho, G. Rincon-Villalobos, N. Huerta-Leidenz,

Meat Science, Volume 75, Issue 3, , March 2007, Pages 487-493.

Keywords: Water buffalo; Beef cattle; Minerals; Meat

Morphological assessment of beef cattle according to carcass value/ Jaime Alonso, Antonio Bahamonde, Alfonso Villa, Angel Rodriguez Castanon,

Livestock Science, Volume 107, Issues 2-3, , April 2007, Pages 265-273.

Keywords : Morphological assessment; Beef cattle; Carcass; Artificial Intelligence; Support Vector Machines (SVM)

On-line real time aid to the verification of CCP compliance in beef slaughter HACCP systems/ J.H. Ryan,

Food Control, Volume 18, Issue 6, , June 2007, Pages 689-696.

Keywords : Beef slaughter; Carcass contamination; Food safety; HACCP; On-line monitoring

Pipeline vs. truck transport of beef cattle manure/ Emad Ghafoori, Peter C. Flynn, John J. Feddes,

Biomass and Bioenerg, yVolume 31, Issues 2-3, , February-March 2007, Pages 168-175.

Keywords : Manure management; Manure transport; Digestate transport; Pipeline; Truck; Transportation costs

Pituitary, adrenal, immune and performance responses of mature Holstein x Friesian bulls housed on slatted floors at various space allowances/ S. Gupta, B. Earley, M.A. Crowe,

The Veterinary Journal, Volume 173, Issue 3, , May 2007, Pages 594-604.

Keywords : Cattle; Housing; Pituitary-adrenal-axis; Immune response; Haematology

Preliminary study of certain serotypes, genetic and antimicrobial resistance profiles of verotoxigenic Escherichia coli (VTEC) isolated in Bosnia and Germany from cattle or pigs and their products/ Theda von Muffling, Muhamed Smajilovic, Bernhard Nowak, Katharina Sammet, Michael Bulte, Gunter Klein,

International Journal of Food Microbiology, Volume 117, Issue 2, , 30 June 2007, Pages 185-191.

Keywords : VTEC; Serotypes; Genes; Antimicrobial resistance; Cattle; Beef; Pigs; Pork

Prevention of naturally occurring infectious bovine keratoconjunctivitis with a recombinant Moraxella bovis pilin-Moraxella bovis cytotoxin-ISCOM matrix adjuvanted vaccine/ John A. Angelos, Robert G. Bonifacio, Louise M. Ball, John F. Hess

Veterinary Microbiology, Volume 125, Issues 3-4, , 15 December 2007, Pages 274-283.

Keywords : Moraxella bovis; Cytotoxin; Pilin; Infectious bovine keratoconjunctivitis

Protease activity higher in postmortem water buffalo meat than Brahman beef/ K.E. Neath, A.N. Del Barrio, R.M. Lapitan, J.R.V. Herrera, L.C. Cruz, T. Fujihara, S. Muroya, K. Chikuni, M. Hirabayashi, Y. Kanai
Meat Science, Volume 77, Issue 3, , November 2007, Pages 389-396.

Keywords : Water buffalo; Tenderness; Protease activity; Inhibitor; Calpain; Calpastatin

Serotypes, virulence genes, and intimin types of Shiga toxin-producing Escherichia coli (STEC) and enteropathogenic E. coli (EPEC) isolated from calves in Sao Paulo, Brazil/ L. Aidar-Ugrinovich, J. Blanco, M. Blanco, J.E. Blanco, L. Leomil, G. Dahbi, A. Mora, D.L. Onuma, W.D. Silveira, A.F. Pestana de Castro, International Journal of Food Microbiology, Volume 115, Issue 3, , 20 April 2007, Pages 297-306. Keywords: Escherichia coli; STEC and EPEC; Serotypes; Intimin subtypes; Cattle; Sao Paulo, SP, Brazil

Sex determination in beef by melting curve analysis of PCR amplicons from the amelogenin locus/ Nicolai Z. Ballin, Knud G. Madsen Meat Science, Volume 77, Issue 3, , November 2007, Pages 384-388. Keywords: Real time PCR; Beef; Cattle; Sex determination; Amelogenin gene; Melting curve analysis

Sonoelasticity to monitor mechanical changes during rigor and ageing/ A. Ayadi, J. Culioli, S. Abouelkaram,
Meat Science, Volume 76, Issue 2, , June 2007, Pages 321-326.

Keywords : Sonoelasticity; Compression; pH; Biceps femoris; Rigor-mortis; Ageing

Temporal response of liver signal transduction elements during in vivo endotoxin challenge in cattle: Effects of growth hormone treatment/ Cong-Jun Li, Stanislaw Kahl, Donald Carbaugh, Theodore H. Elsasser,
Domestic Animal Endocrinology, Volume 32, Issue 2, , February 2007, Pages 79-92.

Keywords: Growth hormone; iNOS; LPS; MAPK; Signal transduction

The effect of weaning method on coccidial infections in beef calves/ Aaron S. Lucas, William S. Swecker, David S. Lindsay, Guillermo Scaglia, Francois C. Elvinger, Anne M. Zajac,
Veterinary Parasitology, Volume 145, Issues 3-4, , 30 April 2007, Pages 228-233.

Keywords: Eimeria; Cattle; Weaning; Stress

The epidemiology of animal trichinellosis in China,/ Z.Q. Wang, J. Cui, L.J. Shen,
The Veterinary Journal, Volume 173, Issue 2, , March 2007, Pages 391-398.

Keywords: Trichinellosis; Epidemiology; Animals; Quarantine; China

The use of infrared thermography as an early indicator of bovine respiratory disease complex in calves/ A.L. Schaefer, N.J. Cook, J.S. Church, J. Basarab, B. Perry, C. Miller, A.K.W. Tong
Research in Veterinary Science, Volume 83, Issue 3, , December 2007, Pages 376-384.

Keywords: Bovine respiratory disease; Early detection; Infrared

Titin-cap (TCAP) polymorphisms associated with marbling score of beef/ H.S. Cheong, D. Yoon, L.H. Kim, B.L. Park, H.W. Lee, C.S. Han, E.M. Kim, H. Cho, E.R. Chung, I. Cheong, H.D. Shin
Meat Science, Volume 77, Issue 2, , October 2007, Pages 257-263.

Keywords: TCAP; Marbling score; Cold carcass weight; Polymorphism

Toward culture of single gametes: The development of microfluidic platforms for assisted reproduction/ M.B. Wheeler, E.M. Walters, D.J. Beebe
Theriogenology, Volume 68, Supplement 1, , Proceedings of the International Conference on Farm Animal Reproduction - "From Egg to Embryo", International Conference on Farm Animal Reproduction, 1 September 2007, Pages S178-S189.

Keywords : Microfluidics; Embryo; Gamete; IVF; Embryo culture; Oocyte

Toxic effects seen in a herd of beef cattle following exposure to ash residues contaminated by lead and mercury/ R. Krametter-Froetscher, F. Tataruch, S. Hauser, M. Leschnik, A. Url, W. Baumgartner,

The Veterinary Journal, Volume 174, Issue 1, , July 2007, Pages 99-105.

Keywords: Poisoning; Lead; Mercury; Ash residues; Seizures

Transportation stress in young bulls alters expression of neutrophil genes important for the regulation of apoptosis, tissue remodeling/ K.R. Buckham Sporer, J.L. Burton, B. Earley, M.A. Crowe, *margination, and anti-bacterial function, Veterinary Immunology and Immunopathology, Volume 118, Issues 1-2, , 15 July 2007, Pages 19-29.*

Keywords: Transportation stress; Neutrophils; Cortisol; Gene expression; Beef cattle

Using contact logging devices to explore animal affiliations: Quantifying cow-calf interactions/ David Lloyd Swain, Gregory John Bishop-Hurley, *Applied Animal Behaviour Science Volume 102, Issues 1-2, , January 2007, Pages 1-11.*

Keywords: Maternal; Beef cattle; Contact logger; Behaviour; Parentage

Vegetation dynamics in Mediterranean forest pastures as affected by beef cattle grazing, Agriculture/ I. Casaus, A. Bernues, A. Sanz, D. Villalba, J.L. Riedel, R. Revilla

Ecosystems & Environment, Volume 121, Issue 4, , August 2007, Pages 365-370.

Keywords : Mountain pastures; Vegetation dynamics; Grazing; Browsing; Shrub encroachment

BIBLIOGRAFI 2008

PROQUEST

Chemical and sensory properties of beef of known source and finished on wet distillers grains diets containing varying types and levels of roughage/B E Jenschke; J R Benton; C R Calkins; T P Carr et al

Journal of Animal Science. Savoy. Apr 2008. Vol. 86, Iss. 4, p. 949 (11 pages)

Development and evaluation of empirical equations to interconvert between twelfth-rib fat and kidney, pelvic, and heart fat respective fat weights and to predict initial conditions of fat deposition models for beef cattle/ M J McPhee; J W Oltjen; J G Fadel; D Perry; R D Sainz

Journal of Animal Science. Savoy. Aug 2008. Vol. 86, Iss. 8, p. 1984

Effects of 2-hydroxy-4-(methylthio)-butanoic acid on performance and carcass characteristics of finishing beef cattle and on fermentation in continuous culture/ K R Wilson; C S Abney; J T Vasconcelos; M Vázquez-Añón et al

Journal of Animal Science. Savoy. Aug 2008. Vol. 86, Iss. 8, p. 1951 (12 pages)

Effects of preshipping management on measures of stress and performance of beef steers during feedlot receiving/ J D Arthington; X Qiu; R F Cooke; J M B Vendramini et al.

Journal of Animal Science. Savoy. Aug 2008. Vol. 86, Iss. 8, p. 2016 (8 pages)

Effects of supplemental fat on growth performance and quality of beef from steers fed corn finishing diets/M L Nelson; J R Busboom; C F Ross; J V O'Fallon.

Journal of Animal Science. Savoy. Apr 2008. Vol. 86, Iss. 4, p. 936 (13 pages)

Effects of the myostatin F94L substitution on beef traits/A K Esmailizadeh; C D K Bottema; G S Sellick; A P Verbyla et al.
Journal of Animal Science. Savoy. May 2008. Vol. 86, Iss. 5, p. 1038 (9 pages)

Evaluation of carcass characteristics of *Bos indicus* and tropically adapted *Bos taurus* breeds selected for postweaning weight/ S F M Bonilha; L O Tedeschi; I U Packer; A G Razook et al..
Journal of Animal Science. Savoy. Aug 2008. Vol. 86, Iss. 8, p. 1770 (11 pages)

Forage systems for cow-calf production in the Appalachian region/ G Scaglia; W S Swecker Jr; J P Fontenot; D Fiske et al.
Journal of Animal Science. Savoy. Aug 2008. Vol. 86, Iss. 8, p. 2032 (11 pages)

Impact of beef cattle diets containing corn or sorghum distillers grains on beef color, fatty acid profiles, and sensory attributes/R K Gill; D L VanOverbeke; B Deppenbusch; J S Drouillard; A DiCostanzo.
Journal of Animal Science. Savoy. Apr 2008. Vol. 86, Iss. 4, p. 923 (13 pages)

Interspace/Undercanopy Foraging Patterns of Beef Cattle in Sagebrush Habitats/Kevin A France; Dave C Ganskopp; Chad S Boyd.
Rangeland Ecology and Management. Lawrence. Jul 2008. Vol. 61, Iss. 4, p. 389 (5 pages)

Technical note: A novel technique to assess internal body fat of cattle by using real-time ultrasound/F R B Ribeiro; L O Tedeschi; J R Stouffer; G E Carstens.
Journal of Animal Science. Savoy. Mar 2008. Vol. 86, Iss. 3, p. 763 (5 pages)

Transportation of young beef bulls alters circulating physiological parameters that may be effective biomarkers of stress/K R Buckham Sporer; P S D Weber; J L Burton; B Earley; M A Crowe.
Journal of Animal Science. Savoy. Jun 2008. Vol. 86, Iss. 6, p. 1325 (10 pages)

Use of 25-hydroxyvitamin D³ and dietary calcium to improve tenderness of beef from the round of beef cows/K M Carnagey; E J Huff-Lonergan; S M Lonergan; A Trenkle et al.
Journal of Animal Science. Savoy. Jul 2008. Vol. 86, Iss. 7, p. 1637 (12 pages)

SCIENCEDIRECT

A human health risk assessment for macrolide-resistant *Campylobacter* associated with the use of macrolides in Danish pig production/ Lis Alban, Elisabeth Okholm Nielsen, Jan Dahl
Preventive Veterinary Medicine Volume 83, Issue 2, , 1 February 2008, Pages 115-129.

Keywords : Campylobacter; Risk assessment; Antibiotic resistance; Human health risk; Macrolide

A review of natural antioxidants and their effects on oxidative status, odor and quality of fresh beef produced in Argentina,/ A.M. Descalzo, A.M. Sancho,
Meat Science Volume 79, Issue 3, , Beef Up Your Tango - Meat Research in Argentina, July 2008, Pages 423-436.

Keywords : [alpha]-Tocopherol; [beta]-Carotene; Glutathione; Ascorbic acid;

Antioxidant activity; Antioxidant enzymes; Lipid and protein oxidation; Argentine beef

A simplified method for cholesterol determination in meat and meat products,/ T.T.N. Dinh, J.R. Blanton Jr., J.C. Brooks, M.F. Miller, L.D. Thompson,
Journal of Food Composition and Analysis Volume 21, Issue 4, , June 2008, Pages 306-314.

Keywords : Cholesterol determination; Gas chromatography; Method validation; Longissimus muscle; Beef cattle; Cattle breeds; Angus; Brahman; Romosinuano

Ability of near infrared reflectance spectroscopy (NIRS) to estimate physical parameters of adult steers (oxen) and young cattle meat samples,/ N. Prieto, S. Andres, F.J. Giraldez, A.R. Mantecon, P. Lavin,
Meat Science Volume 79, Issue 4, , August 2008, Pages 692-699.

Keywords: Beef; Meat; Physical parameters; NIRS

Accounting for numbers of expressions of specific genotypes using a modified gene-flow method/ M. Nishio, A.K. Kahi, H. Hirooka
Livestock Science Volume 114, Issues 2-3, , April 2008, Pages 241-250.

Keywords: Gene-flow; Genotype; Cumulative discounted expressions

Adaptation and change in Queensland's rangelands: Cell grazing as an emerging ideology of pastoral-ecology/ Carol Richards, Geoffrey Lawrence,
Land Use Policy In Press, Corrected Proof, , Available online 19 October 2008.

Keywords : Cell grazing; Broadscale grazing; Beef production; Sustainability; Productivism; Australia

AMP-activated protein kinase is negatively associated with intramuscular fat content in longissimus dorsi muscle of beef cattle,/ K.R. Underwood, W.J. Means, M.J. Zhu, S.P. Ford, B.W. Hess, M. Du,
Meat Science Volume 79, Issue 2, , June 2008, Pages 394-402.

Keywords : AMP-activated protein kinase; Intramuscular fat; Marbling; Lean growth; Beef; Quality

Future prospects pathological and immunohistochemical studies of *Mycoplasma bovis* respiratory infection in veal calves and adult cattle at slaughter/ E. Radaelli, M. Luini, G.R. Loria, R.A.J. Nicholas, E. Scanziani,
Bacteriological, serological, Research in Veterinary Science Volume 85, Issue 2, , October 2008, Pages 282-290.

Assessing familial aggregation of paratuberculosis in beef cattle of unknown pedigree/ Jason B. Osterstock, Geoffrey T. Fosgate, James N. Derr, Noah D. Cohen, Allen J. Roussel
Preventive Veterinary Medicine Volume 84, Issues 1-2, , 17 April 2008, Pages 121-134.

Keywords : Beef-herd monitoring; Cattle-microbiological disease; ELISA; Genetics; Johne's disease; Mycobacterium avium subsp. paratuberculosis

Association between animal, transportation, slaughterhouse practices, and meat pH in beef/ N. Mach, A. Bach, A. Velarde, M. Devant
Meat Science Volume 78, Issue 3, , March 2008, Pages 232-238.

Keywords: Beef; Meat pH; Pre-slaughter management

Boland, Intake, digestibility, rumen fermentation and performance of beef cattle fed diets based on whole-crop wheat or barley harvested at two cutting heights relative to maize silage or ad libitum concentrates/ K. Walsh, P. O'Kiely, A.P. Moloney, T.M.,
Animal Feed Science and Technology Volume 144, Issues 3-4, , 15 July 2008, Pages 257-278.

Keywords : Maize; Whole-crop wheat; Whole-crop barley; Cutting height; Ad libitum concentrates

Boland, Intake, performance and carcass characteristics of beef cattle offered diets based on whole-crop wheat or forage maize relative to grass silage or ad libitum concentrates./ K. Walsh, P. O'Kiely, A.P. Moloney, T.M.
Livestock Science Volume 116, Issues 1-3, , July 2008, Pages 223-236.

Keywords : Maize; Whole-crop wheat; Ad libitum concentrates; Cattle; Feed intake; Growth rate

Boland, P. O'Kiely, Intake, rumen fermentation and nutrient flow to the omasum in beef cattle fed grass silage fortified with sucrose and/or supplemented with concentrate./ D. Owens, M. McGee, T.
Animal Feed Science and Technology Volume 144, Issues 1-2, , 23 June 2008, Pages 23-43.

Keywords : Beef cattle; Grass silage; Nutrient flow; Supplementation; Water-soluble carbohydrates

Breed assignment test in four Italian beef cattle breeds/C. Dalvit, M. De Marchi, R. Dal Zotto, M. Gervaso, T. Meuwissen, M. Cassandro,
Meat Science Volume 80, Issue 2, , October 2008, Pages 389-395.

Keywords: Beef breeds; Assignment test; Microsatellites

Breed variation in the chemical and fatty acid compositions of the Longissimus dorsi muscle in Czech Fleckvieh and Montbeliarde cattle/ D. Zapletal, G. Chladek, J. Subrt

*Livestock Science*In Press, Corrected Proof, , Available online 21 October 2008.

Keywords: Fatty acids; Czech Fleckvieh; Montbeliarde; Breeds; Beef

Cattle generalise visual cues from the pen to the field to select initial feeding patches/ Wilma J. Renken, Larry D. Howery, George B. Ruyle, R. Mark Enns
*Applied Animal Behaviour Science*Volume 109, Issues 2-4, , February 2008, Pages 128-140.

Keywords : Cattle; Generalisation; Visual cues; Patch selection; Foraging behaviour; Rangelands

Coastal meadows as pastures for beef cattle, Agriculture/ Marika Niemela, Arto Huuskonen, Sari Jaakola, Erkki Joki-Tokola, Marko Hyvarinen
*Ecosystems & Environment*Volume 124, Issues 3-4, , April 2008, Pages 179-186.

Keywords : Beef cattle; Forage; Coastal meadow; Semi-natural grassland; Eutrophication; Biodiversity

Colour, composition and quality of M. longissimus dorsi and M. extensor carpi radialis of steers housed on straw or concrete slats or accommodated outdoors on wood-chips,/ P.G. Dunne, J. Rogalski, T. Moreno, F.J. Monahan, P. French, A.P. Moloney,
*Meat Science*Volume 79, Issue 4, , August 2008, Pages 700-708.

Keywords: Beef; Cattle;

Comparative analysis of two dynamic mechanistic models of beef cattle growth/ F. Garcia, R.D. Sainz, J. Agabriel, L.G. Barioni, J.W. Oltjen,
*Animal Feed Science and Technology*Volume 143, Issues 1-4, , Mathematical Models that Predict the Effects of Feed Characteristics on Animal Performance, 22 May 2008, Pages 220-241.

Keywords: Beef cattle growth; Comparative analysis; Body composition

Comparative pharmacokinetics of an injectable cephalexin suspension in beef cattle/ S. Waxman Dova, G. Albarellos, V. Kreil, L. Montoya, L. Ambros, R. Hallu, M. Rebuelto,
Research in Veterinary Science Volume 85, Issue 3, , December 2008, Pages 570-574.

Keywords : Comparative pharmacokinetics; Cattle; Age; Route of administration; Cephalexin

Comparison of fresh beef and camel meat proteolysis during cold storage/ Nafiseh Soltanzadeh, Mahdi Kadivar, Javad Keramat, Mohammad Fazilati,
Meat Science Volume 80, Issue 3, , November 2008, Pages 892-895.

Keywords : Camel meat; Beef; Semitendinosus; SDS-PAGE; Myofibrillar fragmentation index; Postmortem pH

Composition and quality differences between the longissimus and infraspinatus muscles for several groups of pasture-finished cattle/ R.W. Purchas, M. Zou,
Meat Science Volume 80, Issue 2, , October 2008, Pages 470-479.

Keywords : Beef tenderness; Beef colour; Fatty acids; Coenzyme Q10, Taurine; Carnosine

Conceptus-related measurements during the first trimester of bovine pregnancy/ George A. Riding, Sigrid A. Lehnert, Andrew J. French, Jonathan R. Hill
The Veterinary Journal Volume 175, Issue 2, , February 2008, Pages 266-272.

Keywords : Bovine; Conceptus fluid; Fetometry; First trimester; Pregnancy

Cooling and feeding strategies to reduce heat load of grain-fed beef cattle in intensive housing/ J.B. Gaughan, T.L. Mader, S.M. Holt
Livestock Science Volume 113, Issues 2-3, , February 2008, Pages 226-233.

Keywords: Cattle; Heat stress; Housing; Cooling; Diet

Correlations between carcass traits and mRNA levels of CGI-105 and CCAAT/enhancer protein [alpha] genes in steers of Korean cattle,/ Ju H. Yun, Jin J. Bong, Kyuho Myung, Myunggi Baik,

*Livestock Science*In Press, Corrected Proof, , Available online 15 August 2008.

Keywords: Korean cattle; Marbling; CGI-105; C/EBP[alpha]

Days to calving in artificially inseminated cattle: Alternative models and analyses,/ D.L. Robinson,

*Livestock Science*Volume 117, Issue 1, , August 2008, Pages 34-42.

Keywords : Beef cattle; Female fertility; Artificial insemination; Days to calving; Calving interval; AIDC

Decreasing the interval between GnRH and PGF2[alpha] from 7 to 5 days and lengthening proestrus increases timed-AI pregnancy rates in beef cows/ G.A. Bridges, L.A. Helser, D.E. Grum, M.L. Mussard, C.L. Gasser, M.L. Day
*Theriogenology*Volume 69, Issue 7, , 15 April 2008, Pages 843-851.

Keywords : Cattle; Estrous synchronization; Timed-AI; CO-Synch; CIDR

Dependence of microbial transglutaminase on meat type in myofibrillar proteins cross-linking/ Abdulatef Mrghni Ahhmed, Rumiko Kuroda, Satoshi Kawahara, Kazuyoshi Ohta, Koji Nakade, Takayoshi Aoki, Michio Muguruma,

*Food Chemistry*Volume 112, Issue 2, , 15 January 2009, Pages 354-361.

Keywords : Meat proteins; Myofibrils; Transglutaminase; Breaking strength; [epsilon]([gamma]-Gultamyl)lysine content

Detection of Babesia bigemina in cattle of different genetic groups and in Rhipicephalus (Boophilus) microplus tick,/ M.C.S. Oliveira, T.C.G. Oliveira-Sequeira, L.C.A. Regitano, M.M. Alencar, T.A. Neo, A.M. Silva, H.N. Oliveira,

*Veterinary Parasitology*Volume 155, Issues 3-4, , 17 August 2008, Pages 281-286.

Keywords: Beef cattle; Tick; Babesiosis; PCR

Development and validation of a probabilistic second-order exposure assessment model for Escherichia coli O157:H7 contamination of beef trimmings from Irish meat plants/ E. Cummins, P. Nally, F. Butler, G. Duffy, S. O'Brien

Meat Science Volume 79, Issue 1, , May 2008, Pages 139-154.

Keywords : Exposure assessment; Simulation; Escherichia coli O157:H7; Beef

Dietary n-3 polyunsaturated fatty acids alter the expression of genes involved in prostaglandin biosynthesis in the bovine uterus/ G.S. Coyne, D.A. Kenny, S. Childs, J.M. Sreenan, S.M. Waters,

Theriogenology Volume 70, Issue 5, , 15 September 2008, Pages 772-782.

Keywords: n-3 PUFA; Prostaglandin; Uterus; Gene expression; Cattle

Dietary supplementation of ruminant diets with an *Aspergillus oryzae* [alpha]-amylase,/ J.M. Tricarico, J.D. Johnston, K.A. Dawson,

Animal Feed Science and Technology Volume 145, Issues 1-4, , Enzymes, Direct Fed Microbials and Plant Extracts in Ruminant Nutrition, 14 August 2008, Pages 136-150.

Keywords: [alpha]-Amylase; Aspergillus oryzae; Ruminants

Diversity of virulence profiles of Shiga toxin-producing *Escherichia coli* serotypes in food-producing animals in Brazil/ Murilo Gomes Oliveira, Jose Renaldi Feitosa Brito, Tania Aparecida Tardelli Gomes, Beatriz Ernestina Cabilio Guth, Monica Aparecida Midolli Vieira, Zita Valeria Furtado Naves, Tania Mara Ibelli Vaz, Kinue Irino,

International Journal of Food Microbiology Volume 127, Issues 1-2, , 30 September 2008, Pages 139-146.

Keywords : Escherichia coli; Shiga toxin; STEC serotypes; O157:H7; Genotypes; Virulence markers

Effect of a short duration feed withdrawal followed by full feeding on marbling fat in beef carcasses./ P.S. Mir, K.S. Schwartzkopf-Genswein, T. Entz, K.K. Klein, E. Okine, M.V. Dodson,

Livestock Science Volume 116, Issues 1-3, , July 2008, Pages 22-29.

Keywords : Feed withdrawal; Carcass characteristics; Marbling score; Dissected fat; Adipocyte enumeration

Effect of dietary iodine on growth and iodine status of growing fattening bulls./ Ulrich Meyer, Kristin Weigel, Friedrich Schone, Matthias Leiterer, Gerhard Flachowsky,

Livestock Science Volume 115, Issues 2-3, , June 2008, Pages 219-225.

Keywords : Growing fattening bulls; Dietary iodine; Growth performance; Iodine status

Effect of early weaning on performance, carcass and meat quality of spring-born bull calves raised in dry mountain areas./ M. Blanco, G. Ripoll, P. Alberti, A. Sanz, R. Revilla, D. Villalba, I. Casaus,

Livestock Science Volume 115, Issues 2-3, , June 2008, Pages 226-234.

Keywords : Beef cattle; Early weaning; Performance; Carcass quality; Meat quality

Effect of grass regrowth interval on intake, rumen digestion and nutrient flow to the omasum in beef cattle./ D. Owens, M. McGee, T. Boland,

Animal Feed Science and Technology Volume 146, Issues 1-2, , 15 September 2008, Pages 21-41.

Keywords: Beef cattle; Maturity; Nutrient flow; Perennial ryegrass

Effect of level of dietary n-3 polyunsaturated fatty acid supplementation on systemic and tissue fatty acid concentrations and on selected reproductive variables in cattle./ S. Childs, A.A. Hennessy, J.M. Sreenan, D.C. Wathes, Z. Cheng, C. Stanton, M.G. Diskin, D.A. Kenny,

Theriogenology Volume 70, Issue 4, , 1 September 2008, Pages 595-611.

Keywords: Fish oil; Reproduction; PGFM; EPA; DHA

Effect of organic or inorganic trace mineral supplementation on follicular response./ G. Cliff Lamb, Daniel R. Brown, Jamie E. Larson, Carl R. Dahlen, Nicolas DiLorenzo, John D. Arthington, Alfredo DiCostanzo,

ovulation, and embryo production in superovulated Angus heifers, Animal Reproduction Science Volume 106, Issues 3-4, , July 2008, Pages 221-231.

Keywords : Cattle-embryo transfer; Beef heifers; Mineral supplementation

Effect of the administration of young oak (*Quercus pyrenaica*) leaves to cattle on ruminal fermentation./ R.R. Doce, G. Hervas, A. Belenguer, P.G. Toral, F.J. Giraldez, P. Frutos,
*Animal Feed Science and Technology*In Press, Corrected Proof, , Available online 24 September 2008.

Keywords : Beef cattle; In vitro gas production; Pyrenean oak; Hydrolysable tannin

Effect of the feeding system on intramuscular fatty acids and conjugated linoleic acid isomers of beef cattle, with emphasis on their nutritional value and discriminatory ability/ Cristina P.M. Alfaia, Susana P. Alves, Susana I.V. Martins, Carlos M.G.A. Fontes, Jose P.C. Lemos, Rui J.B. Bessa, Jose A.M. Prates,
*Food Chemistry*In Press, Accepted Manuscript, , Available online 29 October 2008.

Effects of an exogenous enzyme, Roxazyme(R) G2, on intake, digestion and utilisation of sorghum and barley grain-based diets by beef steers./ D.R. Miller, R. Elliott, B.W. Norton,
*Animal Feed Science and Technology*Volume 145, Issues 1-4, , Enzymes, Direct Fed Microbials and Plant Extracts in Ruminant Nutrition, 14 August 2008, Pages 159-181.

Keywords : Enzymes; Grain; Digestion; Feed intake; Weight gain; Efficiency

Effects of breed and a concentrate or grass silage diet on beef quality in cattle of 3 ages. I: Animal performance, carcass quality and muscle fatty acid composition/ H.E. Warren, N.D. Scollan, M. Enser, S.I. Hughes, R.I. Richardson, J.D. Wood
*Meat Science*Volume 78, Issue 3, , March 2008, Pages 256-269.

Keywords: Beef; Fatty acids; Health; Forage; Grass; Age; Breed

Effects of breed and a concentrate or grass silage diet on beef quality in cattle of 3 ages. II: Meat stability and flavour/ H.E. Warren, N.D. Scollan, G.R. Nute, S.I. Hughes, J.D. Wood, R.I. Richardson
*Meat Science*Volume 78, Issue 3, , March 2008, Pages 270-278.

Keywords: Beef; Sensory quality; Vitamin E; Colour; Lipid stability

Effects of breed type and supplementation during grazing on carcass traits and meat quality of bulls fattened on improved savannah,/ Nancy Jerez-Timaure, Nelson Huerta-Leidenz,

*Livestock Science*In Press, *Corrected Proof*, , Available online 30 July 2008.

Keywords : Breed type; Beef cattle; Carcass; Brahman; Bulls; Supplementation

Effects of cereals and/or protein supplement extrusion on diet utilisation and performance of intensively reared cattle,/ E. Solanas, C. Castrillo, M. Fondevila, Q.O. Ruiz Narvaez, J.A Guada,

*Livestock Science*Volume 117, *Issues 2-3*, , September 2008, Pages 203-214.

Keywords: Beef cattle; Extrusion; Digestibility; Growth

Effects of early weaning and breed on calf performance and carcass and meat quality in

autumn-born bull calves,/ M. Blanco, D. Villalba, G. Ripoll, H. Sauerwein, I. Casasus,

*Livestock Science*In Press, *Corrected Proof*, , Available online 24 June 2008.

Keywords : Age at weaning; Breed; Performance; Carcass quality; Meat quality; Beef cattle

Effects of Fermenten(R) supplementation to beef cattle/ R.F. Cooke, N. DiLorenzo, A. DiCostanzo, J.V. Yelich, J.D. Arthington,

*Animal Feed Science and Technology*In Press, *Corrected Proof*, , Available online 14 October 2008.

Keywords : Ammonia; Beef heifers; Development; Fermenten(R); Reproduction

Effects of glycerol on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers,/ C. Wang, Q. Liu, W.J. Huo, W.Z. Yang, K.H. Dong, Y.X. Huang, G. Guo,

*Livestock Science*In Press, *Corrected Proof*, , Available online 26 June 2008.

Keywords : Glycerol; Rumen fermentation; Purine derivatives; Digestibility; Beef cattle

Effects of increasing crude protein concentrations on performance and carcass characteristics of growing and finishing steers and heifers/ C.R. Bailey, G.C. Duff, S.R. Sanders, J.L. Treichel, L.H. Baumgard, J.A. Marchello, D.W. Schafer, C.P. McMurphy

Animal Feed Science and Technology Volume 142, Issues 1-2, , 15 April 2008, Pages 111-120.

Keywords: Beef cattle; Dietary CP; Gender

Effects of lanthanum on rumen fermentation, urinary excretion of purine derivatives and digestibility in steers/ Q. Liu, C. Wang, Y.X. Huang, K.H. Dong, W.Z. Yang, H. Wang

Animal Feed Science and Technology Volume 142, Issues 1-2, , 15 April 2008, Pages 121-132.

Keywords : Rare earth elements; Rumen fermentation; Digestibility; Urinary purine derivatives; Beef cattle

Effects of maceration of rice straw on voluntary intake and performance of growing beef cattle fed rice straw-based rations./ G.A. Nader, P.H. Robinson, *Animal Feed Science and Technology* Volume 146, Issues 1-2, , 15 September 2008, Pages 74-86.

Keywords: Rice straw; Maceration; Digestibility; Intake; Weight gain

Effects of plasma progesterone concentrations on LH release and ovulation in beef cattle given GnRH/ Marcos G. Colazo, John P. Kastelic, Hannah Davis, Mary D. Rutledge, Marcelo F. Martinez, Julie A. Small, Reuben J. Mapletoft *Domestic Animal Endocrinology* Volume 34, Issue 1, , January 2008, Pages 109-117.

Keywords: GnRH; LH release; Ovulation; Progesterone; Beef cattle

Effects of progesterone presynchronization and eCG on pregnancy rates to GnRH-based, timed-AI in beef cattle, *Theriogenology* In Press, Corrected Proof/ J.A. Small, M.G. Colazo, J.P. Kastelic, R.J. Mapletoft,, Available online 1 November 2008.

Keywords : Estrus synchronization; Timed-AI; Presynchronization; Ovarian follicular development; Cattle

Effects of supplementary concentrate level in winter, and subsequent finishing on pasture or indoors, on performance and carcass traits of Holstein-Friesian,/ M.G. Keane, M.J. Drennan, Aberdeen Angus x Holstein-Friesian and Belgian Blue x Holstein-Friesian steers,
*Livestock Science*In Press, Corrected Proof, , Available online 4 September 2008.

Keywords: Beef cattle; Crossbreeds; Finishing systems; Pasture

Effects of temperature conditioning on postmortem changes in physico-chemical properties in Korean native cattle (Hanwoo)/ L.H. Yu, D.G. Lim, S.G. Jeong, T.S. In, J.H. Kim, C.N. Ahn, C.J. Kim, B.Y. Park
*Meat Science*Volume 79, Issue 1, , May 2008, Pages 64-70.

Keywords : Postmortem chilling; pH; Glycogen; Sarcomere length; Shear force

Effects of treatment with GnRH from 4 to 8 weeks of age on the attainment of sexual maturity in bull calves/ S. Madgwick, E.T. Bagu, R. Duggavathi, P.M. Bartlewski, D.M.W. Barrett, S. Huchkowsky, S.J. Cook, A.P. Beard, N.C. Rawlings
*Animal Reproduction Science*Volume 104, Issues 2-4, , 3 March 2008, Pages 177-188.

Keywords: Puberty; Reproductive development; GnRH; LH; Cattle

Effects of vitamin A on growth performance and carcass quality in steers/ Z.A. Kruk, C.D.K. Bottema, J.J. Davis, B.D. Siebert, G.S. Harper, J. Di, W.S. Pitchford
*Livestock Science*In Press, Corrected Proof, , Available online 15 April 2008.

Keywords: Beef cattle; Marbling; Carcass quality; Vitamin A; Retinol

Effects of vitamin A supplementation and weaning age on serum and liver retinol concentrations, carcass traits, and lipid composition in market beef cattle,/A.M. Arnett, M.E. Dikeman, M.J. Daniel, K.C. Olson, J. Jaeger, J. Perrett,
*Meat Science*In Press, Accepted Manuscript, , Available online 26 October 2008.

Energy supply patterns for finishing steers: Feed conversion efficiency, components of bodyweight gain and meat quality/ A.P. Moloney, M.G. Keane, M.T. Mooney, K. Rezek, F.J.M. Smulders, D.J. Troy
Meat Science Volume 79, Issue 1, , May 2008, Pages 86-97.

Keywords : Beef; Energy; Muscle growth; Tenderness; Calpains; Sensory analysis

Epidemiology and disease control in everyday beef practice,/ R.L. Larson,
Theriogenology Volume 70, Issue 3, , *Proceedings of the Annual Conference of the Society for Theriogenology, The Society for Theriogenology 2008 Annual Conference, August 2008, Pages 565-568.*

Keywords: Epidemiology; Biosecurity; Disease control

Estimation of effective population size using bivariate discrete distributions for modeling family size in beef cattle,/ L. Ron Garrido, A.N. Birchmeier, S. Munilla, R.J.C. Cantet,

Livestock Science Volume 117, Issue 1, , August 2008, Pages 43-51.

Keywords : Brangus; Effective population size; Family size; Bivariate discrete distributions; Overdispersion; selection

Evaluation of dry matter intake and daily weight gain predictions of the Cornell Net Carbohydrate and Protein System with local breeds of beef cattle in China/ J.S. Zhao, Z.M. Zhou, L.P. Ren, Y.Q. Xiong, J.P. Du, Q.X. Meng,
Animal Feed Science and Technology Volume 142, Issues 3-4, , 1 May 2008, Pages 231-246.

Keywords : CNCPS model; China local beef cattle breed; Dry matter intake; Average daily gain

Evaluation of post mortem stability of porcine skeletal muscle RNA/ L. Fontanesi, M. Colombo, F. Beretti, V. Russo,
Meat Science Volume 80, Issue 4, , December 2008, Pages 1345-1351.

Keywords : Skeletal muscle; Meat; Postmortem gene expression; Pig; RNA quality

Evaluation of vaginal electrical resistance as an indicator of follicular maturity and suitability for timed artificial insemination in beef cows

subjected to a synchronization of ovulation protocol/ Gabriela Olmos, Simon P. Turner,
Animal Reproduction Science Volume 109, Issues 1-4, , December 2008, Pages 17-26.

Keywords : Cattle; Vaginal electrical resistance; Ovarian follicular diameter; Ovulation; Synchronization

Experimental design for integrated research projects to estimate genetic and numerous treatment effects,/ D.L. Robinson,
Livestock Science In Press, Corrected Proof, , Available online 15 August 2008.

Keywords : Experimental design; Genetic effects; Genetic markers; Beef cattle; Integrated research

Expression of adipogenic transcription factors in adipose tissue of fattening Wagyu and Holstein steers/ T. Yamada, S.-I. Kawakami, N. Nakanishi,
Meat Science Volume 81, Issue 1, , January 2009, Pages 86-92.

Keywords: C/EBP family; PPAR[gamma]; Adipogenesis; Beef cattle

Familial associations with paratuberculosis ELISA results in Texas Longhorn cattle/ Jason B. Osterstock, Geoffrey T. Fosgate, Noah D. Cohen, James N. Derr, Elizabeth J.B. Manning, Michael T. Collins, Allen J. Roussel,
Veterinary Microbiology Volume 129, Issues 1-2, , 25 May 2008, Pages 131-138.

Keywords : Johne's disease; Mycobacterium avium subspecies Paratuberculosis; Epidemiology; Beef cattle

Fatty acid composition of intramuscular fat from Nelore steers fed dry or high moisture corn and calcium salts of fatty acids/ Saulo da Luz e Silva, Paulo Roberto Leme, Soraia Marques Putrino, Angelica Simone Cravo Pereira, Amaury Camilo Valinote, Jose Carlos Machado Nogueira Filho, Dante Pazzanese Duarte Lanna,

Livestock Science In Press, Corrected Proof, , Available online 29 October 2008.

Keywords: Beef cattle; Corn ensiling; Calcium soaps; Fat acid profile

Fatty acid composition of M. Longissimus dorsi from Holstein-Friesian steers of New Zealand and European/American descent and from Belgian Blue x Holstein-Friesian steers, slaughtered at two weights/ages/ T. Moreno, M.G. Keane, F. Noci, A.P. Moloney

Meat Science Volume 78, Issue 3, , March 2008, Pages 157-169.

Keywords : Slaughter weight/age; Breed; Bovine; Muscle; Fatty acids; Conjugated linoleic acid

Feeding behaviour, diet digestibility, rumen fluid and metabolic parameters of beef cattle fed total mixed rations with a stepped substitution of wheat straw with maize silage./ A. Mazzenga, M. Gianesella, M. Brscic, G. Cozzi,
Livestock Science In Press, Corrected Proof, , Available online 4 September 2008.

Keywords : Beef cattle; Fibrous ingredients; Feeding behaviour; Diet digestibility; Rumen fluid; Metabolic parameters

Field observations during the Bluetongue serotype 8 epidemic in 2006: II. Morbidity and

mortality rate, case fatality and clinical recovery in sheep and cattle in the Netherlands/ Armin R.W. Elbers, Anoeck Backx, Koen Mintiens, Guillaume Gerbier, Christoph Staubach, Guy Hendrickx, Arco van der Spek,

Preventive Veterinary Medicine Volume 87, Issues 1-2, , Special Issue: The 2006 Bluetongue outbreak in North-West Europe: The outcome from the epidemiological investigation coordinated by the European food safety authority (EFSA), 15 October 2008, Pages 31-40.

Keywords : Bluetongue; Clinical signs; Clinical disease incidence; Disease mortality; Case-fatality

Genetic associations between accumulated productivity, and reproductive and growth traits in Nelore cattle./ D.A. Grossi, O.G. Frizzas, C.C.P. Paz, L.A.F. Bezerra, R.B. Lobo, J.A. Oliveira, D.P. Munari,

Livestock Science Volume 117, Issues 2-3, , September 2008, Pages 139-146.

Keywords : Beef cattle; Genetic correlation; Reproductive efficiency; Heritability

Genetic diversity of Major Surface Protein 1[alpha] of *Anaplasma marginale* in beef cattle, *Veterinary Microbiology* In Press, Accepted Manuscript / T. Molad, L. Fleidrovich, M. Mazuz, L. Fish, B. Leibovitz, Y. Krigel, V. Shkap,, *Available online 31 October 2008*.

Genetic diversity of *Trypanosoma evansi* in beef cattle based on internal transcribed spacer region,/ Supatra Areekit, Pirom Singhaphan, Pornpimon Kanjanavas, Sintawee Khuchareontaworn, Thayat Sriyapai, Arda Pakpitcharoen, Kosum Chansiri, *Infection, Genetics and Evolution* Volume 8, Issue 4, , *MEEGID VIII 2006, July 2008, Pages 484-488*.

Keywords: Internal transcribed spacer; ITS; Cattle

Genetic traceability of meat using microsatellite markers/ C. Dalvit, M. De Marchi, C. Targhetta, M. Gervaso, M. Cassandro *Food Research International* Volume 41, Issue 3, , 2008, Pages 301-307.

Keywords : Genetic traceability; Meat; Individual identification; Match probability; Cattle breeds; Microsatellite

GnRH treatment at artificial insemination in beef cattle fails to increase plasma progesterone concentrations or pregnancy rates/ G.A. Perry, B.L. Perry, *Theriogenology* In Press, Corrected Proof, , *Available online 11 November 2008*.

Keywords: Pregnancy; GnRH; Standing estrus; Progesterone; Cattle

Greenhouse gas emissions from the Canadian beef industry/ X.P.C. Verge, J.A. Dyer, R.L. Desjardins, D. Worth, *Agricultural Systems* Volume 98, Issue 2, , September 2008, Pages 126-134.

Keywords : Greenhouse gases; Beef production; Canadian agriculture; Mitigation strategies; Intensity indicator

High performance liquid chromatography determination of cytochrome P450 1A and 2C activities in bovine liver microsomes,/ Sara Pegolo, Roberta Merlanti, Mery Giantin, Mauro Dacasto, Clara Montesissa, Francesca Capolongo,

The Veterinary Journal In Press, Corrected Proof, , Available online 23 September 2008.

Keywords: EROD; TMH; HPLC; Bovine; Liver microsomes

High prevalence of *Cryptosporidium bovis* and the deer-like genotype in calves compared to mature cows in beef cow-calf operations/ Dawn C. Feltus, Catherine W. Giddings, Margaret L. Khaita, John M. McEvoy
Veterinary Parasitology Volume 151, Issues 2-4, , 14 February 2008, Pages 191-195.

Keywords : Cryptosporidium; Cryptosporidium bovis; Cryptosporidium deer-like genotype; Cryptosporidium andersoni; Beef; Cows; Calves

Humoral and T cell-mediated immune responses to bivalent killed bovine viral diarrhea virus vaccine in beef cattle/ Ratree Platt, Christopher Coutu, Todd Meinert, James A. Roth
Veterinary Immunology and Immunopathology Volume 122, Issues 1-2, , 15 March 2008, Pages 8-15.

Keywords : Humoral immune response; Cell-mediated immune response; Killed vaccine; Bovine viral diarrhea virus; Bovine; Four-color flow cytometry; Serum virus neutralization test

In search of sustainable agricultural systems for the Llano Estacado of the U.S. Southern High Plains/ V.G. Allen, C.P. Brown, E. Segarra, C.J. Green, T.A. Wheeler, V. Acosta-Martinez, T.M. Zobeck
Agriculture, Ecosystems & Environment Volume 124, Issues 1-2, , Special Section: Problems and Prospects of Grassland Agroecosystems in Western China, March 2008, Pages 3-12.

Keywords : Water; Aquifers; Cropping and livestock systems; Grazing systems; Soil quality

In vitro evaluation of effects of ten essential oils at three doses on ruminal fermentation of high concentrate feedlot-type diets./ L. Castillejos, S. Calsamiglia, J. Martin-Tereso, H. Ter Wijlen,

Animal Feed Science and Technology Volume 145, Issues 1-4, , Enzymes, Direct Fed Microbials and Plant Extracts in Ruminant Nutrition, 14 August 2008, Pages 259-270.

Keywords: Essential oil; Rumen fermentation

Influence of finishing systems on hydrophilic and lipophilic oxygen radical absorbance capacity (ORAC) in beef/ C. Wu, S.K. Duckett, J.P.S. Neel, J.P. Fontenot, W.M. Clapham,

Meat Science Volume 80, Issue 3, , November 2008, Pages 662-667.

Keywords: Beef; Antioxidants; Forages; ORAC

Linear-threshold animal model for birth weight, gestation length and calving ease in United Kingdom Limousin beef cattle data, *Livestock Science* In Press/ Kaarina Matilainen, Raphael Mrode, Ismo Strandén, Robin Thompson, Esa A. Mantysaari,, Corrected Proof, ,

Available online 17 September 2008.

Keywords : Calving ease; Beef cattle; Threshold model; Breeding value; Empirical Bayes; Expectation Maximisation

Live weight, body size and carcass characteristics of young bulls of fifteen European breeds/ P. Alberti, B. Panea, C. Sanudo, J.L. Olleta, G. Ripoll, P. Ertbjerg, M. Christensen, S. Gigli, S. Failla, S. Concetti, J.F. Hocquette, R. Jailler, S. Rudel, G. Renand, G.R. Nute, R.I. Richardson, J.L. Williams
Livestock Science Volume 114, Issue 1, , March 2008, Pages 19-30.

Keywords : Beef cattle; Phenotypic relationships; Carcass morphology; Longissimus thoracis measures; Carcass traits

Long-term cattle gain responses to stocking rate and grazing systems in northern mixed-grass prairie,/ Justin D. Derner, Richard H. Hart, Michael A. Smith, James W. Waggoner Jr.,

Livestock Science Volume 117, Issue 1, , August 2008, Pages 60-69.

Keywords : Average daily gain; Continuous grazing; Grazing pressure; Rotational grazing; Short-duration grazing; Spring precipitation

Maternal protective behaviour of German Angus and Simmental beef cattle after parturition and its relation to production traits/ Sebastian Hoppe, Horst R. Brandt, Georg Erhardt, Matthias Gauly,
Applied Animal Behaviour Science Volume 114, Issues 3-4, , 1 December 2008, Pages 297-306.

Keywords : Maternal protective behaviour; Beef cattle; German Angus; Simmental; Temperament

Mixed-breed twin production by contralateral direct-transfer of male embryos to beef cow recipients bred to GnRH-based/ J.A. Small, D.J. Ambrose, J.P. Kastelic, R. Rajamahendran, fixed-time AI,
Livestock Science Volume 118, Issue 3, , November 2008, Pages 272-281.

Keywords : Twinning; Beef cows; Fixed-time AI; Fixed-time embryo transfer; Calves

Nutrient intake and digestibility and ruminal parameters in beef cattle fed diets containing *Brachiaria brizantha* silage and concentrate at different ratios/ Dalton H. Pereira, Odilon G. Pereira, Bruno C. Silva, Maria I. Leao, Sebastiao C. Valadares Filho, Rasmoo Garcia
Animal Feed Science and Technology Volume 140, Issues 1-2, , 1 January 2008, Pages 52-66.

Keywords : Feedlot; Grass silage; Neutral detergent fiber; Roughage; Ruminal parameters

Nutrition, synchronization, and management of beef embryo transfer recipients/ A.L. Jones, G.C. Lamb
Theriogenology Volume 69, Issue 1, , *Proceedings of the IETS Pre- and Post-Conference Symposia: - Animal Models of Reproduction/Recent Developments in the Practice of Bovine Embryo Transfer, IETS 2008 Pre- and Post-Conference Symposia, January 2008, Pages 107-115.*

Keywords : Embryo transfer; Estrus synchronization; Nutrition; Management; Recipient

Outbreak of acute bovine viral diarrhea in Brazilian beef cattle: Clinicopathological findings and molecular characterization of a wild-type BVDV strain subtype 1b/ M. Lunardi, S.A. Headley, J.A.N. Lisboa, A.M. Amude, A.A. Alfieri,

Research in Veterinary Science Volume 85, Issue 3, , December 2008, Pages 599-604.

Keywords : Cattle; Bovine viral diarrhoea; Bovine viral diarrhoea virus; 5' Untranslated region; Phylogenetic analysis

Ovarian function in Nelore (*Bos taurus indicus*) cows after post-ovulation hormonal treatments/ R. Machado, M.A.C.M. Bergamaschi, R.T. Barbosa, C.A. de Oliveira, M. Binelli

Theriogenology Volume 69, Issue 7, , 15 April 2008, Pages 798-804.

Keywords : Ovary; Antiluteolytic strategies; Estradiol; Gonadotropins; Cattle

PCR detection of *Bartonella bovis*,// Natalie A. Cherry, Ricardo G. Maggi, Allen L. Cannedy, Edward B. Breitschwerdt, *Bartonella henselae* in the blood of Beef Cattle,

Veterinary Microbiology In Press, Accepted Manuscript, , Available online 21 September 2008.

Performance of spring-calving beef suckler cows and their progeny on four contrasting grassland management systems,/ M.J. Drennan, M. McGee, *Livestock Science* Volume 117, Issues 2-3, , September 2008, Pages 238-248.

Keywords: Beef suckler cow; Cattle; Grassland systems

Performance of spring-calving beef suckler cows and their progeny to slaughter on intensive and extensive grassland management systems,/ M.J. Drennan, M. McGee,

Livestock Science In Press, Corrected Proof, , Available online 24 June 2008.

Keywords : Beef suckler cow; Cattle; Extensification; Grassland management systems

Prevalence of serum antibodies to bovine herpesvirus-1 and bovine viral diarrhoea virus in beef cattle in Uruguay,/ H. Guarino, A. Nunez, M.V. Repiso, A. Gil, D.A. Dargatz,

Preventive Veterinary Medicine Volume 85, Issues 1-2, , 15 June 2008, Pages 34-40.

Keywords : Infectious bovine rhinotracheitis; Bovine viral diarrhoea; Prevalence; Serology

Prolactin secretion after hypothalamic deafferentation in beef calves: Response to haloperidol, [alpha]-methyl-[rho]-tyrosine, thyrotropin-releasing hormone and ovariectomy/ Allison M. Benoit, Jose R. Molina, Sender Lkhagvadorj, Lloyd L. Anderson

*Animal Reproduction Science*In Press, *Corrected Proof*, , Available online 13 February 2008.

Keywords: Hypothalamic deafferentation; Beef calves; Ovariectomy;

Prolactin; [alpha]-Methyl-[rho]-tyrosine; Haloperidol; Thyrotropin-releasing hormone

Proteins in longissimus muscle of Korean native cattle and their relationship to meat quality/Sebastian Hoppe, Horst R. Brandt, Georg Erhardt, Matthias Gauly,

*Meat Science*Volume 80, Issue 4, , December 2008, Pages 1068-1073.

Keywords : Muscle proteome; Meat quality; Two-dimensional gel electrophoresis

Relationship between leptin content, metabolic hormones and fat deposition in three beef cattle breeds,/ M. Daix, C. Pirotte, J.L. Bister, F. Wergifosse, C. Cuvelier, J.F. Cabaraux, N. Kirschvink, L. Istasse, R. Paquay,

*The Veterinary Journal*Volume 177, Issue 2, , August 2008, Pages 273-278.

Keywords : Beef cattle; Breed; Carcass characteristics; Leptin; Metabolic hormones

Relationship between pre-slaughter stress responsiveness and beef quality in three cattle breeds/ V. Muchenje, K. Dzama, M. Chimonyo, P.E. Strydom, J.G. Raats, Meat ScienceIn Press, Accepted Manuscript, ,

Available online 13 November 2008.

Relationship of temperament, growth, carcass characteristics and tenderness in beef steers, Meat ScienceIn Press,/ S.M. Behrends, R.K. Miller, F.M. Rouquette Jr., R.D. Randel, B.G. Warrington, T.D.A. Forbes, T.H. Welsh, H. Lippke, J.M. Behrends, G.E. Carstens, J.W. Holloway,

Corrected Proof, , Available online 19 September 2008.

Keywords: Cattle; Tenderness; Temperament; Escape velocity

Restricted genetic diversity in the ubiquitous cattle parasite./ Benjamin M. Rosenthal, Detiger B. Dunams, Bobbi Pritt, *Sarcocystis cruzi*, *Infection, Genetics and Evolution* Volume 8, Issue 5, , September 2008, Pages 588-592.

Keywords : Sarcocystis; Coccidia; Parasites; Cattle; Beef; Food safety; Population genetics; Domestication; Dog

Risk factors associated with *Mycobacterium avium* subspecies paratuberculosis seropositivity in Canadian dairy cows and herds./ A. Tiwari, J.A. VanLeeuwen, I.R. Dohoo, G.P. Keefe, J.P. Haddad, H.M. Scott, T. Whiting, *Preventive Veterinary Medicine* In Press, Corrected Proof, , Available online 9 August 2008.

Keywords : Paratuberculosis; Bovine leukemia virus; Bovine viral diarrhea virus; Neospora caninum; Management factors; Dairy cattle

Risk factors associated with *Tritrichomonas foetus* infection in beef herds in the Province of Buenos Aires, Argentina/ F.O. Mardones, A.M. Perez, A. Martinez, T.E. Carpenter, *Veterinary Parasitology* Volume 153, Issues 3-4, , 31 May 2008, Pages 231-237.

Keywords : Tritrichomonas foetus; Bovine trichomonosis; Venereal disease; Beef cattle

Risk factors for bovine tuberculosis in New Zealand cattle farms and their relationship with possum control strategies./ Thibaud Porphyre, Mark A. Stevenson, Joanna McKenzie, *Preventive Veterinary Medicine* Volume 86, Issues 1-2, , 15 August 2008, Pages 93-106.

Keywords : Mycobacterium bovis; Cattle farm; Brushtail possum; Epidemiology

Runoff and drainage water quality from geotextile and gravel pads used in livestock feeding and loafing areas/ Anshu Singh, Jose R. Bicudo, Stephen R. Workman Bioresource

Technology Volume 99, Issue 8, , May 2008, Pages 3224-3232.

Keywords : Cattle; Manure; Organic material; Nutrients; All-weather surfaces

Sheep farms in the Spanish rangelands (dehesas): Typologies according to livestock management and economic indicators/ P. Gaspar, M. Escribano, F.J. Mesias, A. Rodriguez de Ledesma, F. Pulido Small Ruminant

Research Volume 74, Issues 1-3, , January 2008, Pages 52-63.

Keywords : Sheep; Dehesa; Farm typology; Technical and economic management; Principal component analysis

Simulating grassland utilization in beef suckler systems to investigate the trade-offs between production and floristic diversity/ M. Jouven, R. Baumont *Agricultural Systems* Volume 96, Issues 1-3, , March 2008, Pages 260-272.

Keywords : Model; Forage system; Beef cattle; Grazing; Cutting; Production; Floristic diversity

Solid material retention and nutrient reduction properties of pervious concrete mixtures./ Joe D. Luck, Stephen R. Workman, Mark S. Coyne, Stephen F. Higgins,

Biosystems Engineering Volume 100, Issue 3, , July 2008, Pages 401-408.

Stable C and N isotope ratio analysis for regional geographical traceability of cattle in China/ B.L. Guo, Y.M. Wei, J.R. Pan, Y. Li,

Food Chemistry In Press, Corrected Proof, , Available online 30 September 2008.

Keywords : Cattle; Beef; Traceability; Stable isotope ratios; Isotope ratio mass spectrometry (IRMS)

The economic effects of an estrus synchronization protocol using prostaglandin in beef heifers/ D.E. Holm, P.N. Thompson, P.C. Irons,

Theriogenology Volume 70, Issue 9, , December 2008, Pages 1507-1515.

Keywords : Beef heifers; Cattle; Cost benefit; Estrus synchronization; Prostaglandin

The effect of cooking on the fatty acid composition of longissimus muscle from beef heifers fed rations designed to increase the concentration of conjugated linoleic acid in tissue/M.V. Sarries, B.E. Murray, A.P. Moloney, D. Troy, M.J. Beriain,,

Meat Science Volume 81, Issue 2, , February 2009, Pages 307-312.

Keywords: Cooking; Dietary composition; Heifers; CLA

The expected utility of genetic information in beef cattle production/ David K. Lambert,

Agricultural Systems In Press, Corrected Proof, , Available online 11 November 2008.

Keywords: Genotype; Value of information; Beef cattle; Expected utility

The influence of ante-mortem treatment on relationship between pH and tenderness of beef/ Jarmila Jelenikova, Petr Pipek, Ladislav Staruch,

Meat Science Volume 80, Issue 3, , November 2008, Pages 870-874.

Keywords : Beef; Texture; Tenderness; pH; Sex; Pre-slaughter; Housing; Hanging

The influence of season and of providing a water trough on stream use by beef cattle grazing hill-country in New Zealand/ Caroline S. Bagshaw, Bruce Thorrold, Michael Davison, Ian J.H. Duncan, Lindsay R. Matthews

Applied Animal Behaviour Science Volume 109, Issues 2-4, , February 2008, Pages 155-166.

Keywords: Drinking; Distribution; Riparian; Water quality; Cattle

The Jarvis Beef Stunner: Effects of a prototype chest electrode/ A.L. Weaver, S.B. Wotton,

Meat Science Volume 81, Issue 1, , January 2009, Pages 51-56.

Keywords: Cattle; Electrical stunning; Cardiac arrest; Bloodsplash

The relationships between temperament during routine handling tasks, weight gain and facial hair whorl position in frequently handled beef cattle/ Gabriela Olmos, Simon P. Turner,

Applied Animal Behaviour Science Volume 115, Issues 1-2, , 15 December 2008, Pages 25-36.

Keywords : Cattle; Temperament; Hair whorl; Intensive handling; Flight speed

The use of different models for the estimation of residual feed intake (RFI) as a measure of feed efficiency in meat sheep/ S.A. Knott, L.J. Cummins, F.R. Dunshea, B.J. Leury,
Animal Feed Science and Technology Volume 143, Issues 1-4, , *Mathematical Models that Predict the Effects of Feed Characteristics on Animal Performance*, 22 May 2008, Pages 242-255.

Keywords: Residual feed intake; Sheep; Model; Feed efficiency

The use of visible and near infrared reflectance spectroscopy to predict beef M. longissimus thoracis et lumborum quality attributes/ S. Andres, A. Silva, A.L. Soares-Pereira, C. Martins, A.M. Bruno-Soares, I. Murray
Meat Science Volume 78, Issue 3, , *March 2008*, Pages 217-224.

Keywords : Near infrared reflectance spectroscopy; Beef; Meat; Quality attributes

Traceability of four European Protected Geographic Indication (PGI) beef products using Single Nucleotide Polymorphisms (SNP) and Bayesian statistics/ R. Negrini, L. Nicoloso, P. Crepaldi, E. Milanese, R. Marino, D. Perini, L. Pariset, S. Dunner, H. Leveziel, J.L. Williams, P. Ajmone Marsan,
Meat Science Volume 80, Issue 4, , *December 2008*, Pages 1212-1217.

Keywords: SNPs; Traceability; Breed; Cattle

Transportation stress alters the circulating steroid environment and neutrophil gene expression in beef bulls/ K.R. Buckham Sporer, L. Xiao, R.J. Tempelman, J.L. Burton, B. Earley, M.A. Crowe
Veterinary Immunology and Immunopathology Volume 121, Issues 3-4, , *15 February 2008*, Pages 300-320.

Keywords : Transportation stress; Steroids; Neutrophils; cDNA microarray; Beef cattle

Verifying the geographical origin of beef: The application of multi-element isotope and trace element analysis/ Karl Heaton, Simon D. Kelly, Jurian Hoogewerff, Mark Woolfe
Food Chemistry Volume 107, Issue 1, , *1 March 2008*, Pages 506-515.

Keywords : Beef; Stable isotope; SIRA; Trace element; Geographic origin; Authenticity

Weekly bull exchange shortens postpartum anestrus in suckled beef cows/ V. Miller, R. Ungerfeld

Theriogenology Volume 69, Issue 8, , May 2008, Pages 913-917.

Keywords: Biostimulation; Bull effect; Cattle; Postpartum anestrus