

## **Komoditas : KACANG TUNGGAK**

1. **Morphological Features and Inheritance of Foliaceous Stipules of Primary Leaves in Cowpea (*Vigna unguiculata*)**  
R. N. PANDEY, P. DHANASEKAR. *Annals of Botany*. Oxford: Sep 2004.  
Vol. 94, Iss. 3; p. 469
2. **Competition between wild-type virus and a reassortant from subgroups I and II of CMV and activation of antiviral responses in cowpea**  
M. Takeshita, K. Kikuhara, S. Kuwata, N. Furuya, Y. Takanami. *Archives of Virology*. New York: Sep 2004. Vol. 149, Iss. 9; p. 1851
3. **Application of response surface methodology for studying the product characteristics of extruded rice-cowpea-groundnut blends**  
Emmanuel Kwasi Asare, Samuel Sefa-dedeh, Esther Sakyi-dawson, Emanuel Ohene Afoakwa. *International Journal of Food Sciences and Nutrition*.  
Basingstoke: Aug 2004. Vol. 55, Iss. 5; p. 431
4. **Isolation and characterization of an aspartic proteinase gene from cowpea (*Vigna unguiculata* L. Walp.)\***  
Maria H Cruz de Carvalho, Anh T Pham-Thi, Monique Gareil, Agnès d'Arcy-Lameta, Yasmine Zuily Fodil. *Journal of Plant Physiology*. Stuttgart: Aug 2004.  
Vol. 161, Iss. 8; p. 971 (6 pages)
5. **AFLP and AFLP-Derived SCAR Markers Associated with *Striga gesnerioides* Resistance in Cowpea**  
O Boukar, L Kong, B B Singh, L Murdock, H W Ohm. *Crop Science*. Madison:  
Jul/Aug 2004. Vol. 44, Iss. 4; p. 1259 (6 pages)
6. **Registration of 'Apagbaala' Cowpea**  
F K Padi, N N Denwar, F Z Kaleem, A B Salifu, et al. *Crop Science*. Madison:  
Jul/Aug 2004. Vol. 44, Iss. 4; p. 1486 (1 page)
7. **Registration of 'Marfo-Tuya' Cowpea**  
F K Padi, N N Denwar, F Z Kaleem, A B Salifu, et al. *Crop Science*. Madison:  
Jul/Aug 2004. Vol. 44, Iss. 4; p. 1486 (2 pages)
8. **Cowpea aphid expands range**  
Jeanne Bernick. *Farm Journal (Midwest/Central edition)*. Philadelphia: Mid-Feb  
2004. Vol. 128, Iss. 4; p. 19

9. **Effect of Manganese Toxicity on the Proteome of the Leaf Apoplast in Cowpea**  
Marion M Fecht-Christoffers, Hans-Peter Braun, Christelle Lemaitre-Guillier, Alain VanDorsselaer, Walter J Horst. *Plant Physiology*. Rockville: Dec 2003. Vol. 133, Iss. 4; p. 1935
10. **Intracellular distribution of cowpea mosaic virus movement protein as visualised by green fluorescent protein fusions**  
K. Gopinath, P. Bertens, J. Pouwels, H. Marks, et al. *Archives of Virology*. New York: Nov 2003. Vol. 148, Iss. 11; p. 2099
11. **Functional characterization and expression of a cytosolic iron-superoxide dismutase from cowpea root nodules<sup>1,2</sup>**  
Jose F Moran, Euan K James, Maria C Rubio, Gautam Sarath, et al. *Plant Physiology*. Rockville: Oct 2003. Vol. 133, Iss. 2; p. 773
12. **Selection of cowpea genotypes in hydroponics, pots and field for drought tolerance**  
C I Ogonnaya, B Sarr, C Brou, O Diouf, et al. *Crop Science*. Madison: May/June 2003. Vol. 43, Iss. 3; p. 1114
13. **Dual intracellular localization and targeting of aminoimidazole ribonucleotide synthetase in cowpea**  
Danica Erin Goggin, Richard Lipscombe, Elena Fedorov, A Harvey Millar, et al. *Plant Physiology*. Rockville: Mar 2003. Vol. 131, Iss. 3; p. 1033 (9 pages)
14. **Studies on the C-terminus of the Cowpea mosaic virus movement protein**  
P. Bertens, W. Heijne, N. Van der Wel, J. Wellink, A. Van Kammen. *Archives of Virology*. New York: Jan 2003. Vol. 148, Iss. 2; p. 265
15. **Direct whole plant regeneration of cowpea [*Vigna unguiculata* (L.) Walp] from cotyledonary node thin cell layer explants**  
Bui Van Le, Maria H Cruz de Carvalho, Yasmine Zuily-Fodil, Anh T Pham Thi, Kiem Tran Thahn Van. *Journal of Plant Physiology*. Stuttgart: Nov 2002. Vol. 159, Iss. 11; p. 1255 (4 pages)
16. **AFLP markers linked to resistance against *Striga gesnerioides* race 1 in cowpea (*Vigna unguiculata*)**  
Jeremy T Ouedraogo, Jean-Baptiste Tignegre, Michael P Timko, Francois J Belzile. *Genome*. Ottawa: Oct 2002. Vol. 45, Iss. 5; p. 787 (7 pages)

17. **Registration of 'Ein El Gazal' cowpea**  
H O A Elawad, A E Hall. Crop Science. Madison: Sep/Oct 2002. Vol. 42, Iss. 5; p. 1745 (2 pages)
18. **Microbiological evaluation of ghanaian maize dough co-fermented with cowpea**  
A I Sanni, S Sefa-Dedeh, E Sakyi-Dawson, M Asiedu. International Journal of Food Sciences and Nutrition. Basingstoke: Sep 2002. Vol. 53, Iss. 5; p. 367
19. **Registration of GC-86L-98 cowpea germplasm resistant to Cucumber mosaic virus and Blackeye cowpea mosaic virus**  
A G Gillaspie Jr. Crop Science. Madison: Jul/Aug 2002. Vol. 42, Iss. 4; p. 1385
20. **Effect of short-term N(2) deficiency on expression of the ureide pathway in cowpea root nodules**  
Penelope M C Smith, Heike Winter, Paul J Storer, John D Bussell, et al. Plant Physiology. Rockville: Jul 2002. Vol. 129, Iss. 3; p. 1216 (6 pages)
21. **The genomic sequence of cowpea aphid-borne mosaic virus and its similarities with other potyviruses**  
S. Mlotshwa, J. Verver, I. Sithole-Niang, T. Van Kampen, et al. Archives of Virology. New York: May 2002. Vol. 147, Iss. 5; p. 1043
22. **Ruminal Fermentation Kinetics in Ewes Offered a Maize Stover Basal Diet Supplemented with Cowpea Hay, Groundnut Hay, Cotton Seed Meal or Maize Meal**  
S. Chakeredza, U. ter Meulen, L.R. Ndlovu. Tropical Animal Health and Production. Dordrecht: May 2002. Vol. 34, Iss. 3; p. 215
23. **Efficiency of three PCR-based markers in assessing genetic variation among cowpea (*Vigna unguiculata* subsp. *unguiculata*) landraces**  
Nicola Tosti, Valeria Negri. Genome. Ottawa: Apr 2002. Vol. 45, Iss. 2; p. 268 (8 pages)
24. **Regulation of Rhizosphere Acidification by Photosynthetic Activity in Cowpea (*Vigna unguiculata* L. Walp.) Seedlings**  
THEERTHAM P. RAO, KATSUYA YANO, MORIO IJIMA, AKIRA YAMAUCHI, JIRO TATSUMI. Annals of Botany. Oxford: Feb 01, 2002. Vol. 89, Iss. 2; p. 213
25. **An improved genetic linkage map for cowpea (*Vigna unguiculata* L.) combining AFLP, RFLP, resistance traits**

- J T Ouedraogo, B S Gowda, M Jean, T J Close, et al. Genome. Ottawa: Feb 2002. Vol. 45, Iss. 1; p. 175 (14 pages)
26. **Effect of Cowpea Hay, Groundnut Hay, Cotton Seed Meal and Maize Meal Supplementation to Maize Stover on Intake, Digestibility, Microbial Protein Supply and Acetate Kinetics in Weaner Lambs**  
S. Chakeredza, U. ter Meulen, L.R. Ndlovu. Tropical Animal Health and Production. Dordrecht: Feb 2002. Vol. 34, Iss. 1; p. 49
  27. **Distribution of Yieldin, a Regulatory Protein of the Cell Wall Yield Threshold, in Etiolated Cowpea Seedlings**  
Akane Okamoto-Nakazato, Koji Takahashi, Ritsuko Katoh-Semba, Kiyoshi Katou. Plant & Cell Physiology. Oxford: Sep 15, 2001. Vol. 42, Iss. 9; p. 952
  28. **Determining genetic similarities and relationships among cowpea breeding lines and cultivars by microsatellite markers**  
Cheng-Dao Li, Christian A Fatokun, Benjamin Ubi, Bir B Singh, Graham J Scoles. Crop Science. Madison: Jan/Feb 2001. Vol. 41, Iss. 1; p. 189
  29. **Identification and survival of the causal organism of leaf smut disease of cowpea in Nigeria**  
T.O. Adejumo, T. Ikotun, D.A. Florini. Mycopathologia. Dordrecht: 2001. Vol. 150, Iss. 2; p. 85
  30. **Effect of fortification on the compositional and sensory attributes of cowpea-amala**  
O.A. Ashay, S.B. Fasoyiro, R.O. Lawal. Nutrition and Food Science. Bradford: 2001. Vol. 31, Iss. 2; p. 88
  31. **Semidwarf and standard-height cowpea responses to row spacing in different environments**  
Abdelbagi M Ismail, Anthony E Hall. Crop Science. Madison: Nov/Dec 2000. Vol. 40, Iss. 6; p. 1618
  32. **High frequency plant regeneration via somatic embryogenesis in cell suspension cultures of cowpea, vigna unguiculata (L.) Walp.**  
R Prem Anand, A Ganapathi, V Ramesh Anbazhagan, G Vengadesan, N Selvaraj. In Vitro Cellular & Developmental Biology. Columbia: Nov/Dec 2000. Vol. 36, Iss. 6; p. 475 (6 pages)
  33. **Reseeding cowpeas (Vigna unguiculata)**

- Richard Scott. Progressive Farmer (Southeast edition). Birmingham: Oct 2000. Vol. 115, Iss. 11; p. 100 (1 page)
34. **Delayed-leaf-senescence and heat-tolerance traits mainly are independently expressed in cowpea**  
Abdelbagi M Ismail, Anthony E Hall, Jeffrey D Ehlers. Crop Science. Madison: Jul/Aug 2000. Vol. 40, Iss. 4; p. 1049
35. **A stress-inducible gene for 9-cis-epoxycarotenoid dioxygenase involved in abscisic acid biosynthesis under water stress in drought-tolerant cowpea**  
Satoshi Iuchi, Masatomo Kobayashi, Kazuko Yamaguchi-Shinozaki, Kazuo Shinozaki. Plant Physiology. Rockville: Jun 2000. Vol. 123, Iss. 2; p. 553 (10 p)
36. **Inheritance of a broad-based form of root-knot nematode resistance in cowpea**  
J D Ehlers, W C Matthews Jr, A E Hall, P A Roberts. Crop Science. Madison: May/June 2000. Vol. 40, Iss. 3; p. 611
37. **Proximate composition, phytic acid, polyphenols and digestibility (in vitro) of four brown cowpea varieties**  
Komal Preet, Darshan Punia. International Journal of Food Sciences and Nutrition. Basingstoke: May 2000. Vol. 51, Iss. 3; p. 189 (5 pages)
38. **Effect of pressure and solar cooking on phytic acid and polyphenol content of cowpeas**  
Mamta Pasrija, Darshan Punia. Nutrition and Food Science. Bradford: 2000. Vol. 30, Iss. 3; p. 133
39. **Reproductive-stage heat tolerance, leaf membrane thermostability and plant morphology in cowpea**  
Abdelbagi M Ismail, Anthony E Hall. Crop Science. Madison: Nov/Dec 1999. Vol. 39, Iss. 6; p. 1762
40. **Identification of suitable seed regeneration sites for photoperiod-sensitive cowpea germplasm**  
Gillaspie, A G Jr, Goenaga, R J, Torres, S, Peregrine, E. Crop Science. Madison: Sep 1999. Vol. 39, Iss. 5; p. 1513 (3 pages)
41. **Purification and partial characterization of a dehydrin involved in chilling tolerance during seedling emergence of cowpea**  
Anonymous. Plant Physiology. Rockville: May 1999. Vol. 120, Iss. 1; p. 237 (8 p)

42. **Selection of virulent isolates of entomopathogenic hyphomycetes against *Clavigralla tomentosicollis* Stal. and evaluation in cage experiment using three cowpea varieties**  
S. Ekesi. Mycopathologia. Dordrecht: 1999. Vol. 148, Iss. 3; p. 131
43. **Effect of processing on some properties of cowpea (*Vigna unguiculata*), seed, protein, starch, flour and akara**  
N J Enwere, K H McWatters, R D Phillips. International Journal of Food Sciences and Nutrition. Basingstoke: Sep 1998. Vol. 49, Iss. 5; p. 365 (9 pages)
44. **Utilization of cowpea crop residues to reduce fertilizer nitrogen inputs with fall broccoli**  
Schroeder, Judith L, Kahn, Brian A, Lynd, J Q. Crop Science. Madison: May 1998. Vol. 38, Iss. 3; p. 741 (9 pages)
45. **Positive and potential negative effects of heat-tolerance genes in cowpea**  
Ismail, A M, Hall, A E. Crop Science. Madison: Mar 1998. Vol. 38, Iss. 2; p. 381 (10 pages)
46. **Nutrient composition and amino acid pattern of cowpea (*Vigna unguiculata* (L.) Walp, Fabaceae) grown in the Gizan area of Saudi Arabia**  
M A Hussain, A Y Basahy. International Journal of Food Sciences and Nutrition. Basingstoke: Mar 1998. Vol. 49, Iss. 2; p. 117 (8 pages)
47. **Chilling tolerance during emergence of cowpea associated with a dehydrin and slow electrolyte leakage**  
Ismail, A M, Hall, A E, Close, T J. Crop Science. Madison: Jul 1997. Vol. 37, Iss. 4; p. 1270 (8 pages)
48. **Heat and chilling tolerance during germination and heat tolerance during flowering are not associated in cowpea**  
El-kholy, Aziza S, Hall, Anthony E, Mohsen, Awatif A. Crop Science. Madison: Mar 1997. Vol. 37, Iss. 2; p. 456 (8 pages)
49. **Leaf appearance in cowpea: Effects of temperature and photoperiod**  
Craufurd, Peter Q, Subedi, Madhu, Summerfield, Rodney J. Crop Science. Madison: Jan 1997. Vol. 37, Iss. 1; p. 167 (5 pages)
50. **Some physiochemical and functional properties of cowpea (*Vigna unguiculata*) isoelectric protein isolate as a function of pH and salt concentration**

- R E Aluko, R Y Yada. International Journal of Food Sciences and Nutrition. Basingstoke: Jan 1997. Vol. 48, Iss. 1; p. 31 (9 pages)
51. **New resistance to virulent root-knot nematodes linked to the Rk locus of cowpea**  
Roberts, P A, Matthews, W C, Ehlers, J D. Crop Science. Madison: Jul 1996. Vol. 36, Iss. 4; p. 889 (6 pages)
  52. **Genotypic classification of cowpea based on responses to heat and photoperiod**  
Ehlers, J D, Hall, A E. Crop Science. Madison: May 1996. Vol. 36, Iss. 3; p. 673 (6 pages)
  53. **Heritability of carbon isotope discrimination and correlations with harvest index in cowpea**  
Menendez, Cristina M, Hall, Anthony E. Crop Science. Madison: Mar 1996. Vol. 36, Iss. 2; p. 233 (6 pages)
  54. **Heritability of carbon isotope discrimination and correlations with earliness in cowpea**  
Menendez, Cristina M, Hall, Anthony E. Crop Science. Madison: May 1995. Vol. 35, Iss. 3; p. 673
  55. **Dietary tannins from cowpeas and tea transiently alter appar**  
The Journal of Nutrition. Bethesda: Feb 1994. Vol. 124, Iss. 2; p. 283 (6 pages)
  56. **Carbon isotope discrimination and gas exchange of cowpea accessions and hybrids**  
Ismail, Abdelbagi M, Hall, Anthony E. Crop Science. Madison: Jul 1993. Vol. 33, Iss. 4; p. 788
  57. **Heat injury during early floral bud development in cowpea**  
Ahmed, Faisal E, Hall, Anthony E. Crop Science. Madison: Jul 1993. Vol. 33, Iss. 4; p. 764
  58. **Independent inheritance of striga and alectra resistance in cowpea genotype B301**  
Atokple, I D K, Singh, B B, Emechebe, A M. Crop Science. Madison: Jul 1993. Vol. 33, Iss. 4; p. 714
  59. **Genetic variability for nutritional composition and cooking time of improved cowpea lines**

- Nielsen, S Suzanne, Brandt, Wendy E, Singh, Bir B. Crop Science. Madison: May 1993. Vol. 33, Iss. 3; p. 469
60. **Inheritance of carbon isotope discrimination and water-use efficiency in cowpea**  
Ismail, Abdelbagi M, Hall, Anthony E. Crop Science. Madison: May 1993. Vol. 33, Iss. 3; p. 498
61. **Isozyme diversity in the cowpea species complex**  
Vaillancourt, Rene E, Weeden, Norman F, Barnard, John. Crop Science. Madison: May 1993. Vol. 33, Iss. 3; p. 606
62. **Inheritance of alectra resistance in cowpea genotype B 301**  
Singh, B B, Emechebe, A M, Atokple, I D K. Crop Science. Madison: Jan 1993. Vol. 33, Iss. 1; p. 70
63. **Inheritance of Heat Tolerance During Pod Set in Cowpea**  
Marfo, K O, Hall, A E. Crop Science. Madison: Jul 1992. Vol. 32, Iss. 4; p. 912
64. **Pod Removal Effects on Cowpea Genotypes Contrasting in Monocarpic Senescence Traits**  
Gwathmey, C Owen, Hall, Anthony E, Madore, Monica A. Crop Science. Madison: Jul 1992. Vol. 32, Iss. 4; p. 1003
65. **Adaptation to Midseason Drought of Cowpea Genotypes with Contrasting Senescence Traits**  
Gwathmey, C Owen, Hall, Anthony E. Crop Science. Madison: May 1992. Vol. 32, Iss. 3; p. 773
66. **Adaptive Attributes of Cowpea Genotypes with Delayed Monocarpic Leaf Senescence**  
Gwathmey, C Owen, Hall, Anthony E, Madore, Monica A. Crop Science. Madison: May 1992. Vol. 32, Iss. 3; p. 765
67. **Correlation Between Water-Use Efficiency and Carbon Isotope Discrimination in Diverse Cowpea Genotypes and Isogenic Lines**  
Ismail, Abdelbagi M, Hall, A E. Crop Science. Madison: Jan 1992. Vol. 32, Iss. 1; p. 7
68. **Genotypic and Drought-Induced Differences in Carbon Isotope Discrimination and Gas Exchange of Cowpea**  
Hall, A E, Mutters, R G, Farquhar, G D. Crop Science. Madison: Jan 1992. Vol. 32, Iss. 1; p. 1



69. **Reproductive Responses of Cowpea to High Temperature During Different Night Periods**

Mutters, R G, Hall, A E. Crop Science.Madison:Jan 1992. Vol. 32, Iss. 1; p. 202